INDEX, PAGE 131

New 70,000 sq. ft. National Headquarters Hempstead, New York

GLOBAL

EQUIPMENT COMPANY

A Division of Continental Dynamics Corporation

6585 HEMLOCK DRIVE, HEMPSTEAD, N.Y. 11550

FOR FASTER SERVICE DIAL DIRECT ON OUR TOLL FREE LINE

Except New York (516) 485-1000





NOTICE

TRESPASSING

HARD HAT - AREA



Page 70



Page 50





See Pgs. 133 and 136 ₹ ₹ 10 Day Free Trial see page 109

Page 40



Space and Storage Saver

Get the most from your floor space without sacri-

ficing storage space. Our storage roof option gives

you up to 50 lbs. per sq. ft.

7 8 9 10 11 12 13 14

- Extruded aluminum posts, anodized, with vinyl-clad feature strip.
- Suspended, acoustical, vinyl-faced fiberglass ceiling tile.
- 3. Luminous panels, provide efficient indirect lighting.
- Fluorescent fixture provides an average of 100 foot-candles of illumination.
- 5. Steel roof deck is designed to provide clear spans of up to 20 feet.6. Walls a full 3" thick with honeycomb core af-
- 6. Walls a full 3" thick with honeycomb core afford structural rigidity and effective "sound-conditioning." ¼" hardboard facings, vinyl-clad, retain beauty with minimum maintenance.
- 7. Continuous base channel.

- 8. Design permits removal of a single panel.
- 9. Window option: 1/8" tempered glass
- Door faced with attractive walnut vinyl, prehung in aluminum jamb, complete with hardware.
- 11. Wall switch for lights. Conforms to National Code.
- Conduit run with junction box, reaches ceiling plenum; pre-assembled in interior post.
- Comfort control options include: exhaust fan, heater (heat, off or fan), and anodized aluminum louver.
- 14. Outlet for air conditioner, 110 or 220 volt (Breaker panel provided).

CONVERT UNUSED FLOOR AND AIR SPACE INTO DOLLARS

Full 3" thick walls

A completely modular building system. Answers the most urgent office space needs; can be erected, ready for occupancy in a single day. Completely relocatable and expandable, these offices replace permanent construction for as little as \$6 per square foot.

FLEXIBLE—No need to compromise with costly permanent structures. Put the office where you need it today and quickly relocate it tomorrow. No additional material cost—all parts are fully reusable.

PRE-ENGINEERED—Permits you to simply select the size and shape you need from standard models.

MAINTENANCE-FREE—Every exposed surface is either tough vinyl faced, anodized aluminum or painted steel for years of carefree use.

All units are specifically designed for fast erection by your factory personnel.

Complete, simple to read instructions included.

Just pick out the office which fits your needs. The money saved by increased efficiency will pay for these offices in no time. Order now!!

Partitions made up of 4' and 2' panels. For either panel or door where glass is desired add \$40.00 for 1/6" tempered clear glass.

Please send sketch indicating location of glass panels and swing of door.

If you have any questions regarding your office set-up please call 800/645-1232

COPYRIGHT 1973, 1974, 1975, 1976, 1977 GLOBAL EQUIPMENT CO.




Modular Complex — Have a complete office system right in your plant, without wasting a square inch of floor space. Interior divider walls available.



Office With Vision Tower—Allows complete view of your operations without giving up valuable floor space...doubles your floor space.

Global shows you how!

Saves its Cost in 6 Months †



FOR A MORE BEAUTIFUL OFFICE

Concealed Conduit Recessed Outlets and Fixtures

Beige vinyl walls will be furnished unless Walnut or White Oak is specified

Size D X W	Number of Light Fixtures	4 Wall Model No. Price		3 W Model No.	/all Price	2 V Model No.	Vall Price	Storage 50 Lb. Sq. Model No.	Roof * * Ft. Cap. Price	Add'L For 8' H Vision Tower * * * Model No. Price	
8 x 8	1	352101	\$1236.00	352201	\$1079.00	352301	\$868.00	352500	\$47.00	352800	\$2067.00
8 x 10	2	352103	1396.00	352203	1186.00	352303	975.00	352502	112.00	352802	2191.00
8 x 12	2	352105	1550.00	352205	1288.00	352305	1077.00	352504	112.00	352804	2274.00
10 x 10	2	352107	1568.00	352207	1358.00	352307	1095.00	352506	110.00	352806	2285.00
10 x 12	3 4 4 5	352109	1769.00	352209	1507.00	352309	1244.00	352508	110.00	352808	2351.00
12 x 12		352111	1909.00	352211	1647.00	352311	1331.00	352510	130.00	352810	2504.00
10 x 16		352113	2121.00	352213	1753.00	352313	1490.00	352512	165.00	352812	2932.00
12 x 16		352115	2278.00	352215	1910.00	352315	1594.00	352514	185.00	352814	2875.00
12 x 20		352117	2617.00	352217	2144.00	352317	1828.00	352516	272.00	352816	3247.00
10 x 20 12 x 24 12 x 28 * 12 x 32 *	4 6 7	352117 352119 352121 352123 352125	2413.00 3001.00 3512.00 3849.00	352217 352219 352221 352223 352225	1940.00 2423.00 2828.00 3060.00	352317 352319 352321 352323 352325	1677.00 2107.00 2512.00 2744.00	352516 352518 352520 352522 352524	220.00 325.00 380.00 446.00	352818 352820 352822 352824	3074.00 3463.00 3960.00 4206.00
16 x 16	8	352127	2799.00	352227	2431.00	352327	2010.00	352526	330.00	352826	3384.00
16 x 20	8	352129	3247.00	352229	2774.00	352329	2353.00	352528	485.00	352828	4237.00
16 x 24	8	352131	3634.00	352231	3056.00	352331	2635.00	352530	587.00	352830	4206.00
16 x 28 *	10	352133	4252.00	352233	3568.00	352333	3147.00	352532	690.00	352832	4747.00
16 x 32 * 20 x 20 20 x 24 20 x 28 *	12 10 10	352135 352137 352139 352141	4666.00 3848.00 4320.00 4993.00	352235 352237 352239 352241	3877.00 3375.00 3742.00 4309.00	352335 352337 352339 352341	3456.00 2848.00 3215.00 3782.00	352534 352536 352538 352540	845.00 460.00 555.00 650.00	352834 352836 352838 352840	5191.00 4998.00 5595.00 6580.00
20 x 32*	14	352143	5449.00	352243	4660.00	352343	4133.00	352542	820.00	352842	6759.00
20 x 36*	16	352145	6009.00	352245	5114.00	352345	4587.00	352544	915.00	352844	7619.00
20 x 40*	18	352147	6453.00	352247	5453.00	352347	4926.00	352546	1085.00	352846	8258.00

* Models with two doors.

TWO STORY OFFICES AVAILABLE (Picture Shown on Cover) CALL FOR QUOTE

Price

Includes: solid panels (4 walls) to construct office size shown, pre-hung vinyl faced door and hardware, all connecting hardware, complete lay in ceiling system, steel ribbed roof deck, electric kit, complete erection information. Floors are not provided.

Electric Kit includes conduit run consisting of junction box with supports, outlet, switch, conduit of appropriate length to reach ceiling plenum, connectors and pulling elbow. Preassembled in the interior post side to create a vertical electrical raceway. Fixture is a troffer type 2' x 4', 4 tube lay in (without bulbs). Breaker panel sized to the office, includes single pole breakers, outlets, air conditioning outlet included. Kit does not include wire, lamps, or ceiling conduit which are left to the discretion of the electrician.

ECONOMICAL CLASS 70 FREIGHT

- ** Storage Roof option includes steel structural beams 6" or 8" of appropriate lengths, notched for ceiling channel bi-pass and drilled to receive angle bolts, post angles drilled, connecting bolts and fasteners for connecting roof deck.
 - *** **Vision Tower** option includes stairs with landing and railing, 3/4" underlayment. Units are 8' high to top of mezzanine with 7'2" underclearance (order office separately)

OPTIONAL ACCESSORIES

Model No. 352548 Baseboard heater, 4' long with thermostat-110V (for areas up to 100 sq. ft.) \$55.50

Model No. **352550** Baseboard heater, 8' long with thermostat -110V for areas up to 200 sq. ft.) **\$94.50**

Model No. 352552 wall mounted heater, 3200-5600 watt variable, 220V (for areas up to 800 sq. ft.) \$129.00

 Model No. 352554 Louver, 18" x 12", specify door or panel
 \$30.00 installed

 Model No. 352556 Fan, ceiling mtd., 8" dia, 200 C.F.M.
 \$45.00

 Model No. 352558 Fan, ceiling mtd., 10" dia. 470 C.F.M.
 \$59.00

+ Based on new building cost of \$20 per sq. ft.

PORTABLE PRE-FAB

ALUMINUM BUILDINGS

Ideal for inplant office, guard house, lunch rooms, toll booth, parking lot. Our Pre-Fab building systems are designed to solve virtually every indoor or outdoor need. All buildings are shipped fully assembled* with floors, tempered safety-glass windows, doors with locks, pre-wired lighting, circuit breaker box, 110V and 220V outlets conforming to Nat. Elec. Code and carrying IBEW label.



Economical—fully equipped. Ready for instant use.

CONSTRUCTION:

FRAME—Extruded aluminum welded together to form a rigid unitized frame work.

WALL PANELS—Textured aluminum exterior with prefinished hardboard interior, high density insulating core, fully laminated. FLOOR—Aluminum tread plate on buildings up to 4' x 6', vinyl asbestos tile on all others. Insulating board, plywood underlayment and aluminum vapor barrier included.

CEILING—Insulating board core with aluminum on two sides.

*ROOF—"V" Grooved white aluminum with aluminum fascia and gutter trim. Water-tight construction. Roof shipped separately, attaches easily.

WINDOWS—Sliding safety, tempered glass, lockable and pile weather-stripped.

DOORS—Glazed hinged doors of hollow steel with lockset and spring-type closure. Glazed aluminum sliding doors with lockset and fully weather-stripped. Sizes 77" x 63" and smaller have counter shelf.

		E	BUILDING WITH		BUILDING	Н		
			CEILING ONLY (for inside use)	EXTERIOR	ROOF	EXTERIOR RO	OF (24'' overhang)
Size O.D.	Door Type	Weight lbs.	Model No.	Price	Model No.	Price	Model No.	Price
50'' × 42''	Hinged	525	344501	\$1000.00	344601	\$1085.00	344701	\$1193.00
63'' × 42''	2 Sliding	800	344503	1210.00	344603	1306.00	344703	1424.00
77'' × 42''	2 Sliding	800	344507	1240.00	344607	1336.00	344707	1675.00
50"×77"	2 Sliding	850	344509	1280.00	344609	1376.00	344709	1526.00
77'' × 63''	Hinged	950	344513	1460.00	344613	1568.00	344713	1734.00
96'' × 50''	2 Siiding	900	344515	1550.00	344615	1686.00	344715	1836.00
77'' × 77''	Hinged	1100	344525	1590.00	344625	1715.00	344725	1884.00
96'' × 77''	Hinged	1500	344517	1860.00	344617	2002.00	344717	2181.00
96" × 96"	Hinged	1800	344519	2200.00	344619	2364.00	344719	2559.00
123" × 96"	Hinged	2200	344521	2500.00	344621	2693.00	344721	2905.00
142'' × 96''	Hinged	2400	344523	2930.00	344623	3142.00	344723	3382.00

Inside height - 82" Outside height - 89" plus 3" roof.

Model 344551 Heater – 110V; 1500 Watt, 5120 B.T.U. \$41.00 Model 344553 Heater – 240V; 2KW/4KW, 6M/13M B.T.U. \$84.00

Model 344555 Combination Air Conditioner/Heater - 230V;

9800 B.T.U. cooling, 9700 B.T.U. Heating \$451.00

Model 344557 — Toilet Package - Includes water closet and seat, lavatory with faucets, mirror, tissue paper holder, liquid soap dispenser, paper towel holder, light with 110V grounded receptacle, exhaust fan, one 1650W heater with thermostat, one (1) six gallon water heater and partitioning ... \$944.00ea.

Heaters and air conditioners install in short wall of booth opposite hinged door or adjacent to sliding door.

Skid mounted buildings are shipped fully assembled except for exterior roof and air conditioner which are packaged separately and easily installed. Buildings are shipped via common carrier and provisions must be made by customer for unloading. Special finishes, mansard roofs, plumbing, exhaust fans and other options are available.



FOR FASTER SERVICE, CALL TOLL FREE 800-645-1232

INDUSTRIAL QUALITY TUBULAR STEEL FRAME

STORAGE BUILDING




Fast, Easy Assembly

- Deep ribbed sides and roof
- Rust-resistant baked enamel finish
- Strong . . . rigid
- Resists strong winds and heavy snow loads.


	Size	
Model No.	$W \times D$	Price
474101	10' × 17'	\$1364.00
474103	10' × 24'	1661.00
474105	10' × 31%'	1980.00
474107	10' × 41'	2438.00
474109	12' × 17'	1595.00
474111	12' × 24'	1869.00
474113	12' × 31½'	2232.00
474115	12' × 41'	2748.00
474117	17' × 17'	1865.00
474119	17' × 24'	2240.00
474121	17' × 31½	2650.00
474123	17' × 41'	3237.00
474125	19½' × 17'	1934.00
474127	19½' × 24'	2328.00
474129	19½' × 31½'	2761.00
474131	19½' × 41'	3385.00


Add'l. door: $3'0'' \times 6'8''$ 18 ga. hinged door (specify location)

Model No. 474201 \$238.00



Store anything from equipment to supplies...Protects from weather and theft without loss of valuable plant space. Galvanized 2" square tubular frame design for rapid assembly...Utmost in strength, stability and durability. Steel sectional overhead door, 8'×7' H. These 8' High Buildings erect easily on your concrete, asphalt or wood floor with ordinary tools. Simple step-by-step installation instructions included. Hot dipped galvanized steel roofing and siding finished with 5 year two coat modified silicone paint. White will be shipped unless gray, blue, red, green or tan is specified.






Two-wheel ball bearing hangers roll in enclosed track on Sliding Doors.




Heavy cast floor socket



HOW TO PLAN AND ORDER

- 1. Make a rough floor plan of the area to be enclosed and take measurements showing them on the drawing.
- 2. Select the height of the partition desired. Indicate doors, service windows, etc. and size of doors on the drawing; also location of same. Show the direction the doors, slide or hinge, and the key side of same.
- 3. In making your takeoff be sure to utilize stock size panels for maximum savings. Install vertical channel stiffener posts every 15 to 20 ft. on straight runs of 30 ft. or more.



Note: Hardware such as top capping bar, floor sockets and assembly bolts included at no extra cost.

	ic pane ft. width			panels ft. width			panels ft. width	1		panels ft. width	1	1	panels ft. widtl	n
180002 180012 180022	7'0" 8'0" 9'0"	\$ 47.85 51.01 57.22	180004 180014 180024	7'0" 8'0" 9'0"	\$46.79 49.95 56.14	180006 180016 180026	7'0" 8'0" 9'0"	\$40.99 44.14 45.45	180008 180018 180028	7'0" 8'0" 9'0"	\$34.61 37.96 44.35	180010 180020 180030	7'0" 8'0" 9'0"	\$31.74 31.94 38.11
	10'0"	62.56	180034	10'0"	59.63	180036	10'0"	54.87		10'0"	49.36	180040	10'0"	46.39



SLIDING DOORS Reversible—can slide in either direction

7' high doors with transoms for 8', 9' and 10' high partitions

5' Wide -

7' HIGH DOORS	3'	Wide —	4'	Wide —	5'1	Vide —	6'	Wide —
Partition	Model	,	Model	'	Model	•	Model	'
Ht.	No.	Price	No.	Price	No.	Price	No.	Price
7'	180080	\$124.25	180088	\$130.28	180110	\$139.14	180118	\$163.89
8′	180082	136.44	180090	144.98	180112	156.82	180120	187.17
9'	180084	130.50	180092	153.22	180114	166.48	180122	197.56
10′	180086	145.65	180094	156.58	180116	170.94	180124	202.95

6' Wide -

FULL HEIGHT DOORS

	Partition Ht.	Model No.	Price	Model No.	Price	Model No.	Price	Model No.	Price
All doors priced with padlock lugs. If bronze mortised cylinder lock is desired, add \$40.00.	7'	180110	\$139.14	180118	\$163.89	180212	\$322.66	180220	\$358.39
	8'	180200	252.54	180206	278.25	180214	348.37	180222	390.79
	9'	180202	271.79	180208	301.97	180216	375.47	180224	423.17
	10'	180204	296.07	180210	335.38	180218	408.03	180226	465.76




HINGED SINGLE DOORS

3'	SINGLE	DOOR	4' SINGLE DOOR			
No.	Ht.	Price	No.	Ht.	Price	
180050	7'0"	\$84.86	180058	7'0"	\$100.07	
180052	8'0"	101.60	180060	8'0"	119.31	
180054	9'0"	108.74	180062	9'0"	127.71	
180056	10'0"	110.80	180064	10'0"	130.89	

Maximum opening height 6'11½" with transom above

All doors priced with padlock lugs. If bronze mortised cylinder lock is desired, add \$33.00 per lock.




HINGED DUTCH DOORS

Maximum opening height 6'11½" with transom above

- 8' Wide -

	3' DUTCH DOOR	
No.	Ht.	Price
180066	. 7'0"	\$159.24
180068	8'0"	175.97
180070	9'0"	183.09
180072	10'0"	185.15

All doors priced with padlock lugs. If bronze mortised cylinder lock is desired, add \$33.00 per lock.



NEW! A.D.J.U.S.T.A.B.L.E FLEX-O-PANEL

Eliminates need for special width panels. Makes stock size wire partitions easily adjustable to fit any length. Single Flex-O-Panels adjustable from 1½" min. to 7¾" max.

Double Flex-O-Panels adjustable from 7½" min. to 1'2" max. Constructed of 18 ga. steel.

Height		Single x-O-Panel	FI	Double Flex-O-Panel		
7'	180150	\$24.38	180158	\$30.22		
8'	180152	26.30	180160	32.52		
9'	180154	29.37	180162	35.85		
10'	180156	31.11	180164	37.96		



SERVICE WINDOW




The bottom-hinged sheet metal closure opens inward to form a shelf equipped with snap catch and padlock lugs. Service opening is 24"Wx 15"H.

Panel	Panel	Panel	
No.	Width	ht.	Price
180140	5'0"	7′0″	\$113.08
180142	5'0"	8'0"	116.22
180144	5'0"	9'0"	127.46
180146	5'0"	10'0"	132.80

PRICE INCLUDES PANEL AND SERVICE WINDOW

ANGLE CORNER POST



REQUIRED FOR EACH CORNER OF PARTITION:

180166	7 ft. high	\$10.68
180168	8 ft. high	11.41
180170	9 ft. high	12.44
180172	10 ft, high	12 97

CHANNEL POST

Serves many uses; as intermediate channel stiffener in straight runs of 30-ft. or more on about 15-ft. centers; or as channel end post where panel connection to wall is not desired.

180174 6'11½"high \$19.76 180176 7'11½"high 21.99 180178 8'11½"high 24.93 180180 9'11½"high 27.64



One set required for each wall connection

No. 180182 \$ 2.53 set








LOW COST SECURITY ROOMS

For stock rooms, tool cribs, security areas

Now you can purchase a complete wire mesh partition security room. The low cost way to protect your merchandise and valuables. Same construction as our wire mesh partitions as shown on page 6. Easy to install, move or relocate. Sliding door is 5' W x 7' H with built in lock and transom. Doors can be located on any side.

Optional Service Window/Shelf - 24"W. x 15" H. Mounted in Panel Model No. 180510 \$ 70.24



WITHOUT ROOF

AXBXHT.	Model No.	Price	Model No.	Price	Model No.	Price
10' 10' 8'	180280	\$362.26	180380	\$475.71	180480	\$595.51
20' 10' 8'	180282	486.29	180382	599.74	180482	843.57
20' 15' 8'	180284	537.31	180384	701.78	180484	945.61
20' 20' 8'	180286	610.32	180386	847.80	180486	1091.64
30' 20' 8'	180288	712.36	180388	949.84	180488	1295.71
10' 10' 10'	180290	412.57	180390	550.67	180490	682.55
20' 10' 10'	180292	565.34	180392	703.43	180492	988.08
20' 15' 10'	180294	627.90	180394	828.55	180494	1127.33
20' 20' 10'	180296	718.10	180396	1008.97	180496	1307.74
30' 20' 10'	180298	843.23	180398	1134.09	180498	1557.98

WITH ROOF

AXBXHT.	Model No.	Price	Model No.	Price	Model No.	Price
10' 10' 8'	180250	\$522.08	180350	\$647.26	180450	\$762.40
20' 10' 8'	180252	755.80	180352	897.38	180452	1086.42
20' 15' 8'	180254	1048.39	180354	1224.59	180454	1401.90
20' 20' 8'	180256	1219.36	180356	1458.31	180456	1623.88
30' 20' 8'	180258	1666.52	180358	1889.07	180458	2161.35
10' 10' 10'	180260	572.38	180360	722.22	180460	863.56
20' 10' 10'	180262	829.19	180362	995.42	180462	1233.75
20' 15' 10'	180264	1133.33	180364	1345.72	180464	1572.31
20' 20' 10'	180266	1315.84	180366	1602.52	180466	1817.39
30' 20' 10'	180268	1786.08	180368	2056.37	180468	2401.02

STEEL FOLDING GATES easy to install



The same double folding gate may be used for either RECESS or SURFACE MOUNTING.

Hinge bar

Wall Gate


The low cost way to protect against pilferage and unauthorized entry

Stock sizes for openings from 2'6" to 13' 0" wide. All gates 6'6" high when folded to the side. Constructed of strong ¾" mill channel. For added strength, hinge and end bars are reinforced with 1" channel. End bars have a smooth rolling, ball-bearing caster and are equipped with handle. On double gates a steel rod, self-locking, cane bolt holds left half in position or both

halves may be opened for full access. All steel folding gates equipped with two padlock lugs. Finished in rust resistant black. Easy to install. Mounting brackets and hardware furnished for masonry mounting. Surface mounted—install on wall surface or outside door frame. Recess mounted install within door frame or between two walls.

		Norm. extension		Min extens		Ma exten			
Type gate	Gate							Width	
and mounting	number	OW Ht.	()W	Ht.	OW	Ht.	Folded	Price
Single gates	180800	4'0" 6'11/	;" <i>'</i>	2'6"	6'41/2"	5'0"	5'101/4"	1'2" \$	
for	180802	6'0" 6'1"		5′0″	6'21/2"	, ,	5'1034"	1'5"	170.37
recess mounting	180804	8'0" 6'0"		7'0"	6'11/2"	9'0"	5'101/4"	1'71/2"	192.66
Single gates	180806	4'0" 6'11/	," ;	2'6"	6'41/2"	5'0"	5'101/4"	1'2"	155.52
for	180808	6'0" 6'1"	į	5′0″	6'21/2"	7'0"	5'1034"	1'5"	177.13
surface mounting	180810	8'0" 6'0"		7′0″	6'11/2"	9'0"	5'101/4"	1'71/2"	199.40
Double gates	180812	8'0" 6'01/		7′0″	6'21/2"	9'0"	6'0"	1'2"	268.61
for recess or	180814	10'0" 6'1"	(9'0"	6'3"	11'0"	6'01/4"	1'31/2"	302.68
surface mounting	180816	12'0" 6'11/	2" 1	1′0″	6'31/4"	13'0"	6'01/2"	1'51/4"	335.28
Single r.m.	180818	10'0" 7'9"	(9'0"	7'11"	11'0"	7'5"	1'71/2"	401.41
Single s.m.	180820	10'0" 7'9"	9	9'0"	7'11"	11'0"	7'5"	1'71/2"	408.51

RECESS MOUNTED . Shows hinge bar when installed between walls or within door frame.



SURFACE MOUNTED Shows hinge bar when installed on wall surface or outside door frame.

STEEL SHOP BOXES



STURDY PARTS CABINETS

252002

All storage cabinets feature balanced, drawers with newly designed pulls and extra heavy construction. Drawers have 2 dividers which may be adjusted to provide any desired size compartmentation. Each drawer incorporates a special cardholder for easy contents identification. Finish-Green baked enamel.

252004


DRAWER SIZES 11%" D Cabinet – 5%" W x 2¾" H x 11¼" 17%" D Cabinet – 5%" W x 2¾" H x 16%" 17 1/8" D Cabinet - 5 5/16" W x 2" H x 16 5/8"

		Size		No. of drawers	Model No.	Price
34	Х	11 x	11%	18	252002	\$39.90
34	Х	11 x	17%	18	252004	67.20
34	Х	14½ x	11%	24	252006	56.25
34	X	11 x	171/8	24	252008	81.65

ACE BIN UNITS

Assembled—ready to use

These multi-purpose units are all 36½" wide x 12" deep x 39" high. Adjustable shelves have full width labelholder, bin dividers adjust on 1" centers. Drawers have two adjustable dividers with backstop to prevent accidental dropping. Finished in gray enamel.





AS LOW AS \$53.40





112354





	Price	
112340	\$53.40	Three bins 36"W x 12" H
112342	65.25	Nine bins 12"W x 12" H
112344	66.27	Same as above except shelf flanges turned up
112346	79.39	Sixteen bins 9"W x 9" H
112348	80.42	Same as above except shelf flanges turned up
112350	94.77	Twenty-four bins 9"W x 6" H. Each bin
		will accommodate standard 8½" x 11"
		paper lying flat.
112352	95.80	Same as above except shelf flanges turned up
112354	320.01	Forty-eight drawers 53/4"x115/8"x31/8" F
112356	203.69	Twenty-four bins 6"W x 4½"H.
		Twenty-four drawers 5 3/4" x 11 5/8"
		x 3 1/8" H
112358	229.55	Same as above except shelf flanges turned up

GLOBAL SAVES YOU TIME, WORK, MONEY



SAVE!


These heavy duty steel shelving units have been engineered to adapt to your storage requirements. Ideal for stockroom, factory or office where extra space is needed. Shelves are easily adjustable on 1" centers...easily assembled with only a screwdriver. 13 gauge angle posts 1" x 1¾", and triple formed channel shelves for maximum strength. All components prepaint Phosphatized to prevent corrosion, give maximum paint adhesion. Finished in long lasting gray baked-on enamel.

We can customize your shelving requirements!! Simply send us a rough sketch or blueprint and our experienced staff will plan your requirements at no extra cost.



ADD THE CONVENIENCE OF CLIP... AT LOW COST

Cut assembly time to less than half...Fast adjustment of shelves at any time. Heavy duty clips snap in easily and form a solid connection between shelf and upright.



To order, add "1" to model number

Shelves	Add'l Cost
Per Unit	Per Unit
4	\$2.54
5	3.18
6	3.82
7	4.45





FAST SHIPMENT

Completely adaptable...adjustable Quickly assembled (just a screwdriver does it). Customized to your special needs at no extra cost.

SHELF LOAD CAPACITIES...

These load capacities for our heavy duty shelves are based on uniformly distributed load over the shelf area. (LBS per shelf)

	Standard	Shelf capacity	Shelf capacity
Shelf size	shelf	with one reinforce- ment angle	with two reinforce- ment angles
36x12	525	675	900
36x18	525	675	900
36x24	525	675	900
48x12	225	300	525
48 x 18	225	300	525
48×24	225	300	525

REINFORCEMENT ANGLE IN FRONT AND REAR OF SHELF

REINFORCEMENT CHANNEL

For additional strength, we recommend that reinforcement channels be used on front and or back edge of shelves.

Model No.	Size	Price
234800	For 36" wide shelf	\$1.53 each
234806	For 48" wide shelf	1.98 each



HEAVY DUTY INDUSTRIAL STEEL SHELVING

OPEN TYPE

AT LOW DISCOUNT PRICES

STARTING UNIT

consists of:
4 posts
Specified number of shelves
1 pair back/braces
2 pair side braces
Necessary nuts and bolts

ADDITIONAL ADD ON UNITS


consists of same as starting unit except with only one pair of side braces.



75" HIGH OPEN TYPE

4 SHELVES Starting Additional Price Price unit No. Width Depth unit No. \$ 36.59 234000 \$ 37.76 234002 36 12 234006 42.78 44.29 18 234004 36 47.39 234010 24 234008 49.23 36 234014 55.41 30 234012 57.37 36 42.03 43.20 234034 48 12 234032 18 234036 51.84 234038 50.34 48 58.26 60.09 234042 234040 48 24 234044 68.15 234046 66.19 48


87" HIGH OPEN TYPE



H	IT						
	18'	5 SHE	LVES				
	+	Width	Depth	Starting unit No.	Price	Additional unit No.	Price
	18"	36	12	234064	\$ 42.29	234066	\$ 41.13
	1-	36	18	234068	50.29	234070	48.78
4 4 4		36	24	234072	56.30	234074	54.46
	18"	36	30	234076	66.41	234078	64.45
	1	48	12	234096	48.94	234098	47.77
		48	18	234100	59.58	234102	58.08
	18'	48	24	234104	69.73	234106	67.89
		48	30	234108	79.73	234110	77.77
	3"						

16						
	6 SHE	LVES				
17"	Width	Depth	Starting unit No.	Price	Additional unit No.	Price
	36	12	234256	\$ 48.36	234258	\$
17	36	18	234260	57.81	234262	56.31
	36	24	234264	64.89	234266	63.06
R H R 17'	36	30	234268	75.98	234270	75.02
	48	12	234278	56.21	234280	55.05
	48	18	234282	68.85	234284	67.34
1 17	48	24	234286	80.89	234288	79.05
	48	30	234290	92.95	234292	90.88
3"						
3"						

	1						
	14"	6 SHE	LVES				
M	14"	Width	Depth	Starting unit No.	Price	Additional unit No.	Price
英	-	36	12	234128	\$46.83	234130	\$ 45.66
W/W	14"	36	18	234132	56.29	234134	54.78
	1	36	24	234136	63.37	234138	61.53
		36	30	234140	75.45	234142	73.49
[15"	48	12	234160	54.69	234162	53.52
	1-	48	18	234164	67.32	234166	65.82
	15"	48	24	234168	79.39	234170	77.53
		48	30	234172	91.32	234174	89.36
	3"						




HEAVY DUTY INDUSTRIAL STEEL SHELVING

99" HIGH OPEN TYPE **5 SHELVES** Starting Additional Width Depth Price unit No. unit No 36 234374 \$ 45.94 234376 \$ 44.77 12 36 18 234378 53.93 234380 52.43 36 24 234382 59.94 234384 58.11 70.06 36 30 234386 234388 68.09 52.58 51.42 48 12 234406 234408 48 63.23 61.72 18 234410 234412 48 234414 73.37 234416 71.54 24 83.38 81.42 48 30 234418 234420



OVER 25 YEARS




QUANTITY DISCOUNTS

\$ 0 — 250 — List 251 — 500 — Deduct 15% 501 — 1000 — Deduct 30% 1001 — 3000 — Deduct 35%


3001 — 5000 — Deduct 42% 5001 and over consult our contract department SEE PAGE 10 FOR RIDG-I-CLIP OPTION


SAVE!

75" HIGH CLOSED TYPE



NOTE: IF BACKS ARE NOT REQUIRED (FOR BACK TO BACK SECTIONS)







HEAVY DUTY INDUSTRIAL STEEL SHELVING CLOSED TYPE

STARTING UNIT

consists of:

4 posts

Specified number of shelves

1 closed back


2 closed sides

Necessary nuts and bolts

ADDITIONAL ADD ON UNITS

consists of same as starting unit except with only one closed side.






99" HIGH CLOSED TYPE **5 SHELVES** Starting Additional Width Depth unit No Price Price unit No. \$ 67.39 \$ 61.14 12 236374 236376 36 18 236380 36 236378 80.09 71.15 24 78.05 24 236382 88.54 236384 36 30 236386 236388 91.30 36 105.18 74.07 236406 80.33 12 236408 48 48 18 236410 95.68 236412 86.73 97.76 108.26 24 236414 236416 48 48 30 236418 124.79 236420 110.91


DEDUCT:


36x75 \$12.70 per back 48 36x87 13.00 per back 48 36x99 13.35 per back 48

48x75 \$16.95 per back 48x87 18.60 per back 20.25 per back

1		T						
		16"	6 SHE	VES				
H		-			Starting		Additional	
H		17"	Width	Depth	unit No.	Price	unit No.	Price
		11	36	12	236256	\$ 67.33	236258	\$ 62.16
		1	36	18	236260	81.49	236262	73.63
H		17"	36	24	236264	91.58	236266	81.89
			36	30	236268	106.06	236270	95.04
			48	12	236278	80.15	236280	74.97
		17"	48	18	236282	97.47	236284	89.60
		1-	48	24	236286	112.54	236288	102.84
			48	30	236290	126.89	236292	115.87
H	1+1	1 1/						







GIANT DRAWER

King size storage units for all types of small parts. Slots in drawers permit flexible division into convenient size compart-ments. Drawers can't pull out accidentally. Fitted handles and label holders. Durable baked gray enamel finish.



72 DRAWER UNIT

No. 112080 — Cabinet Size: 36"Wx12"Dx75"H. 72 Drawers: 5½"Wx11¾"Dx4¾"H.

\$583.88

No. 112082 - Same dimensions as No. 112080 except that the cabinet is 18" deep.

\$705.51





48 DRAWER UNIT

No. 112072

Cabinet Size: 36" W x 12" D x 75" H 48 Drawers: 8½" W x 11¾" D x 4½" H

\$531.53

Same dimensions as No. 112072 except that the cabinet is 18" deep. \$612

\$612.96

DRAWER DIVIDERS

No. 112100 for 5½" W x 4¾" H. Drawer \$.29 ea. No. 112102 for 8¼" W x 4¾" H. Drawer .48 ea. No. 112104 for 5½" W x 2¾" H. Drawer .29 ea. No. 112106 for 11" W x 4¾" H. Drawer .56 ea.


108 DRAWER UNIT

No. 112090

Cabinet Size: 36" W x 12" D x 75" H 108 Drawers Space: 5½" W x 11¾" D x 2¾" H \$763.95

No. 112092

No. 112092 Same dimensions as No. 112090 except that the cabinet is 18" deep. \$934.96




60 DRAWER UNIT

No. 112076

Cabinet Size: 36" W x 12" D x 75" H 24 Drawers: 8¼" W x 11¾" D x 4½" H 36 Drawers: 5½" W x 11¾" D x 4½" H

Same dimensions as No. 112076 except drawers are 17¾" Deep. \$656.26



36 DRAWER UNIT

No. 112060

Cabinet Size! 36" W x 12" D x 39" H 36 Drawers: 5½" W x 11¾" D x 4½" H

No. 112062

\$298.73 Same dimensions as No. 112060 except that the drawers are 17¾" deep. \$375.28

\$548.77

Shipped set up...

Ready for instant use.

36 DRAWER UNIT

No. 112064

Cabinet Size: 36" W x 12" D x 75" H 36 Drawers: 11" W x 11¾" D x 4¾" H

\$509.33

No. 112066 Same dimensions as No. 112064 except



Used by leading concerns the world over

- Almost assembles itself, no bolts -- no nuts -- no tools
- Quick adjustability shelves move up and down in
- 25% stronger than ordinary shelving
- · "Clip" assembly for vise-tight rigidity
- Durable baked-on gray enamel finish

Note

Erection and adjustment are simple to handle. Heavy duty steel clips slip quickly into place in the upright. When shelf edge is pressed firmly between clip and upright member, it forms a solid vise-tight connection.

SHELVING

IN STOCK 24 HOUR SHIPMENT



25% STRONGER


QUANTITY

251-750 751-1500 15% \$1500 and over contact our

DISCOUNTS

10%

STARTING SECTION



ADD-ON SECTION

STARTING SECTION

OPEN TYPE

6 SHELF SECTION


7 SHELF SECTION

Starting Price Starting Price Add-on Add-on Price 12" deep 183100 \$ 81.55 183102 \$ 64.55 12" deep 183112 \$ 89.35 183114 \$ 72.35 18" deep 183104 93.30 183106 76.00 18" deep 183116 103.10 183118 100.50 24" deep 183108 106.25 183110 88.55 24" deep 183120 118.20 183122

ALL SECTIONS ARE

36" WIDE x 84" HIGH


STARTING SECTION



ADD-ON SECTION

CLOSED TYPE

ADD-ON SECTION



ADD-ON SECTION

6 SHELF SECTION

7 SHELF SECTION Starting Price Add-On Price Starting Price Add-On 12" deep 183200 \$106.95 183202 \$ 83.20 12" deep 183212 \$114.75 183214 \$ 91.00 18" deep 183204 94.30 18" deep 183216 120.45 130.25 183218 104.10 183206 24" deep 183208 138.80 183210 109.25 24" deep 183220 121.20 150.75 183222

NOTE: If backs are not required (for back

MAIL YOUR ORDER TODAY!!

SHELVING



8 SHELF SECTION

Add-on Price Price Starting 183124 \$ 97.15 183126 \$ 80.15 183130 95.60 112.90

12" deep 18" deep 130.15 183134 112.45 24" deep

Price Starting Price Add-on 183136 \$104.95 183138 \$ 87.95 122.70 183142 105.40 183140 124.40 183144 142.10 183146

For each row, order one starting section and as many add-on sections as required of the same depth. Sections of the same depth can be intermingled in the same row, regardless of the number of shelves.

SHELVING

183128

12" deep

18" deep

24" deep 183132




2 5	HEL	FS	FCT	ION

9 SHELF SECTION Add-On Price Add-On Price Starting Price 12" deep 183224 \$122.55 183226 \$ 98.80 12" deep 183236 \$130.35 183238 \$106.60 18" deep 183228 140.05 183230 113.90 18" deep 183240 149.85 183242 123.70 162.70 183234 133.15 24" deep 183244 174.65 183246 145.10 24" deep 183232

to back sections) deduct \$17.90 per back.

These bin type sections may be used together with closed type units.

BIN TYPE UNITS




12" deep 183260 \$140.75 183262 \$117.00 18" deep 183264 161.70 183266 135.55 24" deep 183268 190.35 183270 160.80 Starting Price Add-on Price 12" deep 183272 \$162.00 183274 \$138.25 18" deep 183276 186.86 183278

225.70 183282

196.15

24" deep

183280



Starting Add-on Price 12" deep 183284 \$177.95 183286 \$154.20 18" deep 183288 208.75 183290 182.60 24" deep 183292 251.80 183294 222.25

Starting 12" deep 183296 \$177.75 183298 \$154.00 18" deep 183300 208.45 183302 24" deep 250.70 221.15 183304 183306

FOR ADDED PROTECTION

SWINGING DOORS FOR SHELVING

Double swinging doors attach easily to Lyon steel shelving section. Handle on right hand door controls three point latch. Built-in key lock. Gray baked-on enamel finish.

No. 183322 Note: Product number is for DOORS only-not shelving.

SLIDING DOORS FOR SHELVING

No. 183320 \$153.70

Must be used on two adjoining sections of Lyon steel shelving. Doors roll smoothly on ball bearing rollers at top with guide channel at bottom. Gray baked-on enamel finish. Builtin key lock.

Note: Product number is for DOORS only not shelving.





- Low cost storage
- Thousand and one uses.
- Fits all standard shelving

Constructed of heavy-test corrugated fiberboard. Bins keep parts easily visible and accessible. Self-locking feature keeps bins

> ALL BOXES 4½" HIGH. PACKAGED IN UNITS OF 100 OF A SIZE.




.44

Bin Box fo	r 12" Shelv	ving	Bin Box fo	or 18" She	elving
Model No	Width	Price each	Model No.	Width	Price Each
250102	2"	\$.25	250202	2"	\$.31
250104	4"	.27	250204	4"	.32
250106	6"	.29	250206	6"	.33
250108	8"	.30	250208	8"	.37
250112	12"	34	250210	10"	30

250212

12"

NEW! EXTRA HIGH BIN BOXES



With extra sure positive locking feature. These extra high bins, 8" depth, are designed to serve where additional height is required. Manufactured from the same strong fiberboard as our most popular standard bin boxes.

Model No.	Size L x W x H	Price	PACKAGED IN UNITS
250804	12" x 4" x 8"	.46	OF 100 OF A SIZE.
250806	12" ~ 6" ~ 2"	50	

For your convenience call Toll Free 800-645-1232. In New York 516-485-1000

PLASTIC STOCK BOXES

Ideal as a Shelf box or transporting small parts. Slope front provides easy visibility. Durable injection molded white plastic, cleans easily.

Model	Size	Price each
No.	WxHxL	24-72 96 or more
478150	2" × 4" × 12"	\$.85 \$.76
478152	4" × 4" × 12"	1.08 .98
	6" × 4" × 12"	1.21 1.10
478158	10" × 4" × 12"	2.75 2.50

Sold in carton lots of 24 boxes of a size only



PICK RACKS Step-saving. Space saving. Goes where you need it most. Heavy-duty steel engineering.

Here is an efficient, low cost storage system that requires a minimum of space, yet stocks up to 118 small parts per unit in Heavy Duty, Fibreboard parts bin. Can be placed right at point of use for fast utility when needed. Racks of heavy-duty steel


construction. Mobile rack has 26" x 36" dolly with 5" casters for easy movement. All units are free standing but can be bolted to bench top, floor or wall. Shipped K.D. but is easy to assemble. Finished in gray baked enamel.



MOBILE MODEL



Model	No. Bins	Bin Width	Width	Depth	Height	Price
Bench 254200	16 4	4" 8"	351/2"	12"		\$30.19
Floor 254202	48 8	4" 8"	35½"	12"	61"	61.51
Mobile Twin Rack 254206	96 16	4" 8"	36"	26"	65"	145.75





Complete with boxes!

BIN BOX UNITS

Organize your parts in these "INSTANT STORAGE" units. Our heavy-duty industrial steel shelving combined with our low-cost efficient corrugated fiberboard bin boxes give you the maximum in storage versatility. Used by many leading companies. Shelving finished in baked gray-enamel. Shipped knocked down-easily assembled.

Units 36" wide x 75" high with 13 shelves.

Units 3	6" wide	x 39"	high with	7 shelves.
---------	---------	-------	-----------	------------

Model No	Depth	Bin Box Assortment	Price	Model No	Depth	Bin Box Assortment	Price
235002 235004	12" 18"	96-4" wide (250104) 96-4" wide (250204)	\$76.95 91.00	601020	12"	(24-4" wide (250104) 12-8" wide (250108)	\$45.95
235006	12"	(48-4" wide (250104) 24-8" wide (250108)	72.95	601022	18"	24-4" wide (250204) 12-8" wide (250208)	56.95
235008	18"	48–4" wide (250204) 24–8" wide (250208)	85.95	601024	12"	/ 32-2" wide (250102) 16-4" wide (250104)	51.95
235010	12"	48-2" wide (250102) 40-4" wide (250104) 16-8" wide (250108)	59.95			8-8" wide (250108) / 32-2" wide (250202)	
235012	18"	48-2" wide (250202) 40-4" wide (250204) 16-8" wide (250208)	79.95	601026	18"	16-4" wide (250204) 8-8" wide (250208)	63.95



HANDY TOTES

to speed up your assembly line

- Economical Tote Trays for use in production and shipping departments.
- Super efficient for parts on assembly lines.
- Saves time and expense when pulling orders.
- · Positive permanent lock-together design. • Extremely strong and durable, manufactured from 200# Test-Kraft Corrugated Board Shipped and stored flat until needed.




	3126	
Model No.	Top Opening	Price Each
250314	14x 9x5	\$.85
250318	17×11×5½	1.30
250322	22×12×7	1.57

Packaged in units of 50 per size.

Strong . . . sturdy . . . rigid

MODULAR STORAGE CABINETS



A MUST FOR EFFICIENCY

HEAVY-DUTY WELDED STEEL FRAMES

- Chip-proof, scratch resistant gray baked enamel finishNesting "feet" for stability in stacking

TWO TYPES OF STYRENE DRAWERS

GRAY HEAVY-DUTY-Virtually unbreakable hi-impact styrene -ideal for most requirements. Guaranteed for life, won't crack,


TRANSPARENT-where frequent visual inventories are required transparent drawers permit a quick check.

DIVIDABLE-All drawers can be partitioned into several subcompartments. Patented dovetail dividers lock in place-won't creep or slip.

MODIJI AR CABINET ORDERING INFORMATION

Net Price
Each
\$19.70
32.55
19.70
29.35
29.35
29.35
29.35
29.35
29.35
25.70





WIRE BASKETS Rugged...Built To Last

Heavy-duty welded steel baskets to meet your every requirement.

A. Stackable with 1-3/4" H. offset handle. Rust resistant zinc plating. CHANNEL FRAME - 300 LBS. TEST LOAD

B & C 1/4" expanded steel mesh. Nickel plated finish.

A MODE	L	Mesh	
NO.	LxWxH	Opening	Price
188002	2 17%x11x41/4	1/2"	\$29.40
188004	175/sx11x41/4	1/4"	29.90
188006	20 ³ / ₄ x12 ³ / ₄ x6	1/2"	33.90
188008	20 ³ / ₄ x12 ³ / ₄ x6	1/4"	34.50
188010	24x15x3	1/2"	32.90
188012	24x15x6	1/2"	38.90

B MODEL NO	L" X W" X H"	PRICE	C MODEL	DIA." X H"	PRICE
188020	15 x 10 x 8	\$ 30.94	188030	10 x 7	\$ 20.90
188022	18 x 12 x 9	39.96	188032	12 x 8	24.82
188024	14 x 14 x 8	34.62	188034	14 x 10	29.24



DURALENE STORAG

Model	W D		Case	Pri	ce
No.	W x D	х Н	quant.	1-2 Cases	3 or more
146001	3 7/8" x 3 5/8"	′ x 1 7/8″	48	.40 ea.	\$.33 ea.
146003	3 7/8" x 7 1/4"	′ x 2 7/8′′	48	.70 ea.	.58 ea.
146005	8 5/8" x 7"	x 2 7/8"	24	.95 ea.	.79 ea.
146007	5 3/4" ×10"	x 5"	12	1.35 ea.	1.12 ea.
146009	4 1/2" ×13 1/2	"x 4 7/8"	12	1.85 ea.	1.52 ea.
146011	8" x 13"	x 6''	6	2.85 ea.	2.35 ea.

Sold in case quantities of a size and color only

Bin Sizes x D x H

Yellow bins will be supplied unless blue or green is specified.

DURALENE PLASTIC BIN UNITS Instant Identification Instant access

Model

No.

No. of


Bins

W

The ideal system for storage and assembly of small parts, hardware, etc. Bins of tough hi-impact polystyrene are supported on steel rails and are instantly removable.



- Instant Identifications Finger Tip Accessibility
- Improved Stock Visibility Complete Flexibility








1	Δ	6	n	3	3	



PORTABLE MODEL (Complete with 2 swivel and 2 rigid 4" rubber tired casters.)



or dark green is specified.

Overall Size W x H

Price



146019



146017

BENCH MODELS






146023

STEEL BIN BOXES

Four sizes to fit all shelving-Fight fire with steel protection

Great fire insurance-rated No. 1 over highly combustible cardboard and plastic types. All steel construction with reinforced rolled edges and embossed sides for superior strength. Large built-in label holders, baked-on gray enamel finish.



MODULAR SIZES TO FIT ALL STANDARD SHELVING UNITS


Model 112002 Model 112004 3.33 3.33 Model 112006 Model 112008 4.36

> MINIMUM ORDER 12 BOXES

SIX BIN BOXES (5½" WIDE) ON STANDARD 36"WIDE SHELF FOUR BIN BOXES (81/4" WIDE) ON STANDARD 36" WIDE SHELF

BOX DIVIDERS

Model 112010 - For 5½" W Boxes \$.29 each Model 112012 - For 81/4" W Boxes .48 each



STEEL BIN RACKS

Sturdy, stablemakes orderpicking easy

Space-saving Floor and Bench Models feature sloping bins for rapid identification of parts, tools, etc. This design speeds retrieval for repairs or assembly, provides for efficient and economical storage, visual displays and for self-service displays. Finished in baked-on gray enamel. Easily assembled. All units have label holders.



FLOOR MODEL-

48, 51/2"W X 12"D bin boxes set on 8 shelves. Ideal for immediate visual identification and fast retrieval of stored parts. Display more parts in less space. Stability of unit allows use almost anywhere. 60" H X 36" W X 12" D.

Model No. 112150

\$194.08



AS LOW AS \$41.63

RACK UNITS ONLY

box shown on top of page Model No.112154 - 36"W X 12" D X 60" \$79.74

Model No. 112156-36" W X 12" D X 23"

\$41.63



BENCH MODEL

18, 51/2" X 12" D Bin Boxes on 3 shelves. Keeps parts and small tools at May be used with Model 112002 steel bin your fingertips. Boxes can be easily changed at the work bench. 23" H X 36" W X 12" D.

Model No. 112152

POLYETHYLENE BIN



AS LOW AS

FDA AND USDA APPROVED MATERIAL

One piece of, molded high density polyethylene. Easy to clean...no corners or crevices to trap dirt. Use .125 wall thickness for handling of most dry materials, .200 wall thickness for heavy materials such as wet powders, etc. White shipped unless gray specified.

Gallon		125 \	Vall	.200	Wall
Cap.	L"xW"xH"	Model No.	Price	Model No.	Price
16	24½ x 16½ x 13½	124101	\$12.00	124201	\$16.00
32	32½ x 21 x 15½	124103	18.00	124203	28.00
48	32 x 23 x 20½	124105	26.00	124205	36.00
64	351/2 x 241/2 x 23	124107	32.00	124207	44.00
80	38 x 27½ x 25	124109	40.00	124209	52.00
96	38½ x 28 x 28	124111	46.00	124211	60.00
112	42 x 30 x 28½	124113	52.00	124213	68.00
128	42 x 30½ x 30½	124115	58.00	124215	76.00
144	44 x 32 x 31½	124117	62.00	124217	84.00
160	461/2 x 341/2 x 33	124119	74.00	124219	100.00



STACKING FIBERGLASS STRONG AS STEEL BOXES

Ideal For Assembly Line Use, Conveyors, Carrying and Storing Parts

 Wire reinforcement molded into top lip for additional strength and rigidity

 Molded-In handles provide safe, sure handgrips

No maintenance - won't dent, bend or warp

Stand static loads up to 11,000 lbs.

· Gray plastic, cleans easily

Minimum order \$75.00

AS LOW AS \$7.87

Model	Size		Plain Front Pri	се
No.	L" x W" x H"	6-24	25-240	241 & UP
114100	163/8 x 95/8 x 63/8	\$10.85	\$ 9.99	\$ 9.60
114102	16½ x 113/8 x 43/4	8.93	8.20	7.87
114104	2034 x 111/4 x 31/4	10.45	9.60	9.22
114106	20 ³ / ₄ x 11 ¹ / ₄ x 5 ⁵ / ₈	12.38	11.37	10.92
114108	221/8 x 103/4 x 8	17.40	16.00	15:37
114110	243/8 x 143/4 x 111/4	21.70	19.98	19.21
114112	25¾ x 15¾ x 7¼	18.53	17.04	16.36
114114	331/8 x 157/8 x 8	23.83	21.90	21.04
Model	Size	H	Hopper Front Pri	ce
No.	L" x W" x H"	6-24	25-240	241 & UP
114200	163/8 x 95/8 x 63/8	\$13.73	\$12.78	\$12.39
114202	16½ x 11¾ x 4¾	11.81	10.98	10.67
114206	20 ³ / ₄ x 11 ¹ / ₄ x 5 ⁵ / ₈	15.25	14.16	13.71
114208	221/8 x 103/4 x 8	20.29	18.81	18.17
114210	243/8 x 143/4 x 111/4	24.60	22.77	22.00
114212	25 ³ / ₄ x 15 ³ / ₄ x 7 ¹ / ₄	21.42	19.83	19.16
114214	331/8 x 157/8 x 8	26.70	24.69	23.83

TOTE-UM BOXES Stacks and/Nests 100 lb. capacity

Plastic-low cost... the price is light, the capacity great!

These lightweight yet sturdy one-piece injection molded boxes of high density polyethelene are smoothly finished inside to protect contents and ease material flow. Specially designed ribbed bottom adds strength and aids in smoother conveyor movement. Easy to clean.

Overall size 24" x 191/4" x 121/4"

Inside Dim. (Bottom) 20" x 17"

Weight-6 lbs.

Black Quantity 1000 & up \$ 8.30 500-999 9.51 100 - 49910.40 10-99 11.60



DURALENE SHELF BOX STACK BIN

Extra wide rim for faster easier gripping and stacking

Made of Super-Hi Impact Plastic with wide rim for easier gripping when lifting. Designed so that one bin can be stacked upon another as a shelf box (three across on a std. 36" wide shelf or four across on a 48" wide shelf.) Capacity per box 100 lbs. Yellow boxes will be shipped unless green or blue is specified.

17¾" L x 11-1/16" W x 7" D (O.D.)

Model No. 146013

\$3.85 each

MINIMUM ORDER-12 BOXES

STRUCTURAL FOAM TOTE BOXES

Best value in light-weight tote boxes!

These new heavy-duty tote boxes are foam molded by a new process which produces a light-weight tote box that is more rigid, more impact resistant and more abrasion resistant than boxes made by other processes. The boxes are also impervious to water, oil, alkalies, most acids and industrial chemicals. Designed to easily and safely nest, stack and crossstack



you have to use them to appreciate them

STACKED CAPACITY-2000 LBS

Size LxWxD Price 4-19 20-240 250&up Model

116408 18"×12"× 8" \$ 7.10 \$ 6.50 \$6.00 116410 24"×20"×10" 10.80 10.10 9.30

INDUS-TRAY PLASTIC BOX

Lightweight storage ... heavyweight value

... 60 Ib CAPACITY

Stacks or nests . Ideal for lightweight parts • ribbed bottom and sides for added strength . lightweight - 2.8 lbs. • high density polyethelene - F.D.A. approved • overall size 23%" x 153/4" x 71/4"

Quantity	Black
1000 & up	\$ 3.99
500-999	4.66
250-499	5.14
100-249	5.73
10-99	7.12





PLASTIC BOXES

29 sizes...a box for all jobs. Fully dividable, stackable, washable. Extra-thick walls cut down material handling problems. All-purpose ... hi-stacking

- Extra heavy wall thicknessImpervious to light acids,
- machine oils, and detergents
- · Can be washed in boiling water FDA approved to hold food and for storage indefinitely in freezer trays. Versatile for every assembly-parts handling and storage operations.

Designed for maximum utilization of space, these straightsided boxes have bottom corner stacking lugs* which engage recesses in top lip for positive stacking. Molded grooves 11/4" on center accept egg-crate type polyethylene dividers. Covers available in clear butyrate.

FDAapprovedforfoodhandling.

minimum order \$75.00

Boxes	Outside Dim.	Inside Dim.			COVE	RS	
Model No.	LxW	LxW	Ht.	Price	Model No.	Price	Model No.
126010*	10% x 83/16	91/6 x 61/8	21/2	\$ 3.49			126100
126012*	10% x 83/16	95/16 x 65/8	3½	3.51			126102
126014*	10% x 83/16	95/16 x 65/8	41/4	3.96	126080	\$.60	126104
126016*	10% x 83/16	95/16 x 65/8	5	3.97			126106
126018	16½ x 10%	14% x 9¼	1%	3.62			126108
126020	16½ x 10%	14% x 9¼	21/2	4.37	Acceptate 12 - 12 - 12 - 12 - 12 - 12 - 12 - 12		126110
126022	16½ x 10%	14% x 9¼	31/2	4.39			126112
126024	16½ x 10%	14% x 9¼	41/4	4.96			126114
126026	16½ x 10%	14% x 9¼	5	5.00	126082	3.05	126116
126028	16½ x 10%	14% x 9¼	6	5.59			126118
126030	16½ x 10%	14% x 91/4	7	6.52			126118
126032	16½ x 10%	14% x 91/4	8	6.52			126118
126034	22½ x 17½	20¼ x 15¼	3½	6.46			126124
126036	22½ x 17½	20¼ x 15¼	41/4	6.50		-	126126
126038	22½ x 17½	20¼ x 15¼	5	7.45	A COLUMN TO SERVICE STATE OF THE SERVICE STATE OF T		126128
126040	22½ x 17½	20¼ x 15¼	6	8.30			126130
126042	22½ x 17½	20¼ x 15¼	7	9.85	126084	4.95	126130
126044	22½ x 17½	20¼ x 15¼	8	9.85			126130
126046	22½ x 17½	20¼ x 15¼	9	12.11	2.2239.300		126130
126048	22½ x 17½	20¼ x 15¼	10	12.11			126130
126050	22½ x 17½	20¼ x 15¼	11	13.29			126130
126052	22½ x 17½	20¼ x 15¼	12	13.29			126130
126054	24 x 10%	221/8 x 91/4	21/2	5.16	- A-2 - 7/2	2000000	126144
126056	24 x 10%	22½ x 9¼	3½	5.21			126146
126058	24 x 10%	22½ x 9¼	41/4	5.86	126086	3.75	126148
126060	24 x 10%	221/8 x 91/4	5	5.92		11 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	126150
126062	24 x 10/8	22½ x 9½	6	6.60	Z 2 Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	- Land 18 14 2	126152
126064	24 x 10%	221/8 x 91/4	7	7.78			126152
126066	24 x 10%	22½ x 9¼	8	7.78			126152

* Do not have stacking lugs-covers needed for stacking.

CONVEYOR **BOXES**




Ideal for handling garments. Horizontal ribs allow attaching of conveyor signaling devices. Gray hidensity polyethylene.

Model No. O.D. Top I.D. Top I.D. Bottom Price Each L. W. L. W. L. W. D. 126300 25 16 22¼ 13½ 20% 12¾ 8 126302 25 16 22¼ 13½ 20% 11½ 10 126304 26¼ 16¾ 24½ 15 22¾ 13¼ 12½ \$ 9.93 12.13

12.22 126308 28 18¾ 25¾ 16¾ 24½ 15¼ 15

PARTS



minimum order






Unique 3-way design!

Provide efficient handling of small parts. Transfer... storage... distribution... parts picking... virtually any material handling application. Unique 3-way design- nest when empty...tier when filled...tier in offset postion for parts picking. Boxes are gray Polypropylene plastic, 18" x 11' x 5-13/16", 0.4 cu. ft. capacity.







As Low As

\$**2**.91



Unique stacking ledge design provides high stacking without shifting Gray hi-density polyethylene FDA approved for food handling.

Model No. 264318

O.D. Top I.D. Top I.D. Bottom L. W. L. W. L. W. D. 17 11¼ 15½ 9½ 15 9¾ 5¾

Price Each \$9.20



HI-CAP BOX

Hi-density polyethylene boxes carry heavy loads and stack high. Great for machine shops. Colors

O.D. Top I.D. Top I.D. Bottom L. W. L. W. D. 13 13 121/4 121/4 121/4 121/4 101/2 Model No. 264322


Price Each \$6.45

AS LOW AS

\$9.93

For complete flexibility and economy in storage and materials hand-ling, these thick walled dividable boxes can reduce your material handling problems. Molded of High-Density gray polyethlene for years of Trouble-Free service.

SHORT				LONG		
- DIVIDERS -				- DIVIDERS		
No. of Slots	Ht.	Price	Model No.	No. of Slots	Ht.	Price
7	1%	\$.37	126160	5	1%	.41
7	21/8	.39	126162	5	21/8	.45
7	3%	.43	126164	5	3%	.49
7	43%	.45	126166	5	43/8	.51
11	1	.41	126168	7	1	.46
11	11/8	.44	126170	7	1%	.51
11)	21/8	.48	126172	7	21/8	.48
11	3%	.52	126174	7	3%	.52
11	43%	.57	126176	7	43/8	.57
11	53/8	.58	126178	7	53%	.58
11	5%	.58	126178	7	5%	.58
11	5%	.58	126178	7	5%	.58
15	21/8	.59	126184	11	21/8	.59
15	3%	.63	126186	11	3 %	.63
15	43%	.69	126188	110	43/8	.69
15	5%	.74	126190	11	5%	.74
15	5%	.74	126190	- 11	5%	.74
15	5%	.74	126190	11	5%	.74
15	5%	.74	126190	(11)	5%	.74
15	5%	.74	126190	11	5%	.74
15	5%	.74	126190	11	5%	.74
15	5%	.74	126190	11	5%	.74
17	1%	.41	126204	7.	1%	.41
17	21/8	.45	126206	7	2 1/8	.45
17_	3%	.49	126208	7	35/8	.49
17	43/8	.51	126210	7	43/8	.51
17	5%	.55	126212	7	5%	.55
17	5%	.55	126212	7	5%	.55
17	53/8	.55	126212	7	5%	.55



SECURITY CONTAINERS

Unlimited uses! Returnable, reusable shipping boxes... Order picking... Storage...

These versatile plastic containers have permanently attached flip-up lids. Boxes nest with lids open or stack when closed, for convenient storage. 350 lb. stacking capacity.

A. Standard size: $27'' \times 17'' \times 12\frac{1}{2}''$. Designed to fit standard shelf truck. 2.8 cu. ft. capacity. Color, green.

Model No. 1-25 \$18.25 422100 51-99 \$15.79 26-50 \$16.59 100 + \$15.03

B. Giant size (not shown): 26¾" x 20%" x 18%" Sides are reinforced with metal angles for maximum strength and rigidity. 4 cu. ft. capacity. Color, gray. Model No.

1-25 \$29.69 51-99 \$25.64 26-50 \$26.92 100 + \$24.41 422102

Supertuff

FIBERGLASS TOTE BOXES

Nest when empty, stack when filled. These tough boxes, reinforced with polyester, will not rust, corrode, rot or dent and will resist water, oil and most chemicals. Heat resistant up to 300°F.

Heavy duty handling... holds loads up to 3,000 lbs. Gray will be shipped unless red or green is specified.

Sold in carton quantities only


minimum order \$75.00

MODEL NO.	L''XW''XH''	CU. FT. CAPACITY	CARTON QUANTITY	5-25	30-50	RICE 55-95	100+
422200	18 x12 x 8	.81	10	\$ 8.48	\$ 7.96	\$ 7.70	\$ 7.47
422202	22 X 14 X 8	1.11	10	10.66	10.04	9.78	9.46
422204	22 X 17 X 10	1.8	5	13.36	12.64	12.25	11.91

OPEN WIRE TRUCKS AND SHELVING

- Speedy assembly
- Super strong
- Adjustable . . . expandable
- Lightweight

Designed for years of heavy duty service. Includes 4 shelves, adjustable at 1" increments. 5" swivel rubber casters. 700 lb. capacity per truck. Shelves tested to bear 1,000 lbs. distributed weight. Heavy plate finish.



	Shelf		
Model No.	Size	Ht.	Price
188500	18 × 36	63"	\$118.70
188502	18 × 36	74"	122.25
188504	18 × 48	63''	131.50
188506	18 × 48	74"	135.00
188508	18 × 60	63''	142.10
188510	18 × 60	74"	145.60
188512	24 × 36	63''	134.10
188514	24 × 36	74"	137.60
188516	24 × 48	63''	149.45
188518	24×48	74"	152.95
188520	24 × 60	63''	164.80
188522	24×60	74"	168.30

ADDITIONAL SHELVES

Size	Model No.	Price
18 × 36	188550 \$	15.75
18 × 48	188552	18.40
18 × 60	188554	21.30
24×36	188556	19.30
24×48	188558	23.10
24×60	188560	26.95

QUANTITY DISCOUNTS

1-2 Units Net 3-5 Less 5% 6-11 Less 8% 12 or more Less 10%

The shelf with 1000 uses

- Free air circulation
- Ends dust problemsHeavy plated finish

Erecta-Shelf's open, steel rod construction permits free air circulation. Reduces spontaneous combustion hazards, improves sprinkler effectiveness. Erecta-Shelf does not collect dust as flat shelves do. It's heavy plated finish is imprevious to heat or cold. Erecta-Shelf fits any floor plan—meets any storage need. It's truly the shelving of a thousand uses!


FULLY FLEXIBLE...assembles in minutes without nuts, bolts, or special tools. Provides substantial savings in assembly costs.

Approved by National Sanitation Foundation for use in food and drug industries. Contact us for quotation on stainless steel Erecta Wire Shelving.









Shelf Size	63''	High	75''	High	87''	High
$W \times D$	Model No.	Price	Model ivo.	Price	Model No.	Price
36 × 18	188400	\$ 85.10	188420	\$ 88.65	188440	\$ 93.45
48 × 18	188402	96.65	188422	100.00	188442	104.95
60 × 18	188404	107.20	188424	110.70	188444	115.50
72 × 18	188406	124.50	188426	128.00	188446	132.80
36×24	188408	99.20	188428	102.70	188448	107.50
48 × 24	188410	114.55	188430	118.10	188450	122.90
60 × 24	188412	129.90	188432	133.45	188452	138.25
72 × 24	188414	150.70	188434	155.25	188454	159.00



Strong enough to hold practically anything. Clear access on all sides.

1750 lb. capacity per shelf.


These 14 gauge steel shelves hold plenty of heavy materials—jigs, fixtures, dies, etc. Rigid 2" x 2" x %" angle posts have 1" shelf adjustments. Every shelf reinforced with double channel construction— (note inset.) Will hold 1750 lbs. per shelf.

EXCELLENT FOR STORAGE OF DIES, FIXTURES, JIGS OTHER HEAVY MATERIAL.

Gray enamel finish. Price per section including 4 posts — five shelves, and hardware.



EXTRA HEAVY DUTY SHELVING



Price

\$18.58

23.11

29.54

20.20

34.83

Additional Shelf Model No. P

500162

500166

500168

500170 500174

500176

	72" he	eight	96" h		
Size - LxD	Model No.	Price	Model No.	Price	
36 x 18	500102	\$106.49	500132	\$116.80	
48x18	500106	128.95	500136	139.21	
60x18	500108	155.84	500138	166.16	
36 x 24	500110	118.04	500140	128.30	
48x24	500114	149.15	500144	159.41	
60x24	500116	184.68	500146	194.94	-

GLOBAL BULK STORAGE RACKS

Low cost storage.
Install in minutes—not hours.
No nuts, bolts, clips...
just tap it together

This new storage system construction method has pre-cut components with 1½" shelf adjustment. Simple assembly locks one piece into another. Heavy duty steel shelf panels fit into 14 gauge steel framing members. Makes a rigid, tight assembly.



	Capacity per shelf	7′ He	ight	8' Hei	ght	10' He	ight	Add'l	shelves
LxD	(lbs)	Model No.	Price	Model No.	Price	Model No.	Price	Model No.	Price
60 x 36	1500	241002	\$ 99.15	241052	\$101.65	241102	\$106.50	241152	\$27.35
60 x 48	900	241004	119.25	241054	121.75	241104	126.60	241154	34.00
72 x 36	975	241008	112.10	241058	114.60	241108	119.50	241158	31.65
72 x 48	900	241010	135.10	241060	137.60	241110	142.50	241160	39.35
Each section consists of 4 posts, 3 shelves including top and bottom									



FRAME GUARD

Protect your pallet rack from forklift truck damage with Frame Guard.

- * Because of narrow aisles, forklift trucks frequently collide with posts at aisle junctions causing serious and costly damage to merchandise.
- * Frame Guard protects columns from abuse.

10% discount on 24 or more


FRAME GUARD FEATURES:

- * Fits all columns up to 3"wide
- * Tapered design for maximum space usage.
- * Four holes for lagging to floor.
- * Heavy duty construction of 3/16" steel
- Easy installation
- * Color-safety orange

Model No. 501102 Height—8¾" *Base 7"x 6"

\$10.62 each.

Sold in carton quantities of six frame guards only.



DO IT YOURSELF SLOTTED ANGLE FRAMING MATERIAL

Cut it! Bolt! Assemble it! No drilling...no welding...no painting!

100% reusable.

THREE SIZES MEET EVERY FRAMING REQUIREMENT

TYPE 150

Light Duty Use 11/2" x 11/2" - .074"

Quantity Length Model No. per pkg. Price **\$50.65** 10' 12' 161102 161104 15' 161106

TYPE 225

Meets Most Requirements 2¼"x1½" - .080"

		Quantity	
Length	Model No.	per pkg.	Price
10'	161108	10	\$59.64
12'	161110	10	69.63
15'	161112	8	69.94

TYPE 300

Heavy Duty 3" x 1½" - .104"

Quantity Length Model No. per pkg. 10' 161114 10 \$88.71 12' 161116 10 104.00 15 161118 8 105,30

Finished in durable green enamel Each package is complete with 75 nuts and bolts Amazing Strength at Connections

Maximum rigidity
Design and fastening simplicity

Instant adjustability

Complete reusability

Replaces many sizes of angle iron



carried anywhere. Cuts burr-free and square seconds.

No. 161120


PLAY IT SAFE WITH GLOBAL SAFETY DECK

For catwalks...mezzanine flooring... sturdy ramps...platforms...stairways

SAFETY DECK presents a bright attractive appearance. No cleaning problems, 55% of the surface area is open space-oil, water and grease run right off. Meets requirements for use with overhead sprinkler systems. SAFETY DECK is economical, easy to work with. There's no waste material, every piece is usable-over and over

Designed to last, made of .075 gauge cold





AS LOW AS \$ 2.58/ft.

(30)

CAPACITY Span Uniform load Per sq. ft. (lbs) 445 36" 48" 234 60" 118 72" 66 SIZE-9"wide x 156"high

Model No.	Length	per
161250	36"	\$8.06
161252	48"	10.64
161254	60''	13.22
161256	72''	15.78
161258	120"	25.74
161260	1/1/1"	30.88

Meets Federal Specification RR-G-661, Type III, 11/2 "x 14" gauge



REUSABLE!

LOW COST KEE KLAMPS

Unlimited uses!

Build your own racks, guard rails, tables, etc. Slip on galvanized malleable iron klamps for use indoor or out. Use with standard %'' to 2'' pipe. Set screw carries a vertical load of up to 4,000 lbs. Allen wrench is only tool you need.

> 448110 448112


448114

448116

448118

Minimum order \$25.00

NOM. PIPE SIZE	3/411	1''	11/4"	1½"	2''
PIPE O.D.	1.05	1.315	1.66	1.9	2.375
KEE KLAMP I.D.	1.09	1.375	1.72	1.94	2.41



STRAIGHT COUPLING

\$1.92

2.34

2.98

3.45 4.62



NO THREADING OF PIPE REQUIRED

90° ELBOW

Model No.	For NOM. Pipe	Price
448120	34''	\$2.39
448122	1''	2.52
448124	1'4''	3.28
448126	1'/ ₂ ''	4.15
448128	2''	8.80



SINGLE SOCKET TEE

Model No.	For NOM. Pipe	Price
448100	3/4''	\$1.70
448102	1''	1.92
448104	11/4''	2.70
448106	11/2''	3.28



CLAMP-ON CROSS OVER

Model No.	For NOM. Pipe	Price
448130	34''	\$1.70
448132	1''	1.87
448134	1'4''	2.70
448136	1'2''	3.10



SIDE OUTLET ELBOW

Model No.	For NOM. Pipe	Price
448138	34''	\$3.06
448140	1''	3.34
448142	114''	4.62
448144	1½''	5.68

Pipe

11/4" 11/2"



90° TWO SOCKET TEE

Model No.	For NOM. Pipe	Price
448146	34''	\$2.39
448148	1''	2.81
448150	1¼''	3.75
448152	1½''	4.38
448154	2''	7.61



90° THREE SOCKET TEE

Model No.	For NOM. Pipe	Price
448156	34''	\$3.12
448158	1''	3.12
448160	1'4''	4.12
448162	1½"	5.06
448164	2"	9.63



TWO SOCKET CROSS

Model No.	For NOM Pipe	Price
448166	3/''	\$2.64
448168	1''	2.87
448170	11/4''	3.75
448172	11/2''	4.38
448174	2''	7.65



SIDE OUTLET TEE

Model No.	For NOM. Pipe	Price
448176	%'''	\$3.15
448178	1''	3.93
448180	1¼''	4.62
448182	1½''	5.79
448184	2''	11.70



FOUR SOCKET CROSS

Model No	For NOM. Pipe	Price
448186 448188 448190	34'' 1'' 1'4''	\$4.56 5.44 7.31
448192 448194	1½''	8.06 16.02



CROSSOVER

1110	odel o.	For NOM. Pipe	Price
448 448 448	196 198 200 202 204	34'' 1'' 1'4'' 1'2'' 2''	\$1.76 2.10 2.75 3.39 4.85



COMB.SOCKET TEE & CROSSOVER

Model No.	For NOM. Pipe	Price
448206 448208 448210 448212 448214	34'' 1'' 1'4'' 1'2''	\$2.39 3.28 3.98 4.62 7.77



SINGLE SWIVEL SOCKET

Model No.	For NOM. Pipe	Price
448216	34''	\$3.95
448218	1''	4.18
448220	1'4''	4.56
448222	1'2''	5.21
448224	2''	10.29



MEDIUM FLANGE

Model No.	For NOM. Pipe	Price _.
448226 448228 448230 448232 448234	%''' 1'' 1¼'' 1½'' 2''	\$1.96 2.28 2.87 3.62 5.27



RAILING STANDARD FLANGE

Model No.	For NOM. Pipe	Price
448236 448238 448240 448242	34'' 1'' 1'4'' 1'2''	\$3.75 4.21 4.80 5.91
448244	2"	10.47



PLUG (DRIVE IN FIT) PLASTIC

Model No.	For NOM. Pipe	F	rice
448246	34''	\$.31
448248	1''		.37
448250	1'4''		.50
448252	1½"		.50
448254	2"		.65



SWIVEL FLANGE

Model No.	For NOM. Pipe	P'rice
448256 448258 448260	3/4" 1" 1/4"	\$4.00 4.00 4.33
448262 448264	1½"	4.74 8.00



Ratchet speed wrench -

fits pipe size 3/4" through 2" Model No. 448270 \$12.11



INDUSTRIAL SPIRAL STAIRS Prepackaged complete - easy to install



Provides heavy duty service in commercial buildings and industrial plants. Engineered for strength with a ¾" steel baluster on every tread and a heavy 3½" core post. Available in 4'0", 5'0", and 6'0" diameters with adjustable treads for perfect fit in your plant.

Make out-of-way corners and cramped passageways useful. Install a compact industrial stair and gain convenient access for service traffic between floors

- engineered for fast, easy installation—no special fabrication needed
- raised diamond non-slip pattern or plain reversible treads-use for left hand or right hand conditions
- rise adjustable from 8%" to 10"-fits ceiling heights up to 10 ft. floor-to floor
- plain treads are adaptable to rubber, carpeting, wood, or other coverings.
- platform includes strong iron railing as a safety feature, to enclose stair opening.
- tough, heavy duty, reinforced polyethylene step railing—flexible for easy installation—rigid strength provided when installed.



Model No.	Diamete	er Tread	Price
180430	4'0"	Plain	\$572.03
180432	5'0"	Plain	742.11
180434	6'0"	Plain	913.03
180436	4'0"	Diamond	633.29
180438	5'0"	Diamond	874.02
180440	6'0"	Diamond	1105.30

Fits ceiling heights 8'71/2"-10'0"

Stairwell opening should be 2"greater than stair diameter.



Tubular hand rails are 1%"O.D. Top and bottom formed pieces bolt onto stringer panel. Straight center section of rail telescopes for close butt

Stair treads have deep drawn oval hole open design, perforated traction nubs for non-skid surface and are self cleaning. Stair treads are adjustable to be leveled and have a 7" to 8' rise.

SAFETY TESTED, FAST, EASY AS-SEMBLY: Preengineered steel stairways are designed for flexibility in assembly, high structural strength, all units have safety open grate stair treads and tubular hand rails.

LOW COST ERECTION OF UNITS: All parts are pre-cut, all holes are pre-drilled and can be easily assembled in about one hour

INTERIOR AND EXTERIOR APPLICATIONS: Use these stairways to reach second level decks or mezzanines, multi-floor landings, machine platforms and scaffolding. Also to reach stages, stands, roofs, skylights, windows, towers; and to go down into pits, traps. wells, shafts, etc.

BAKED GRAY ENAMEL FINISH

Model No. 256118	He	stable eight	Horizontal Run	Tread Width	Overall Width	Price \$209.61
256120	(3' t	o 3'5")	(3'3" to 3')	36	33" 3	216.81
256124 256126	(3'6	5" to 4')	(4'1" to 3'9")	30 36	33 39	235.62 244.62
256130 256132	(4'1"	to 4'8")	(4'11" to 4'6")	30 36	33	266.08 276.88
256136 256138	(4'9	"to 5'3")	(5'8" to 5'3")	30 36	33 39	295.77 308.37
256142 256144	(5'4"	to 5'11")	(6'6" to 6'1")	30 36	33 39	341.01 355.41
256148 256150	(6'	to 6'6")	(7'3" to 6'10")	30 36	33 39	375.77 391.97
256154 256156	(6'7	"to 7'3")	(8' to 7'6")	30 36	33	404.63 422.63
256160 256162	(7'4	" to 8'2")	(8'9" to 8'2")	30 36	33 39	464.26 484.06
256164 256166	(9'0''	'to 10'7'')	(14'4''to13'4	') 30 36	33 39	843.05 873.67


Degree of slope is a minimum of 37° to maximum of 43°



CONSULT US ON YOUR SPECIAL FABRICATION REQUIREMENTS

YOUR FLOOR SPACE

EXPANDABLE PRE-FAB **MEZZANINES**





OSHA standards

CHOOSE PLATFORM TO SUIT YOUR NEEDS



Mezzanine with 3' Wide Front Stairs

STYLEB

SQ. FT.



Mezzanine with 3' Wide Platform Stairs

SIZE	STYL	E A	STYLI	STYLEB		
WXD	MODEL NO.	PRICE	MODEL NO.	PRICE		
10'6" x 12'	480300	\$1488.05	480400	\$1677.75		
10'6" x 19'10"	480302	2078.80	480402	2268.50		
10'6" x 27'8"	480304	2669.55	480404	2859.25		
10'6" x 35'6"	480306	3260.30	480406	3450.00		
20'9" x 12'	480308	2226.30	480408	2416.00		
20'9" x 19' 10"	480310	3209.10	480410	3398.80		
20'9" x 27'8"	480312	4191.90	480412	4381.60		
20'9" x 35'6"	480314	5174.70	480414	5364.40		
31' x 12'	480316	2964.55	480416	3154.25		
31' x 19'10"	480318	4339.40	480418	4529.10		
31' x 27'8"	480320	5714.25	480420	5903.95		
31' x 35'6"	480322	7089.10	480422	7278.80		
41'3" x 12'	480324	3702.80	480424	3892.50		
41'3" x 19'10"	480326	5469.70	480426	5659.40		
41'3" x 27'8"	480328	7236.60	480428	7426.30		
41'3" x 35'6"	480330	9003.50	480430	9193.20		
51'6" x 12'	480332	4441.05	480432	4630.75		
51'6" x 19'10"	480334	6600.00	480434	6789.70		
51'6" x 27'8"	480336	8758.90	480436	8948.65		
51'6" x 35'6"	480338	10,917.90	480438	11,107.60		



10'6" x 27'8" Mezzanine with Platform Stair



Storage without loss of floor space

These expandable Mezzanine Storage Units have a basic starting section of open grate flooring at the 8' level ready to use. Heavy-duty welded upright frames and floor support beams, finished in gray, can be quickly assembled without special tools.
When needed, the mezzanine can be disassembled and moved to another location. Assembly time for one mezzanine is about 4 hours with 2 men. LOW COST

Using modular steel parts, these mezzanines are pre-engineered, pre-cut, drilled and ready to be quickly assembled by regular workmen.

ALL MEZZANINES HAVE 7'5" UNDER CLEARANCE WITH 12' TO TOP OF RAILING.

All railings, kick plates and necessary accessories included

If you have any questions regarding these mezzanines or special sizes, call toll-free 800-645-1232

PALLET RACK

QUICK EFFICIENT STORAGE OF PALLETIZED AND HAND-STACKED MATERIAL



EXCLUSIVE SAFETY LOAD LOCK...Accepted as the finest of all rack locking devices. Lock is an integral part of the beam, not a loose part. No tools are needed.

ECONOMY—Tailored to your individual needs to give you maximum efficiency from every cubic foot of space. Heavy-duty construction and long-lasting finish provide years of dependable service.

SAFETY—The finest safety locking device holds racks secure from accidental loosening. Tapered keyhole slots hold beams securely, keep columns rigid. Meets or exceeds all specifi-

cations set forth by R.M.I. and A.I.S.I. Standards. **EASE AND SIMPLICITY**—Can be erected with unskilled labor.

Hexagon button head studs on beams engage and disengage quickly and easily. No bolting or fastening.



TAPERED KEYHOLE SLOT AND HEX STUD



RIGIDITY AND STRENGTH




AND STRENGTH

—Placement of reinforcing struts is computer calculated to meet individual upright section require-

STEP-DOWN

UPRIGHT FRAMES 19,000 LB. CAPACITY EACH



Roll formed, high strength steel box channel to help resist shock loads. This preassembled frame can be used as a common frame or individually.

	i airio oi	1110111101010		
ŀ	Height "	Depth "	Model No.	Price
	72	30	160102	\$40.26
	96	30	160104	49.72
	120	30	160106	56.96
	144	30	160108	66.92
	72	36	160110	41.09
	96	36	160112	51.17
	120	36	160114	58.20
	144	36	160116	68.63
	72	42	160118	42.71
	96	42	160120	53.38
	120	42	160122	60.36
	144	42	160124	71.60

HORIZONTAL BEAMS

Adjustable on 2" centers



Length (Clear Span)	Thickness	Capacity Per Pr. (Ibs)	Model No.	Price Each Beam (2 Beams Req'd. Per level)
	3	2089	160166	\$19.26
94"	4	3301	160168	21.84
34	4 3/8	5017	160170	25.03
	3	1656	160172	20.94
106"	4 3/8	4449	160174	27.45
100	4 1 / 4	5921	160160	31.94
400	4 3/8	3930	160176	30.26
120	4 1/4	5230	160164	35.37

How to custom design your rack

QUANTITY DISCOUNTS

QUANTITY DISCOUNTS


Less than \$3,000 - Net - Less 20%


Less than \$3,000 - Less 30%

From \$5,001 to \$ 8,000 - Less 35%

From \$5,001 to \$12,000 - Less 35%

From \$8,001 to \$12,000





STARTER UNIT
2 Upright Frames
3 Pr. Horizontal Beams


The first section in a row requires two upright frames, each additional section in that row requires just one upright frame




SYSTEMS II HEAVY DUTY BULK STORAGE RACK

- Up to 2600 lbs. capacity
- · With or without ribbed steel decking
- Quick, easy and rigid assembly

ALL UNITS HAVE THREE STORAGE LEVELS





48"

SOLD IN PKGS. OF 6 ONLY

254704

Solve the problem of storing bulky products with our Systems II Rack. Basic units can be stacked, expanded, or modified, with add-on units as your needs grow...

UPRIGHTS are precision roll-formed to allow for 1½" adjustment of shelves.

BEAMS are designed for extra strength, will support 1700-2600 lbs. per pair. Every pair of beams furnished with two tie bars to prevent beam rotation under maximum load.

DECKS are %" deep steel rib-formed for extra strength fits into recess of beam.

FINISH-long lasting gray baked-on enamel.

			ARTER UNIT			DD-ON UNIT			
			Price			Pri		Add'l B	
Ht.	L" x D"	Model No.	1-3 4	or more '	Model No.	1-3	4 or more '	Model No.	Price / pair
	60 x 36	254310	\$72.87	\$67.27	254360	\$55.83	\$51.53	254410	\$14.90
	60 x 48	254312	78.57	72.52	254362	59.94	55.33	254412	15.90
	72 x 36	254314	77.58	71.62	254364	60.53	55.87	254414	16.70
72''	72 x 48	254316	84.14	77.67	254366	65.52	60.48	254416	18.05
	96 x 36	254318	88.56	81.75	254368	96.08	88.75	254418	20.95
	96 x 48	254320	95.03	87.72	254370	76.41	70.53	254420	22.20
	60 x 36	254322	79.67	73.54	254372	59.22	54.67	254410	14.90
	60 x 48	254324	85.40	78.83	254374	63.36	58.48	254412	15.90
	72 x 36	254326	84.38	77.89	254376	63.93	59.02	254414	16.70
96"	72 x 48	254328	90.59	83.98	254378	68.94	63.64	254416	18.05
	96 x 36	254330	95.36	88.03	254380	74.91	69.14	254418	20.95
	96 x 48	254332	101.86	94.03	254382	79.83	73.69	254420	22.20
	60 x 36	254334	88.61	81.79	254384	63.69	58.79	254410	\$14.90
	60 x 48	254336	94.14	87.82	254386	68.23	62.98	254412	15.90
	72 x 36	254338	93.32	86.14	254388	68.40	63.14	254414	16.70
120"	72 x 48	254340	100.71	92.96	254390	73.81	68.13	254416	18.05
	96 x 36	254342	104.29	96.27	254392	79.38	73.27	254418	20.95
	96 x 48	254344	111.60	103.00	254394	84.69	78.17	254420	22.20

2.25

^{*} PLYWOOD DECK SUPPORTS Formed 16 gauge support channels increase plywood or particle board capacities, eliminates natural dishing or center deflection.


		X	STARTER U		K	ADD-ON UN WITH DECK			
Ht.	L" x D"	Model No.	1-3 Pr	ice 4 or more	Model No.	1-3 Pri	4 or more	Add'l S Model No.	helves Price
72''	60 x 36	254510	\$129.40	\$119.45	254560	\$112.35	\$103.71	254610	\$36.65
	60 x 48	254512	151.82	140.14	254562	133.20	122.96	254612	44.05
	72 x 36	254514	144.64	133.51	254564	127.59	117.77	254614	42.50
	72 x 48	254516	181.45	167.49	254566	162.83	150.30	254616	55.35
	96 x 36	254518	184.70	170.49	254568	167.64	154.75	254618	57.90
	96 x 48	254520	221.93	204.86	254570	203.31	187.67	254620	71.90
96"	60 x 36	254522	136.20	125.72	254572	115.75	106.85	254610	36.65
	60 x 48	254524	158.65	146.45	254574	141.82	130.91	254612	44.05
	72 x 36	254526	151.43	139.78	254576	136.84	120.91	254614	42.50
	72 x 48	254528	188.29	173.80	254578	166.24	153.46	254616	55.35
	96 x 36	254530	191.50	176.77	254580	171.04	158.88	254618	57.90
	96 x 48	254532	228.76	211.16	254582	206.72	190.82	254620	71.90
120''	60 x 36	254534	145.13	133.97	254584	120.21	110.97	254610	36.65
	60 x 48	254536	168.40	155.44	254586	141.49	130.60	254612	44.05
	72 x 36	254538	160.37	148.03	254588	135.45	125.03	254614	42.50
	72 x 48	254540	198.02	182.79	254590	171.12	157.96	254616	55.35
	96 x 36	254542	200.42	185.00	254592	175.51	162.01	254618	57.90
	96 x 48	254544	238.50	220.16	254594	211.59	195.32	254620	71.90


HEAVY DUTY ADJUSTABLE CANTILEVER RACK

For storage of bulky, long or odd shaped items.

Unobstructed long spans make this rack ideal for storing bar stock, lumber, pipe, furniture, etc. Available in three heights with capacities up to 36,000 lbs per column and seven arm lengths with capacities up to 3000 lbs per arm. These single or double sided racks can be used in pairs or continuously, making a run as long as you wish. Uprights can be set on either 3' or 6' centers depending on capacity and or length of item stored.







U.S. Patent No. 3,512,654

SINGL	E CI	DED	LIDDI	CHT
SINGL	. E 31		Or ni	GIII

SINGLE SIDED UNIT

		SINGLE SIDED OF MOTH								
Model No.	Ht.	Capacity Lbs.	Base ("A")	For Arms	Price Ea.					
340102	8′	12,000	31	12", 18"	\$123.25					
340104	8'	12,000	37	24''	126.50					
340106	8'	12,000	46	30", 36"	134.40					
340108	8′	12,000	58	42", 48"	141.00					
340110	10'	16,000	31	12", 18"	163.95					
340112	10'	16,000	37	24''	167.25					
340114	10'	16,000	46	30", 36"	175.50					
340116	10'	16,000	58	42", 48"	182.15					
340118	12'	18,000	31	12", 18"	186.40					
340120	12'	18,000	37	24"	189.70					
340122	12'	18,000	46	30", 36"	198.00					
340124	12'	18,000	58	42", 48"	204.60					
DOUBLE	SIDED UPRIG	нт								
340202	8′	24,000	53	12", 18"	\$141.50					
340204	8′	24,000	65	24"	148.90					
340206					140.00					
340200	8′	24,000	82	30", 36"	160.80					
340208	8' 8'	24,000 24,000	82 106	30", 36" 42", 48"						
					160.80					
340208	8′	24,000	106	42", 48"	160.80 176.85					
340208 340210	8' 10'	24,000 32,000	10 6 53	42", 48" 12", 18"	160.80 176.85 182.60					
340208 340210 340212	8′ 10′ 10′	24,000 32,000 32,000	106 53 65	42", 48" 12", 18" 24" 30", 36" 42", 48"	160.80 176.85 182.60 190.05 201.90 219.60					
340208 340210 340212 340214	8' 10' 10' 10'	24,000 32,000 32,000 32,000	106 53 65 82 106 53	42", 48" 12", 18" 24" 30", 36" 42", 48" 12", 18"	160.80 176.85 182.60 190.05 201.90 219.60 205.10					
340208 340210 340212 340214 340216	8' 10' 10' 10' 10'	24,000 32,000 32,000 32,000 32,000 36,000 36,000	106 53 65 82 106 53 65	42", 48" 12", 18" 24" 30", 36" 42", 48" 12", 18" 24"	160.80 176.85 182.60 190.05 201.90 219.60 205.10 212.10					
340208 340210 340212 340214 340216 340218	8' 10' 10' 10' 10' 12'	24,000 32,000 32,000 32,000 32,000 36,000	106 53 65 82 106 53 65 82	42", 48" 12", 18" 24" 30", 36" 42", 48" 12", 18" 24" 30", 36"	160.80 176.85 182.60 190.05 201.90 219.60 205.10 212.10 224.40					
340208 340210 340212 340214 340216 340218 340220	8' 10' 10' 10' 10' 12' 12'	24,000 32,000 32,000 32,000 32,000 36,000 36,000	106 53 65 82 106 53 65	42", 48" 12", 18" 24" 30", 36" 42", 48" 12", 18" 24"	160.80 176.85 182.60 190.05 201.90 219.60 205.10 212.10					

3' OR 6'

How to order:

One per add-on unit.

3. Order one brace set per bay

Choose type and arm length desired
 Determine upright type, height, and base
 Order two uprights per starter unit.

STRAIGHT ARMS

SIRAI	IGHT ANIVIS			
	Capacity	Mode	el No.	
Length	per arm(lbs.)	No Lip	With Lip	Price Ea.
12''	3,000	340302	340402	\$11.00
18"	2,500	340304	340404	11.60
24''	2,000	340306	340406	12.50
30''	1,600	340308	340408	14.45
36''	1,300	340310	340410	15.10
42"	1,145	340312	340412	16.40
48''	1,000	340314	340414	17.30
INCLI	NE ARMS			
	Capacity	Incline		
Length	per arm(lbs.)	("B")	Model No.	Price Ea.
12''	3,000	5''	340320	11.20
18''	2,500	7''	340322	12.20
24"	2,000	9''	340324	13.00
HORI	ZONTAL BR	ACE SETS		
Fo	or	Braces		Price
Upri	ghts Width	per set	Model No.	per set
8' Ht.	3′	2	340420	24.25
8' Ht.	01	2	340422	39.30
O III.	6'	2	340422	05.00
	2' Ht. 3'	3	340424	36.10
10', 1				




MEETS OSHA REQUIREMENTS



Don't carry it—
just roll it where you want it.



STEP LADDERS



proximately 28 1/2" above top step. Finished in non-rust paint.										
	SET UP LADDER		SET UP LADDER K.D. LADDER				READY TO	READY TO USE		SEMBLED
NO. OF	нт. то	WORKING	НТ. ТО	WORKING	WIDTH	DEPTH	SET UP LA	ADDER	KNOCKEDDO	WN LADDER
STEPS	TOP STEP	HT.	TOP STEP	HT.	LADDER	AT BASE	MODEL NO.	PRICE	MODEL NO.	PRICE
1	10"	6'4''			18''	16''	446200	\$38.00	N/A	
2	20''	7'2''			23''	19''	446202	50.00	N/A	
3	30''	8'			23''	25''	446204	64.00	N/A	
4	40''	8'10''	38''	8'8''	23''	32''	446206	97.00	260410	\$ 107.50
5	50''	9'8''	471/2"	9'6''	23''	39''	446208	119.00	260412	113.00
6	60''	10'6''	57''	10'4''	31''	46''	446210	167.00	260414	156.50
7	70''	11'4''	661/2"	11'2"	31"	53''	446212	188.00	260416	190.00
8	80''	12'2''	76''	12'	31''	59''	446214	237.00	260418	220.00
9	90''	13'	85½''	12'10''	31"	65''	446216	260.00	260420	241.00
10	100''	13'10"	95"	13'8"	31"	72"	446218	286.00	260422	264.50
111	110''	14'8''	104½''	14'6''	31''	78''	446220	307.00	260424	289.00
12	120''	15'6''	114''	15'4''	31''	85''	446222	340.00	260426	317.00
13			1231/2"	16'2"	33''	90½"	N/A		260428	380.00
14			133''	17'	35½"	99''	N/A		260430	487.00
15			142½''	17'10''	37½''	106''	N/A		260432	530.00

FOLD-A-WAY LADDERS

Folds compactly . . . sets up in seconds

Ruggedly constructed all welded pipe frame, $7^{\prime\prime}\times 18^{\prime\prime}$ steps, $10^{\prime\prime}$ easy rolling rubber wheels.



STORES OUT OF WAY WHEN NOT IN USE.

		No. of	Ht. to	Working	Width	
1	Model No.	Steps	Top Step	Ht.	At Base	Price
	446300	6	57''	10'9''	24"	\$170.50
	446302	7	66-1/2"	11'6''	26''	187.00
	446304	8	76''	12'4''	30''	223.30
	446306	9	85-1/2"	13'	30"	254.10
	446308	10	95''	13'11''	32"	281.60
	446310	11	104-1/2"	14'8"	32''	308.00
	446312	12	114"	15'6''	34''	336.60

BUY DIRECT FROM GLOBAL AND SAVE!



ALUMINUM EXTENSION LADDERS (250 # WORKLOAD)

Rugged service at lowest cost

Meets all code requirements of OSHA and American National Standards Institute for portable metal ladders. Underwriters' Lab. Listed.

This ladder is designed for a 250 lb. load (a 200 lb. man with a 50 lb. work load). Safety factor of four (4) when set at the proper working pitch of 75 degrees to the ground—or the base of the ladder out from the top support point ¼ of the working length.



	Base	Fly	Max. ext.		
Model No.	length	length	length	Weight	Price
260260	8 ft.	8 ft.	13 ft.	30 lbs.	\$ 99.95
260262	10 ft.	10 ft.	17 ft.	37 lbs.	120.00
260264	/ 12 ft.	12 ft.	21 ft.	44 lbs.	138.00
260266	14 ft.	14 ft.	25 ft.	50 lbs.	156.00
260268	/ 16 ft.	14 ft.	27 ft.	53 lbs.	172.50
260270	16 ft.	16 ft.	29 ft.	56 lbs.	184.00
260272	18 ft.	18 ft.	33 ft.	66 lbs.	215.00
260274	20 ft.	20 ft.	36 ft.	73 lbs.	252.50



SAFETY PLATFORM LADDERS

All aluminum construction

225 lb. work load rating
Extra large top platform locks ladder in open position

	r in open po		10000			
• Full 3	" non slip s	teps		- 41		
Model No.	Platform Ht.	Weight	Price		1 //	
260240	36"	15	\$57.80	- //		
260242	48"	18	65.40			
260244	60"	21	72.90		-	
260246	72"	24	82.60			17
260248	96"	32	153.00			
260250	120"	38	184.00			
260252	144"	54	250.50			
260254	168"	64	287.00			
260256	192"	74	317.00			
						W
	AS LOV	24 14				
						1
	\$57	.80				
			TA		1	M
			/~			
	meet	_	12			
	OSH	1A		The state of the s		
	standa	rds 🐪		N N		
		الن	-			
				Į.	1	

CHAMPION ALUMINUM STEP LADDER

(225# WORKLOAD)

The premium step-Priced right

The Champion Step Ladder is a medium duty step ladder—designed to give years of maintenance free service.

nance free service.

The outstanding features of this ladder were designed to eliminate the hazards found in low grade products.

low grade products.

Designed for use by a 225 lb.
man with a safety factor of four
(4)

(4).
Meets all code requirements of
American National Standards
Institute for portable metal ladders.

UNDERWRITER'S LABORATORIES, INC. LISTED

		LIGILO			
Model No.	Size	Bottom width	Spread	Weight	Price
260280	3'	18%"	24"	9	\$ 32.95
260282	4'	19%"	30"	11	40.00
260284	5'	21%"	36"	14	45.90
260286	6'	22%"	42"	17	51.85
260288	7'	24%"	48"	20	63.70
260290	8'	25%"	54"	23	70.75
260292	10'	28%"	66"	28	108.50

FIBERGLASS NON-CONDUCTIVE LADDERS For industry and utilities • Load rated design—250 lb. work load with a safety factor of four (1000 lb. capacity) • Shock-resistant rails with aluminum steps • Skid-proof pads • Heavy gusset bracing • Meets all code requirements of A.N.S.I. and O.S.H.A. safety requirements.

Total length Max. ext. O.D. Base Price Model No. of sections length width each 260300 16' 171/4" 13' \$ 102.50 260302 20' 17 171/4" 124.50 260304 24' 21 171/4" 146.50 260306 28' 25 1714" 166.50 260308 30' 27 171/4 188.00 260310 32' 29 200.00

Trailing slide guide—
slotted bottom casting protects the rail ends and acts
shoes as the bottom or trailing slide
guide.

Aluminum Wrap-Around Sleeve an exclusive feature. Gives extra support at the critical

			area				
Model No.	Siza	Bottom	Spread	Waight	Price		
260320	4'	19%"	30"	15	\$50.00		
260322	5'	21¾"	36"	18	58.00		
260324	6'	221/8"	42"	22	66.00		
260326	7'	243/8"	48"	26	79.00		
260328	8'	25%"	54"	29	88.00		
260330	10'	28%"	66"	37	110.00		
260332	12'	31%"	78"	46	134.00		



STOCKPICKING LADDER

For fast picking of small orders

Conveniently rolls into position on easy rolling rubber casters, locks to floor when not in use. Roll your stock, tools or equipment to and from the job or storage area. Two center shelves 24" x 24", 16" apart, 24" x 7" folding shelf at top, base shelf 30"W x 36"D. 500 Ib. capacity

	/	Size	Working	
Model No.	Steps	W" x D" x H"	Ht.	Price
396100	6	30 x 50 x 87	9' 9''	\$390.00
396102	7	30 x 56 x 96½	10' 61/2"	412.00
396104	8	30 x 62 x 106	10' 10"	435.00
396106	9	30 x 68 x 115½	11' 71/2"	458.00
3961.08	10	30 x 74 x 125	12' 5"	482.00
396110	11	30 x 80 x 134½	13' 21/2''	505.00

SAFETY AT HEIGHTS TO 32'

ROLLING SAFETY **AERIAL LADDER**

Now maintenance men can work at elevated heights safely, con-veniently. Heavy aluminum angle forms saddle at critical pivot point. Assures rigid connection between the steel base and aluminum or fiberglass extension ladder.

Designed to support a 200# man with a safety factor of four ● Work platform permanently attached to fly section provides comfort and safety for the user ● Serrated rungs secured to 3 inch solid I-Beam side rail ● Out-riggers extend to both sides giving greater safety and side stability ● 4" Rubber Wheel Casters ● All ladders are 30" wide, folds to 78" high.



Fits through standard 7' door

ALUMINU	M AE	RIAL	LADDER	2

ALUMINU	VI ALIVIAL I	ADDLI			
Model	Ladder	Plt. Ht.	Wide	Fold. Ht.	Price
260200	20'	14'	2'-6"	771/2"	\$668.00
260202	24'	18'	2'-6"	77½"	684.00
260204	28'	22'	2'-6"	77½"	780.00
260206	30'	24'	2'-6"	77½"	844.00
260208	32'	26'	2'-6"	77½"	907.00
FIBERGI AS	SS AFRIAL	LADDER			

Safety Outriggers

Model	Ladder	Plt. Ht.	Wide	Fold. Ht.	Price
260210	20'	14'	2'-6"	78"	\$802.00
260212	24'	18'	2'-6"	78"	852.00
260214	28'	21'	2'-6"	78"	959.00
260216	30'	23'	2'-6"	78"	1084.00



Permits easy access for working over machinery, benches, etc. V-Frame base to straddle or roll under machinery; flairs to 30" for added safety and stability. Clears 6'6" doorways when folded...easy storage. 24" suregrip steps. Caster size 2-4" Swivel & 2-4" Rigid Top Step Size—10" x24"

Model No.	260220	260222	260224	260226	260228
Ht. to top step	74"	83"	93"	104"	112"
Ht. overall	104"	113"	123"	134"	142"
Working ht.	12'2"	13'	14'	14'8"	15'4"
Length of base	58"	64"	71"	78"	84"
Width of base	30"	30"	30"	30"	30"
Folded clear-					
ance ht.	59"	69"	69"	69"	78"
Price	\$370.00	397.00	428.00	460.00	494.00

INDUSTRIAL WOOD LADDERS

Extension Ladder

Spring loaded rung locks • Reinforcement rod under each step

250 LB. CAP. MEETS OSHA AND ANSI STANDARDS

• 18 3/4" overall width "Traveling" slide guide

	Total Lgtn. of	Max. Ext.	
Model No.	Sections	Length	Price
260650	16'	13'	\$ 81.50
260652	20'	17'	105.00
260654	24'	21'	134.00
260656	28'	25'	156.50
260658	30'	27'	170.00
260660	32'	29'	179.50
260662	36'	33'	221.50
260664	40'	36'	254.00

Foiding Ladder

Strength, durability, light weight
Extra heavy steel hinge connects front rails and rear leg

Self-locking "pinch-proof" spreaders. Reinforcement rod under each step.

> Model No. 260600 44.50 52.30 64.00 260602 260606 260608 77.80 260610 113.30







Transports and lifts men, tools and materials. Increases efficiency of all your overhead work...installation, maintenance, electrical, heating, lighting and countless other jobs. Raising, lowering and

travel controlled entirely from platform.											
liavei com	Olled	CITTICI	y morn plane	,,,,,,		SELF-PROPELLED			TOWABLE		
							GASOLINE	BATTERY*		GASOLINE	ELECTRIC**
							PRICE	PRICE		PRICE	PRICE
CAPACITY I	PLA"	T. HT.	WORKING	PLATFORM	OVERALL	MODEL NO.	ADD "G" TO	ADD "B" TO	MODEL NO.	ADD "G" TO	ADD "E" TO
LBS.	MAX.	MIN.	HT.	W×L	W×L		MODEL NO.	MODEL NO.		MODEL NO.	MODEL NO.
1.000	14'	40"	20%	39" × 69"	39" × 69"	458101	N/A	\$8100.00	N/A		
1,000	17'	56"	23'	44" × 126"	70" × 126"	458103	\$8600.00	8600.00	458203	\$5350.00	\$4900.00
750	18'	45"	24'	39" × 90"	39" × 90"	458105	N/A	9250.00	N/A		
1,500	21'	72''	27'	44" × 162"	70" × 162"	458107	10900.00	10900.00	458207	7750.00	7300.00
1,000	24'	76''	30'	57" × 196"	86"×196"	458109	11450.00	11450.00	458209	8200.00	7750.00
1,500	30'	60"	36'	78' x 156"	81" × 132."	458113	16750.00	16750.00	N/A		

‡Power steering both ends.

Towable models have steerable axles on both ends except Model 458201. hydraulic brakes on self-propelled models.

SUPER LIFT! Personnel/material lift working heights to 31' (1) 24" × 24" aluminum platform*, guardrails, 4" toeboard (2) Dual winch controls. Automatic safety brake (3)26" forks adjust from 10" to 22" wide. 4.)Concealed cables 4 (5)4" swivel casters and 10" transfer wheels. Converts easily from personnel to material lift in seconds by removing work platform. Handle your duct work, heating, piping, lighting etc. with ease. Foldaway outriggers (4) for increased stability. Personnel/ Material Lift Only * WORK W''×L''×H'' MODEL PRICE MODEL PRICE HEIGHT HEIGHT NO. NO 32 × 72 × 88 / 456100 \$1095.00 456200 \$599.00 19' 32 × 72 × 88½ **456102 1295.00 456202** 32 × 81 × 88½ **456104 1595.00 456204** 23'8" 31' 899.00 Capacities: 500-650 Lb. * Material, 250 Lb. Personnel Meets ANSI Standards • Compact storage - folds to $28^{\prime\prime} \times 32^{\prime\prime}$ Transports easily * Safety brake system and personnel platform not included EASY ONE MAN HANDLING

*Above 18', capacity reduces to 500 Lbs.

Due to the special fabrication of these units, they are not subject to our return policy.

Hydraulic

HI-LIFT

Gets at the "Big" jobs ... Stores compactly



Make those high, hard-to-reach areas quickly accesible. Folds compactly for mobility and storage. Unique stabilizing device keeps platform from rotating. 1/60/115V. motor with 25' cable.

- 27" × 27" platform with guardrails and 4" toeboards
- Platform mounted push button
- Sturdy hinged outriggers;
- Stand-by manually operated emergency system
- Overload pressure protection.
- 8" casters with locks

MODEL NO. PLAT. HT. WORKING BASE STORAGE PRICE MAX. MIN. SIZE HEIGHT **EXT** 6'51/2" 84" × 84" 67" × 36" × 79" 84" × 84" 67" × 36" × 79" 108" × 108" 89" × 36" × 121" 84" × 84" 20'5" \$4100.00 396201* 26'5" 396203* 6'5%" 396205 10' 5350.00

> 500 lb. capacity Working heights to 41' Electric or battery operated models

> 396208 - set of 4 screw type leveling jacks \$300.00

396210 - D.C. 12V battery system including 2 batteries and charger -\$590.00 add 1

Telescoping

WORK PLATFORM

Speeds overhead maintenance

- 14'7" Platform height
- Double fail-safe lift mechanism
- Welded construction for stability and safety
- Quick-acting screw jacks and outriggers. 42"h. railings
- Folds compactly—rolls thru 2'8" × 6'8" opening.

Battery models have built-in charger (Automotive batteries not included)

- 8" rubber wheels
- 300 lb. capacity

MODEL NO. PLATFORM OPERATION PRICE SIZE 29" × 20" 29" × 20" \$ 950.00 132200 Winch 1600.00 Battery 132204 29" × 62"* 1925.00

Counterweighted for added safety

Flourescent tube caddy.

Model No. 132210 \$40.00

Height extender! Add 50" to platform height

easily bolts on. Model No. 132208 \$130.00

18'9" Platform ht.... Up to 25' Working Ht.

Shown with height extender and 29" x 62" Platform




*Shipped set-up, complete with hydraulic fluid



500 lb. capacity

SAFETY MAINTENANCE PLATFORM

Converts any fork lift truck or stacker into a safe, efficient work platform at low costl.



- 1. 42" high rail on 3 sides . . . safety chain front 30" x30" platform.
- 2. Safety mid-rail
- 3. Side adjacent to lift truck is expanded metal mesh safety screen
- 4. Safety platform has a capacity of 500 lbs., slip resistant checkered tread and protective 4" toeguard on three
- 5. Rugged welded pipe-frame construction
- 6. Casters permit attaching to forks and rolling into storage space when not in use
- 7. Base-frame 36" x 36" won't slip from fork truck

BASE FRAME

Contains two sturdy channels 71/2" wide by 21/2" high to accommodate forks. Each channel has thumb advance threaded lug which engages fork to insure against slippage.


501190 — High Model Platform 72" above forks for working height of 12 feet. With casters.

\$324.50 501192 — Standard Model (Not shown) 48" (Not shown) 48" from forks to platform for 10 foot working height above forks With casters \$302.50

501196 — Extra High Model

Platform 120" above forks for working height of 16 feet. With \$462.00


Color: Safety Orange



with casters. Fits onto forks 501194 \$247.50

SCAFFOLDS Quick. safe. efficient one man set up

Constructed with your safety in mind. High strength quality steel parts have been tested to insure designed strength and assure durability of service. Automatic cam operating locks on all platform supports snap quickly into place. There are no springs to snap, break, or fill with paint, plaster or dirt thereby making them inoperable.



Height	Length	No. of Platforms	Model No.	. Price	Locking Caster Kit
6′	6' 10'	1 1	260540 260542	\$209.50 259.50	No. 260560 - 4" \$ 54.00
12'	6' 10'	2 2	260544 260546	\$477.00 577.00	No. 260562 - 5" \$ 82.00
18′	6′ 10′	3	260548 260550	\$802.50 960.50	No. 260562 - 5" \$ 82.00

12' and 18' High models have outriggers for stability.

18' High models have "X" type cross bracing for added rigiditions Model No. 260570 - 42" H. Handrail/toe board, 4 sides

- for 6' length - \$118.00

Model No. 260572 - 42" H. Handrail/toe board, 4 sides

- for 10' length- \$164.00

Model No. 260564 – 8" H.D. Screw type leveling device – \$ 40.00 pr. Model No. 260566 Four Base Plates, 5" x 6" for Stationary or soft ground work - \$40.00 set



LADDER STOCK TRUCKS

Step on it in perfect safety

Saves time and effort. Combines advantages of safety step ladder and stock carts. Automatically locks to floor when you step on ladder. Releases automatically. Shelves have 2" lip. Two swivel and two rigid 5" x 11/2" ball bearing rubber wheel casters. Finished in gray enamel.

Overall

Model No.	Height to Top step	Working height	Top shelf size	Height to Top shelf	size W x L x H	Price
714179	24"	7'0"	20x32"	36"	20×44×48"	\$173.00
714183	48"	9'0"	20x32"	42"	20x44x78"	204.00

DRUM LIFTERS AND RACKS

For safe, efficient drum handling

Provides long, trouble-free service on the day-to-day stacking and handling of drums at a low cost price. Racks are designed for compact orderly drum handling and storage. Built of heavy-duty structural steel and will handle 30 and 55 gal. drums up to 750 lbs.

BATTERY POWERED: 12-volt, 95 Amp./hr. battery with built in charger. Compact hydraulic unit combines 12 volt motor, rotary gear pump, oil reservoir and flow regulator.

Model No. 278702 - 1,000 Lb. Cap., 72" Lift, 96" O.H. \$820.00 FOOT OPERATED: Hydraulic pump raises load easily, release pedal provides controlled lowering.

Model No. 278704 - 1,000 Lb. Cap., 53" Lift, 78" O.H.

\$485.00

MANUAL LIFTER: Maintenance free manual crank with automatic friction disk clutch, safety ratchet and pawl, holds load at desired height.

Model No. **278706** - 750 Lb. Cap., 55" Lift, 78" O.H. Model No. **278708** - 750 Lb. Cap., 73" Lift, 96" O.H.


\$530.00 \$620.00

PLATFORM PLATE - Convert drum lifter into solid platform lift or die handler with this slip on $25'' \times 26''$ platform plate. (Not shown.)

Model No. 278710

\$ 55.00







6 Drum Rack

6 Drum Rack

Access at both ends

(not shown)

70''H × 33''W × 72"D.

Model No. 278804 \$220.00

Model No. 278806 \$180.00

3 Drum Rack 70"H × 33"W × 36"D Model No. 482800 \$158.00



4 Drum Rack 46"H × 60"W × 36"D Model No. 482802 \$115.00



12 Drum Rack Access at both ends

Model No \$250.00

DRUM LIFTER

1000 lb. cap.

Model No. 190540

\$98.00

Quick, safe, efficient automatic latching

Raise and move loaded 55 gallon drums in remote or hard to reach areas. Simple and positive grab mechanism automatically attaches to drum. Reverse latch to set drum down. Disconnects only after load is safely down.





SAFELY CARRIES St

DRUM CADDY

Take work out of Drum Handling

Stop injuries, reduce waste

SAFELY DRAINS

Model No 398100

\$29.95

This inexpensive handling tool can pay for itself in a day's time! Just drop it over the 55 gal. drum top, give the clamp a twist, lift with fork lift and you're ready to roll. Made for rugged duty from high-tensile steel, 1000 pounds weight limit.

NEW! DRUM PLUG WRENCH

Opens them all! Bronze alloy non-sparking



Model No. 227200 \$19.95 At last! A fool proof drum wrench that quickly removes any drum plug!

It's now easy to open virtually all drum plugs. This strong bronze alloy tool has triple the strength and hardness of aluminum—and is more corrosion - resistant than steel! Eliminates the danger of sparking and protects the hand with its offset handle.

DRUM HEATER Speeds drainage

Ideal for quick-safe heating, melting of solid and semi-solid resins, greases, adhesives and similar viscous materials. Conveniently wraps around straight side pail or drum and is secured by spring held, self adjusting toggle clamp. NOTE—Not to be used with volatile substances.

1. Clamp it on.

2. Plug it in.

THERMOSTAT CONTROL MODELS-55 GAL. DRUMS.

Model No. 362700 Temp. range 184°-400°F, 2500 watts, 115V-1-60 \$108.90 Model No. **362702** Temp. range 184°-400°F., 3000 watts, 230V-1-60 \$108.90 Model No. **362704** Temp. range 48°-250°F., 2500 watts, 115V-1-60 \$108.90



3. Get instant heat!

Model No. 362706 Temp range 48°-250°F., 3000 watts, 230V-1-60 \$108.90 THREE HEAT SWITCH MODELS-HIGH-MEDIUM-LOW

Model No. 362716 55 gal 115V-1-60 \$ 93.50 Model No. 362718 55 gal 230V-1-60 \$ 93.50 Model No. 362720 30 gal 115V-1-60 S 87 95 Model No. 362722 16 gal 115V-1-60 \$ 76.95

PAIL MODELS-5 GAL, STRAIGHT SIDE CAN



Model No. 362736 Temp range 184°-400° F., 1500 watts, 115V-1-60 \$104.50 Model No. 362738 Temp range 48°-250° F., 1500 watts, 115V-1-60 \$104.50 Model No. 362750 High-Medium-Low 115V-\$ 71.50



FORKLIFT DRUM DUMPER

Handle drums with fork lift operator in complete control.

- SADDLE Safety spring loaded pawl, cinches tightly around drum
- CHAIN 20' long with 10' drop, 360° Rotation
- FORK POCKETS 61/2" W x 30 D x 2" H, spaced 24" apart (37 o.d.)



TILT AND DRAIN **DRUMS** EASILY

TRA	NS	PO	RT
		LII	FT

GROUND LEVEL ...

		Cap	acity	
Model No.	Drum Size	Full Drum	Half Full	Price
191700	55	800	500	\$450.00
190702	, 55	1500	800	540.00
190704	30	800	500	490.00
190706	30	1500	800	580.00
Special size fork	pockets availab	le.		

RAISE ...

TILT ...

POUR

HEATER CRADLE



Simple one man operation ... tilts, transports, heats, dispenses Telescoping handle tilts 55 gallon drum from vertical to horizontal. Wheels for easy manuevering. Drum tilts forward at 20" drainage height. Infinite heat control with pilot light, 240V-AC-340 watts. Three flexible spring mounted heater bands assure optimum contact with drum face. Insulated aluminized reflector minimizes heat loss.

HYDRAULIC DRUM DUMPER

• Transport • Stack Grip

Dump



Simply attach to fork lift, grip and tilt your drum, with controlled hydraulic power to as much as 180°. Gradually tilt and stop in any position desired. Drums of any size can be handled, hydraulic clamping jaws adjust instantly to drum. Overall size 47" L × 37" W. *Fork Pockets 1½" × 6", 9" to 24" Jaw Opening. For use with gasoline or propane fork lift trucks.

Model No. 332400 Price \$1370.00

MECHANICAL DRUM GRIPPER - For 55 gal. drums. Grips mechanically by operator using a fast acting screw jack. Dumping is easily performed from fork lift by pulling a cable to release drum. Weight of drum forces unit to dumping position...when drum is empty it automatically returns to upright position, 2,000 Lb. capacity. Overall size 36" L × 41" W, *Fork Pocket 1½" × 6", 20" to 23" Jaw opening range allows easy gripping on drum.

*Specify if otherwise. Model No. 332402 Price \$660.00

Handles up to a 55 gal. drum

DRUM AND BARREL TRUCK

A safe and easy way to handle your drums. Just hook adjustable hook over rim, pull back on handles and drum will automatically slide back over beveled toes of truck and automatically be held in place. Large 8" diameter molded on rubber wheels. Simple foot operated trip stand permits truck to stand in vertical position when not in use. Handles up to 55 gal. drum.

149534 \$109.80



Lift engineered

AUTOMATIC DRUM TRUCK

Ruggedly built to provide maximum leverage on break over. Adjustable sliding hook readily engages rim of drum or barrel. Convenient kick-stand holds truck in upright position when not in use. Capacity 1200 lbs. 10"x2½" mold on rubber wheels.

Model No. 482532

\$138.55

Global takes the load off the man

Y DRUM TRUCK

A unique four wheel hand truck. Designed so that the operator has no weight to support. He only has to push the truck. Auxiliary wheels permit pallet loading or transporting over curbs



NEW!

DRUM LIFTER

Economically turns your fork lift truck into an efficient drum handler.

LIFTS DRUMS

Model No. 501300-Hook with Steel Drum Tongs, 1,000 Lb. capacity \$ 96.40

Model No. 501302-Hook with non-sparking Bronze Drum Tongs,

500 Lb. capacity

Model No. 190410-Steel Drum Tongs only, 1,000 Lb. cap.

Model No. 190412-Non Sparking Drum Tongs only, 750 Lb. cap.

SAFELY ...

\$118.40

\$22.75

\$44.75



Large 10"

ball bearing

rubber wheels

HOLDS SECURELY

190410/190412

DRUM ROTATORS

- Cuts costs of mixing, tumbling and cleansing!!!!
- Precision engineered
- Handles 55 or 30 gallon drums
- ½ H.P. 115/230V. 60 Cy., 1 phase motor.
- Neoprene drive wheels

PORTABLE MODEL

Easily moved from place to place or steered into close quarters. Safe, easy loading by one man. Capacity 500 lbs liquid load. Dry loads-400 lbs at 10 R.P.M., 300 lbs at 20 R.P.M., 200 lbs at 40 R.P.M.

Model No. 190321 Fixed speed of 10 R.P.M. will be furnished unless 20 or 30 R.P.M. is specified. Enclosed ½ H.P. Motor \$ 570.00

Model No. 190323 same as No. 190321 except explosion-proof motor \$ 640.00 Model No. 190326 Variable speed drive 10-30 R.P.M. Enclosed ½ H.P. motor

\$ 810.00 Model No. 190328 same as 190326 except explosion-proof motor

\$ 880.00

STATIONARY MODEL


· Capacity up to 1000 lbs.

½ H.P. gear head motor with 1"diameter drive shaft. Capacity 1000 lbs_liquid load Dry loads - 400 lbs. at 10 R.P.M., 300 lbs. at 20 R.P.M., 200 lbs. at 40 R.P.M.

Model No. **190331** Fixed speed of 10 R.P.M., will be furnished unless 20 or 40 R.P.M. is specified Enclosed ½ H.P. motor. **\$745.00**

Model No. 190333 same as No.190331 except explosion proof motor Model No. 190336 Variable speed drive 7-40 R.P.M., Enclosed ½ HP Motor

Model No. 190338 Same as No. 190336 except explosion-proof motor \$1310.00



TILTING **DRUM CRADLES**

Accident proof

Maximum safety in one-man operation. Puts either 30 or 55 gailon drums in ready-to-drain position quickly. Arc welded construction. Both models come with 3" nonsparking aluminum wheels for add-




OSHA REQUIREMENTS

No retractable handle. Model No. 233574 - \$35.50

Model No. 233572 - \$37.65





Global solves your drum problems



DRUM CARRIER

- RAISES
- ROTATES
- TRANSPORTS
- TILTS
- DRAINS



One operator can perform five operations with

less damage to drums and fewer accidents. Automatic safety lock keeps drum at desired position. Adjustable leverage for drums up to 800 lbs., floor clearances 51/6"-111/2". Smooth, easy rolling, 8" rubber tired load wheels and 4" rear swivel caster.

Model No.	Drum Type	Price
190416	55 gal. drum	\$234.00
190418	30 gal. drum	240.00
190420	Fiber drum 21"-23" dia.	260.00
190422	Fiber drum 19"-201/2" dia.	270.00

Wheel them...don't carry them

satility in the handling and Model No.

storing of drums.

HEAVY DUTY DRUM DOLLY

952964

Welded-

ready to use

\$35.98

\$34.20

Don't let your old drums just stand around. Put them on wheels and make them earn their keep. Ample for your heaviest loads. All welded construction.





\$30.98


Model		Drum		Capacity	
No.	Diameter	size	Wheels	lbs.	Price
952880	24"	55 gal.	3" steel	1000	34,94
952882	24"	55 gal.	3" rubber	600	34.94
952884	191/2"	30 gal.	3" steel	1000	33.75
952886	19½"	30 gal.	3" rubber	600	33.75

"SPILL-LESS" **OPEN DRUM** TRUCK

Open drums are easily transported with less danger of spillage.
"SPILL-LESS" FEATURES

- 1,000 lb. capacity
- handles 55 gal. drum
- · All-welded steel construction
- 3" heavy duty swivel caster at handle
- Two 6" load wheels

952892 Straight Handle \$52.75 952894 Hinged Handle 59.95



AS LOW AS



INSTANT DRUM OPENER

Cut open any drum in seconds

 Open ANY size, ANY gauge drum
 One hand operation, takes less than 30 SECONDS • Cut so clean that drum is re-usable as all purpose container! You'll never again cut and mash fingers from chiseling. No more danger of explosive fires from sparks or from torching!

> Model No. 226376 \$49.95



(Empty drums make valuable storage containers)

Rugged precision cutting instrument Heavy forged steel - alloy blade • maintenance free



For accurate controlled pouring

DRUM-CARRIER

Moves drums safely, dependably by monorail or crane designed for fast, easy moving and dispensing of drums by one man. Simply hook the drum-carrier to monorail host or crane...snap carrier saddle between chines of drum . . . cinch tightly...and the drum is ready to go. Positive tilt locks hold drum in vertical position during travel. Release locks, tilt drum and dispense contents. Capacity 800 lbs. When container is full; 500 lbs. when half full.



Model	Size	Price
190250	For 55 gal. steel drums (22½" dia.)	\$ 95.00
190252	For 30 gal. steel drums (19" dia.)	105.00
190254	For fiber drums — adj. 21"-23" dia.	115.00

It's a cinch to handle fully loaded 55 gal. drums

HYDRA-LIFT KARRIER



800 LBS. CAP. Fully loaded



Safe, sure and simple handling by one man

To load, push the Hydra-Lift Karrier up against the drum and cinch the saddle.

To move, simply pump jack handle 2 or 3 times for drum to clear floor. Then wheel it where you want.



KONTROL-KARRIER

Safe, efficient, high level, controlled pouring. A remote control unit that extends the advantages of accurate hand tipping on the floor to drum tipping operations at any height or location in the plant. The kontrol-karrier cuts labor time, minimizes spillage an improves plant safety. Easily operated by one man. Handles 800 lbs. when container is full—500 lbs. when half full. Tipping capacities vary with type and amount of load carried.



Automatic

DRUM HANDLING ATTACHMENT

Easily and quickly attached, no hydraulic or electric connections required. Unit slips onto forks and is tightened into position by turn-down screws. Enables a forklift operator to lift, transfer and deposit any 30 or 55 gallon drum without leaving his seat, and without assistance. The drum is maintained firmly horizontal and deposited gently in the same position.

Engaging arms are constructed of heavy gauge steel on an eccentric cam that applies a firm pressure automatically by action of the loaded drum—can't slip. Not

NO ATTACHMENTS



AUTOMATICALLY ENGAGES DRUM TO LIFT.



AUTOMATICALLY RELEASES



55 GALLON SAFETY DRUM CABINET

Store flammable, combustible liquids . . . safely



Double-wall 18 gauge welded steel construction, two inch leakproof sill, leveling feet. Closable vent prevents vapor build-up. Three-point door lock with key. Safety yellow.

CONFORMS TO N.F.P.A. CODE 30



Horizontal Drum Model: Sliding self-closingdoor with fusible door link. If fire or heat exceeds 160° F, fusible link melts and door closes automatically! 34"W × 50"D × 50"H

Model No. 440200 \$575.00 \$718.20

Vertical Drum Model: Where space is a problem this two door cabinet takes up minimum of space 34''W × 34''D × 65''H. Model No. 440202 \$566.00 \$797.25

List

List

See below for drum faucet, pg. 44 for drum cradle

DRUM TILTING BAR

Up-end drums quickly, easily and safely

A real back saver. Double bar clips securely over chine of drum for easy, safe tipping Constructed of heavy steel tube and bar stock. 46"L × 61/2"W. Green enamel finish.



DRUM DISPENSING TRUCK

Sliding hook slides to engage chine of barrel or drum, holds securely. Double drum saddle elevates drum to 13½" H for easy horizontal pouring. 10" x 21/2" rubber tired wheels, 600 lb. capacity.



Lowers to horizontal pouring position

1odel No. 190600

\$147.00

DRUM TRANSFER PUMP

Safe...quick

...low cost

Measured flow for a wide variety of liquids. Rotary unit provides steady, even flow while assuring prompt cutoff to avoid overfills and spillage. Easily installs in 2" bung opening. High vacuum output to 12 G.P.M. Padlock hasp prevents unauthorized

- BUILT FOR ROUGH INDUSTRIAL USE
- UL & FM APPROVED
- Pumps industrial solvents, alcohols & fuels safely & easily.
- Built-in strainer, check valve and 8' rubber hose.
- 20 Gal. counter dial. Pressure relief valve.

Model No.	Description	Price
440100	Pump, 8' Hose (less counter)	\$154.80
440102	Pump, 8' Hose, Counter	182.30
	Pump, Discharge spout	
440104	Return tray (less hose and counter)	165.15
440106	Pump, Discharge spout	192.40
	Return tray, counter (less hose)	

SELF-CLOSING SAFETY FAUCET Spout adjusts to desired position!

FM APPROVED!

Features teflon seal, internal flame arrester and self-closing action for safety. Simply screw into drum...loosen swivel nut...position spout where desired...tighten nut..you're ready to pour. For ¾" opening

Model No 440400 440402

Description Brass Stainless Steel

\$29.40 85.60

Economy model - non-adjustable, brass. Model No. 440404 \$21.15

Dual action!

PRESSURE RELIEF **DRUM VENT**



Liquids flow quickly, freely, safely


Automatically relieves pressure and vacuum within drum, prevents air-lock by allowing outside air in and remains tightly closed when not in use. Flame arrester screen prevents external fire or sparks from reaching contents. For 2" bung opening.

Flbow adapter for horizontally stored drums:

For 3" opening Model No. **440304 \$6.20** For 3" opening - Model No. **440306 6.80** \$46.65 440300 **FM APPROVED • ALL BRASS CONSTRUCTION**

Portable HYDRAULIC DUMPERS

Dumps the right amount . . . In the right place . . . At the right time



1	umping leight lnches	Dumping Cycle Time Seconds	Hori 33°	Sv zontal 45°	wing Ove	rhead 45°	Length	me Height (Inches)	750 LF. Model No.	Cap.*
	36	15	62	62	92	95	52	60½	150099	\$1390.00
	42	20	64	64	98	101	52	60½	150101	1445.00
	48	25	69	69	108	112	58	66½	150103	1505.00
	54	30	71	71	114	118	62	661/2	150105	1560.00
	60	35	76	76	124	129	66	721/2	150107	1620.00
1	72	25	42	42	123	128	52	88	150109	2085.00
17	84	30	42	42	135	140	52	100	150111	2180.00
10	96	35	42	42	147	152	52	112	150113	2275.00
10	108	40	42	42	159	164	52	124	150115	2370.00
	120	45	42	42	171	176	52	136	150117	2465.00

* FOR 1000 LB. CAPACITY - On Model No's 150099 thru 150107 add \$135,00 and letter "A" to Model No., Models 150109 thru 150117 add \$310.00 and letter "A" to Model No.



Ideal for most non-corrosive fluids... Hydrocarbons, solvents, thinners, cleaning agents, etc. Set restraining collar to adjust amount of liquid needed Eliminates waste and container tilting. Chrome finish steel pump body fits 2" threaded opening

Model No. 472100 \$19.95 (3 or more) \$17.95

Acid Resistant Stainless Steel Model-Corrosion-Proof 304 S.S., handles most acids and alkalies.

Model No 472102 \$54.95 (3 or more) \$52.50

5 GAL. Pail Adaptor - Fits 11/4 threaded spouts Model No. 472106 \$4.95

BUNG MIXERS


Fast, efficient mixing for 55 gal. drums

Special unique folding propeller design allows entry thru bung opening. Opens to 3%" dia. when operating. 316 stainless steel shaft and propeller. Single phase 115-230, 1725 RPM motor with 8 ft. cord

SCREW-IN TYPE: Fits standard 2" bung opening. 291/2" shaft

CLAMP-ON TYPE: Clamps to lip of drum, shaft angles toward center of drum. Can also be used on open top

didilio.		Std. Mo	otor		Motor
Motor	Туре	Model No.	Price	Model No.	Price
1/4/1/115-230 Tot. Encl.	Screw-In	470200	254.00	470300	\$321.50
1/1/115-230 Tot. Encl.	Clamp-On	470202	186.00	470302	262.00
1/3 /1/115-230 Tot Encl					348.00
1/4/1/115-230 Tot Encl	Clamp-On	470206	204.00	470308	288.50
1 ₄ 1 ₂ air motor	Screw In				
1 ₄ -1 ₂ air motor	Clamp-On	470210	184.50	N/A	






AGITATORS

Easy mixing from 50 to 100 gal. tanks



Ideal for mixing low viscosity fluids. Easily clamps to edge of tank or barrel. 4" dia. propeller and 32" shaft of 316 stainless steel. Single phase, 1725 RPM, totally enclosed motor.





HYDRAULIC TABLES AND LIFTS

HYDRAULIC LIFT TRUCKS

THE "PACER" MANUALLY OPERATED HYDRAULIC LIFT TRUCKS

You name it—this baby will load or unload it, stack it or move it anywhere—parts, bales, boxes, coils, skids, etc. Real rugged construction; 1000 lb. capacity, at a remarkable, new low price.

Platform size: 24"x24", fork size 25", adjustable width. Safety tested for 25% overload. Low point of lift—5½. Complete with floor lock. Casters— steel— 2 rigid and 2 swivel.

Global makes it easy

1000 lb. capacity

Lifting	Overall	Platform
height	height	model No.
52"	66"	176750
66"	80"	176752
78"	92"	176754

Fork	
FOLK	
model No.	Price
176760	\$455.00
176762	505.00
176764	560.00
	176760 176762

HYDRAULIC LIFT HAND TRUCK

Lets one man do the work of six

- . Easy to load
- 2. Moves parts to work stations
- 3. Use for stocking shelves and racks







Moves parts to



Use for stocking

Allows one man to handle many back-breaking jobs! Performs virtually the same lifting operations as large forklift trucks in the same space as a handtruck.

A valuable time and money saver for every shop, maintenance department, production line, warehousing operation, stock room, parts department, etc.

- Only 60 lbs. of effort easily lifts capacity load of 500 lbs.
- Large 8"x2" moldon rubber wheels with roller bearings move loaded truck without strain or pain.
- Lifts 1¼ vertical inches with each pedal down-stroke.
- Foot-operated hydraulic platform, leaves operator's hands free
- Center of gravity designed for perfect load balance
- Fold-away foot pedal

Model No.	Lift height	Lowered height	Platform size	Weight	Price
232010	40"	0"	16"x 20"	96 lbs.	\$270.00
232012	54"	0"	22"x 22"	125 lbs.	307.00
232014	54"	0"	30"x22"	135 lbs.	335.00

THE "PACEMAKER" battery operated hydraulic lift Furnished complete with heavy duty 12 yout battery and built-in


duty 12 volt battery and built-in battery charger.

Platform size: 24"x24", fork si 25" adjustable width. Safety tes

Platform size: 24"x24", fork size 25", adjustable width. Safety tested for 25% overload. Low point of lift—5%. Complete with floor lock. Casters— steel— 2 rigid and 2 swivel

Models marked with "*" have 32"Wx30"L platform or 30"L forks and 5" front/6" rear steel wheels

PLATFORM MODELS							
Lifting	Overall	1000	lb. cap.	1500	b. cap.	2000 lb	. cap.
height	height	Model No.	Price	Model No.	Price	Model No.	Price
52"	66"	176840	\$675.00	176860	\$755.00	176880	\$855.00
66"	80"	176842	730.00	176862	795.00	176882	895.00
78"	92"	176844	785.00	176864	855.00	176884	965.00
*96"	110"	176846	1050.00	176866	1195.00		
*120"	134"	176848	1160.00	176868	1315.00		
			FORK	MODELS			
52"	66"	176850	\$725.00	176870	\$795.00	176890	\$895.00
66"	80"	176852	780.00	176872	835.00	176892	935.00
78"	92"	176854	835.00	176874	895.00	176894	1005.00
*96"	1.10"	176856	1095.00	176876	1240.00		
*120"	134"	176858	1195.00	176878	1360.00		









FAMOUS ROL-LIFT PALLET TRUCK

Global handles the large loads

For efficient handling of large loads on pallets, the rol-lift hydraulic-truck is the answer. Welded steel frame, stress relieved, tapered forks, floor saving polyurethane wheels, sealed hydraulic system are some of the fine points of this truck.



Swing away skid adaptor adds 3" to height. 204553 \$40.00

SPECIFY WIDTH, LENGTH

SIZES WxL WxL 27" x 32" 21" x 32" 27" x 36" 21"x36" 27" x 42" 21" x 42" 27" x 48" STANDARD MODELS (3 1/4" Lowered Ht., 4 1/2" Lift) Model No. Cap. Lbs. Price 3000 \$360.00 204221 204321 5000 398.00 540.00 LOW PROFILE MODELS

(2 %" Lowered Ht., 5 %" Lift)

Model No. Cap. Lbs. Price
204223 3000 \$470.00
204323 5000 520.00

AS LOW AS \$360.00 DIMENSIONS 18" 2"/" raised 2"/" lowered 6"

The height is right...everytime

ELEVATING TABLES2000 LB. CAPACITY

Safe, efficient handling of costly dies, tools etc. Raise or lower to exact height with crank handle. Positive holding of load at any level...will not drift. 24" lowered ht., 42" raised ht. Great for use as a portable work bench too — middle and bottom shelves provide handy space for tools and parts. Two rigid, two swivel 5" plastic wheel casters. Crank studs at both ends of table for operator convenience. Foot operated floor lock.

	lop	
Model	Size	
No.	W" x L"	Price
278607	24x36	\$420.00
278609	24x42	675.00
278611	24x48	725.00
278613	24x60	820.00
278615	30x36	655.00
278617	30x42	715.00
278619	30x48	800.00
278621	30x60	1010.00
278623	36x36	730.00
278625	36x42	770.00
278627	36x48	850.00
278629	36x60	1090.00



HYDRAULIC SCISSOR LIFT

Cuts fatigue... adds productivity

For furniture manufacturing, die handling, machine shops, assembly and production lines. Handles repetitive lifting and lowering action; reduces fatigue and speeds production.

- Raises in 18 seconds
- Lowers in 10 seconds
- 110 volt hydraulic pump
- Control valve maintains cylinder pressure in case of power failure.



Model No.	Capacity. Lbs.	Deck Size	Lowered Height	Raised Height	Controls	Price
110478	500	12" ×25"	4%"	30½"	Foot Oper.	\$1025.00
110480	500	12"×25"	4%"	30½"	Push Button	1025.00
110482	1000	16%" x 34%"	61/4"	361/4"	Foot Oper.	1085.00
110484	1000	16%"×34%"	61/4"	361/4"	Push Button	1085.00

HYDRAULIC LIFT TABLE

Bring the work to the worker

Lift castings, dies, parts, machine accessories, etc. Use as adjustable work benches, welder's positioning tables, or leveling tables for punch presses, conveyors, press brakes, loading and unloading trucks, etc. One man can do several men's work—eliminates effort and brings the work to the job, lifting it into position for production.



Model	Load		Min.		Max.	
No.	Capacity	Size	Ht.	Lift	Ht.	Wheels Price
501098	200 lbs.	16"×16"	29"	15"	44"	2" Rubber \$136.60
178250	500 lbs.	20" x 30"	30"	18"	48"	5" Rubber 308.00
178252	2000 lbs.	20" x 30"	30"	18"	48"	5" Steel 390.00
178254	2000 lbs.	30" x 30"	30"	18"	48"	5" Steel 433.00

500 lb. and 2000 lbs. Models equipped with 2 Swivel and 2 Rigid Casters and floor lock.





SCIENTIFICALLY TESTED

REVERE TRUCK

Body is blanked and formed from one piece of sheet steel. Truck is scientifically safe for handling rounded as well as square loads. Handles of curved seasoned hardwood are replaceable if damaged. Dimensions: 46"Hx19½"W, with 11½" x51/4" nose. 250# cap.

Model No. 233906-6" x 11/2" Rubber tired ball bearing wheels. \$ 68.95

Available with 8" long Model No. 233908 \$ 69.90

21" long folding nose Model No. 233910 \$ 11.80add'l 1300 LB. CAPACITY

WAREHOUSE TRUCK

For the heavy work that other trucks can't handle. Vertical straps for handling even small packages. Size 60" High, 24" Wide, with $10'' \times 2\frac{1}{2}''$ mold-on rubber tired wheels.

> Model 270302 Wood Frame, Steel Armored, 6" Nose

> > \$212.00

Model 270304 Steel Welded Frame, 6%" Nose **\$233.00**

STAIR CLIMBER HAND TRUCKS

CAPACITY 400 LBS

These versatile trucks feature Stair-climbers which allow the user to go up or down stairs or curbs with the greatest of ease. The Stairclimber has an endless, circular belt that is always ready for use. The loophandle permits the user to pull the load with one hand while the other hand opens a door. 50" high x 18" wide with 10" x 2.75" Ball bearing wheels.

Green, enamel finish.

Model No. 149560

\$105.35



LOADMASTER APPLIANCE TRUCK

- 700 LB. CAPACITY
- ALL CONTACT SURFACES RUBBER **PADDED**
- 12" X 3.50 4 PLY FULLY PNEUMATIC BALL BEARING WHEELS
- 2" X 12' WEB STRAP 27½" W X 54" H

WITH 5" NOSE

Model No. 232100

\$85.30

2 TRUCKS FOR THE PRICE OF ONE

ALL NEW "DUAL TRUK"

Dual purpose, converts in seconds by compressing a spring loaded catch that allows the handle to be raised and permits the casters and handle to swing and lock into position. To change the platform truck back to a "two-wheeler" reverse the procedure and the caster carriage is out of the way for two-wheeling. No thumb screws to tighten or loosen...no loose pieces to lay down in converting from two-wheeler to platform truck. When used in the vertical position, the truck frame is 52" high at low position. The sliding handle frame can be raised to locked positions at 61", 69" and 77". The base plate provides 8"x14" of usable space in front of the frame. When used horizontally, as a platform truck, the usable area measures 42" long by 14" wide, and the platform is 11" above the ground. The "Dual-Truk" is equipped with 10" x2.75" zero pressure rubber-tired wheels and single ball bearing swivel casters with 3"x11/4" solid rubber wheels. As a hand truck it is rated at 400 pounds capacity: as a platform truck it is rated at 700 pounds. It weighs 53 pounds and features all-welded steel construction for maximum strength and hard

Model No. 232510



WELDING CYLINDER TRUCKS

MOVE TANKS SAFELY

The continuous handle gives the truck frame more rigidity and provides a push bar for two men when necessary. Equipped with large tool box and cylinder safety chain.

	Combined
	cylinder
Truck	diameter
No.	capacity
148518	17"
148520	17"
148522	23"
149524	22"

148526

Price Wheel size & type 10" x 1.75" Semi Pneu. B.B. \$ 52.40 12" x 1.75" Semi Pneu. B.B. 54.95 87.90 Semi Pneu, B.B. Semi Pneu. B.B. 82.10 14" x 2" Pneumatic (tube) B.B.



900 LB. CAPACITY

KINGSTON TRUCK

Handle your freight and warehouse loads with ease. Has curved cross bars so barrels and cans nest safely. Steel strapped hard-wood frame with firm grip handles. 56" H × 22" W, 6" nose and 8" ×2" mold-on wheels.

Model No. 270300

\$160.00

Model No. 149322

18%"W frame.

14" nose plate. Capacity - 600 lbs

8" mold-on rubber ball

bearing wheels. 49"H X



1400 LB. CAPACITY - A REAL WORKHORSE

This truck is designed to meet the most demanding conditions, will stand up to constant use on docks and platforms. Handles loads up to 1400 pounds. Size 56" high, 27" wide, with 8"x 21/2" mold-on rubber roller bearing wheels, nose plate 8" x 20"

Model No. 149550

\$158.95



THE HAND TRUCK WITH ENDLESS USES

UTILITY TRUCK

Low cost general purpose truck. Frame size 18"x with 7"x14" nose.

5" diameter rubber wheels. Capacity 500 lbs.

Model No. 149502

33.49





APPLIANCE TRUCK WITH RETRACTABLE LOAD DROP

Unique patented handle allows release of caster assembly from standing

> 1200 Lbs. Capacity

- Rugged Steel construction
- Rubber padding on all contact surfaces
- Crawler stair climbers
- 31/2" casters retract and lock in body of truck
- 8" x 2" moldon rubber roller bearing wheels
- · Heavy web belt with positive ratchet tightener

Model No. 232922—66"Hx17"W \$136.50






Stair Climber 440

\$ 62.95

Close up view of the new ratchet tightener

ONLY 35 LBS., HANDLES UP TO 750 LBS.

ALUMINUM APPLIANCE TRUCK



All welded aluminum construction. Rubber facing on contact surfaces prevent marring of appliance. Heavy 14' long web belt with positive ratchet tightener holds appliance securely to truck. Friction free stair climber allows load to be transferred from one step to another. Size 60" high, 24" wide at nose, 6" rubber wheels.

Model No. 149528

\$112.80

ALUMINUM HAND TRUCKS

STRONG AND LIGHT AS A FEATHER

All the strength of steel at 1/3 the weight. Rugged extruded

nose plate for extra strength.

FOLDING NOSE



\$19.95

Model No. 149516 30" folding nose extension increases bulk carrying capacity. Folds up into frame when

FOLDING NOSE OPTION MAY BE **USED WITH ALL 4 HAND TRUCKS** Model No. 149514 10" zero pressure ball bearing wheels. 49" high frame, 71/2" x 14" nose plate. Capacity-400lbs

Model No. 149512 8" cushion rubber ball bearing wheels. 501/21 high frame, 71/2" x 14" nose plate. Capacity-600lbs.

63.00

64.95

7½" ×

72.85

Model No. 149324 8" mold-on rubber ball bearing wheels. 49"H × 18%"W frame. 7½" × 14" nose plate. Capacity - 600 lbs.



(53)



800 LB. CAPACITY DUAL HANDLE, CONTINUOUS FRAME TRUCK

8" Mold on, Rubber ball bearing wheel, 8" × 14" Nose Plate. 50" H × 18%" W. Model No. 149310 List 868.90

58.56

800 LB. CAPACITY DUAL HANDLE GENERAL PURPOSE TRUCK

wheel. 8" × 14" Nose plate. 49" H × 20" W.



CONTINUOUS HANDLE TRUCK

 $8^{\prime\prime}$ Mold on rubber ball bearing wheel. $8^{\prime\prime} \times 14^{\prime\prime}$ Nose plate. $49^{\prime\prime}$ H \times $18^{\prime\prime}_2$ W. Model No. 149308 List \$67.50

57.38

400 I B CAPACITY SINGLE HANDLE CONTINUOUS FRAME TRUCK

10" cushion rubber ball bearing wheel. 7" × 14" Nose plate. 45" H × 19%" W. Model No. 149304 Lief \$55.65

\$ 47.30

HAND TRUCKS

FOLDING NOSE ATTACHMENT

FOR USE WITH ANY HAND TRUCK ON THIS PAGE

The bulk carrying capacity of any of these trucks can be greatly increased through the addition of this nose extension. Nose extends 24" from frame. Folds up into frame when not in use. Model No. 149320



HEAVY DUTY "TAPER-NOZ" **FREIGHT TRUCK**


- Tapered 14½" long heavy duty 1/4" thick alloy steel chisel-edge noze plate.
- Extra large, extra heavy 11/8" diameter - 14 gauge steel tubing frame.
- Heavy gauge fenders prevent load from rubbing against wheels.
- · Ball tearing rubber tired wheels.

Model No.	Ht.	Width	Capacity lbs.	Wheel Size	Price
49540	51''	19½''	400	6''x2''	\$ 81.70
49542	51''	19½''	900	8''x2''	108.85



10" cushion rubber ball bearing wheels. 7" × 14" Nose plate. 46" H × 20" W. Model No. 149504 List \$54.80


\$ 46.58



400 LB. CAPACITY DUAL HANDLE, CONTINUOUS FRAME TRUCK

10" cushion rubber ball bearing wheels. 8" × 14" Nose plate 50"H × 18%"W. Model No. 149506 List \$64.05


\$ 54.45



10" cushion rubber ball bearing wheel. 7" × 14" Nose plate. 47" H × 19%" W Model No. **149300** List **\$55.95**

47.50





10" cushion rubber ball bearing wheel. 7" × 14" Nose plate. 45" H × 19¾" W Model No. 149302 List \$59,40

50.50



10 x 2 3/4 6 x 2 8 x 2 1/4

148210

148212



8 x 14

37

13 x 17 51 1/4

20 1/2

21 3/4

\$112.25

131.05

650

900

MICRO-LEVER

ONE MAN CAN LIFT PRACTICALLY ANYTHING

Dollies that add a giant's power to a man's arm. Operating on the lever principle, the dollies enable a man to pry up a huge machine or loaded case. Lever is strengthtested hardwood. Five inch wheels. Lifting plate is tempered high grade steel alloy. Pays to use them in pairs.

Model No. Price Length Capacity 3500 271460 5' \$ 45.75 4250 271462 47.50 271464 5000



AS LOW AS 845.75

HYDRAULIC ROL-A-LIFT Strong but so gentle

 Maneuvers bulky size loads as well as fragile equipment such as computers, electric panels, plate glass, etc. Puts anything on wheels, moves in any direction. Reduces damages, protects floors. • Easily operated, hand actuated, hydraulic jack raises and lowers at controlled speeds • Safety adjustable forks for various width loads • Swivel casters permit loads to be moved in any direction • All welded reinforced steel frame for a lifetime of use.


Ī	Model No.	214102	214104	214106	214108	214110	
(Capacity per pair	2,000#	4,000#	6,000#	8,000#	10,000#	
I	ift hydraulic	51/8"	12"	6"	6"	6"	
١	Wheels	5" plastic	6" steel	6"steel	8" steel	8"-steel	
1	Overall height	471/2"	44"	421/2"	45"	451/2"	
1	Overall width	22"	221/2"	221/2"	25"	25"	
-	Overall depth	121/2"	161/2"	16¾"	171/4"	18"	
	Forks adjustable	71/4"-171/2"	5"-191/2"	6"-191/2"	71/4"-191/2"	91/4"-191/2"	
	Fork size	5" x ¾"	6" x 11/8"	6 x 1 1/8"	6" x 11/8"	6" x 1 1/8"	
	Price per pair \$4	460.00 \$	590.00	\$660.00	\$706.00	\$810.00	

MIGHTY KING DESK LIFT

Moves any desk simply, easily and safely...

Field tests show desks can be moved for floor maintenance in less time than required to clean, scrub and wax around them

Model 268602 \$112.50



 Heavy duty rollerbearing casters rotate freely in full 360° circle for easy maneuvering with or without load

 Removable handle and tubular lift frame completely coated with non-mar material

- Positive safety latch automatically locks in raised positionsingle trip for release
- Load capacity 600 lbs.
- 41/4" low- Height ered - 9¾" raised
- Overall dim. 22"x 32"



NEW!

LIFT - A - FILE

Move fully loaded files quickly, safely, easily

No need to remove drawers or adjacent files, cantilever action lets one person easily handle operation. Double action suction cup firmly grasps top of cabinet, grip-tite arm secures cabinet to truck and lever arm automatically raises cabinet off floor onto truck. 500 Lb. capacity, adjusts to any file cabinet up to 64" high. All steel construction with semi-pneumatic ball-bearing wheels.

Model No. 402100 \$235.00

FILE MOVER

Moving problems made easy

ROL-A-LIFTS ARE

USED IN PAIRS

Designed that lever action lifts your load counter balanced to prevent tipping.

> For easy moving of file cabinets, appliances, drums, crates, cartons, etc. . One man operation • Electric welded steel frame. . Non-skid, non-marring, bonded vinyl finish to protect load . Non-marring rubber wheels

Model No.	Capacity	Size Inches	Price
268514	600 lbs.	15 x 32	\$52.00
268516	600 lbs.	18 x 32	55.00






Move Up To 248 Tons Quickly,

Easily,

Safely

Supports tremendous loads. Load is concentrated directly over rollers, eliminating unsupported overhang which ordinarily exists on all axle supported carriers. Hardened steel rollers assures constant contact with floor...handles rough cracked floors easily. Swivel models allow turning of load within its own length.







Model No.	Cap. Ea.	Size L x W x H"	Туре	Price Ea.
330510 330512 330514 330516 330518	10 TON 10 TON 15 TON 15 TON 62 TON	10½ x 5 x 3% 10½ x 5 x 4¼ 12¾ x 6¼ x 3¾ 12¾ x 6% x 4¼ 22½ x 7½ x 5%	RIGID SWIVEL RIGID SWIVEL RIGID	\$102.00 113.00 129.00 143.00 408.00
330524	Turning H	landle Connector		400.00
		for 330510 an	d 330514	\$ 15.00
330526	Turning H	landle Connector		
		for 330512 an	d 330516	\$ 15.00

Contains everything you need for your moving job. Designed for years of trouble free operation. Set of four 12" x 5" x 3" dollies (1500 Lb. Cap. ea.), four swivel attachments, turning handle, connector, and two tandem connectors for using dollies in pairs. 131/2" x 131/2" x 9" steel case.

MODEL NO. 330602

\$310.00

PERSONNEL CARRIER

STAND-UP MODEL - 10" puncture-proof tires, convenient basket. 1/3 H.P., 6 MPH speed. 22"W x 45"L x 44"H

> **MODEL NO. 132700** \$573.00

Saves Steps and Man Hours...Quickly Pays for Itself

• IN-PLANT DELIVERY • ORDER PICKING • FACTORY SUPERVISION • MAINTENANCE • PLANT AND PARKING LOT PROTECTION

Transport personnel and supplies...fast! Great for narrow aisles, turns within its own length. Designed for virtually maintenance free operation. Convenient handle control, parking brake, locking switch, horn and fused electrical system with battery charger. Requires a 92 amp automotive type battery (not included).



Meets OSHA Requirements SIT-DOWN MODEL-4 and 8 MPH speeds, % H.P., handles 300 Lb. load on 10% incline. 24"W x 54"L x 40"H. 10" pneumatic tires, tow ring, automatic parking brake

TWO SPEED STAND-UP MODEL—3 and 6 MPH with reverse. Wire basket and 10" pneumatic tires. 1/3 H.P 24"W x 47"Lx 44"H

MODEL NO. 132702

\$642.00

MODEL NO. 132704


\$958.00

FRONT BASKET -- For use with Model 132704. 21" x 15" x 9"D. Model No. 132710 \$28.00 UTILITY TRAILER - For use with Model 132704. 250 Lb. cap. 32"W x 50"L x 11"H. Model No. 132712 \$147.00

PALLET DOLLY

Up to 2½ ton capacity

Move your pallet loads without fork lifts. One man can easily do it. These rugged all welded pallet dollies are made of light weight heavy duty aluminum extrusions with crowned type plastic roller bearing rollers. Tilt type construction allows for 360° maneuverability.



Model No.	Capacity (lbs)	Size WxL	Price
244610	2000	36×36	\$ 85.00
244612	2000	36x42	88.00
244614	2000	42×42	91.00
244616	2000	42×48	94.00
244618	2000	48×48	96.00
244630	5000	36x36	116.00
244632	5000	36x42	118.00
244634	5000	42×42	121.00
244636	5000	42x48	125.00
244638	5000	48×48	127.00

STEEL DOLLY 600 lb. capacity



HEAVIEST LOADS MOVE EASILY.

Load this dolly with heavy machinery, bulk cases, heaviest cartons. It supports them all. Rectangular shape carries larger size load. Arc welded pressed steel. Four swivel 3" hard rubber wheel casters. Gray enamel finish

Model No.	Size	Price
501850	16" x 24"	\$37.50
501852	18" x 30"	38.85



1000 lb. capacity **HARDWOOD** DOLLIES RUGGED AND HANDY

Seasoned hardwood smoothly finished with flush top bolted construction. 3" diameter swivel rubber casters.

Model No.	Style	Size	Price
952150	Α	24"×18"	\$25.00
952152	Α	- 36"x24"	34.90
952154	В	24"×18"	29.50
952156	В	36"x24"	41.30
952160	С	30"x18"	31.20

TWIN ROLLER DOLLIES

Handle Crates. Machinery, Skids Etc.

- Up to 6,000 lb. capacity per pair.
 3" x 8" aluminum top plate with "grip" teeth to prevent slipping.

 Roller bearing wheels for easy turning.
- · Rugged construction for long life.

Model No.	WxH	Wheel Dia.	Type Wheei	Capacity Lbs./Pr.	Price Pr.
	8" x 35%"	2 ³ / ₄ "	Steel	6,000	\$83.15
	8" x 41/8"	3"	Rubber	4,000	\$104.45

MALLEABLE IRON DOLLIES

- EASY LOADING "Roll on" sloping arms for loading drums, barrels, etc. Load from
- EASY HANDLING Tilt wheels allow turning of truck within its own length. Heavy duty steel roller bearing wheels.



20 20 20

4,000 LB. CAPACITY

STRONG AND DURABLE

		Whe	eels	
odel No.	W" x L" X H"	Center	End	Price
2100	17 x 223/4 x 31/2	23/4"	21/2"	\$140.13
2102	20½ x 30 x 3½	23/4"	21/2"	154.12
2104	20 x 30½ x 6½	57/8"	55/8"	213.93
2106	26 x 30½ x 6¾	57/8"	55/8"	223.54



All steel CORNER GUARDS

Protect your materials and personnel at load corners from fork lifts, dollys and truck traffic. Steel corner guards offer true protection. Not just a warning but a heavy duty 18 ga. guard. Furnished with or without ausset

NOT JUST A WARNING... BUT ACTUAL PROTECTION

Model No.	Size "	Carton Quantity	Price Each
354520	12 x 12 x 24	6	\$6.75
354522	15 x 15 x 30	4	8.75
354524*	12 x 12 x 24	6	7.00
354526*	15 x 15 x 30	4	8.95

*With bottom gusset to hold guard in place. Sold in carton quantities only.





TRUCKS AND CARTS



STOCK CARTS

These 3½" deep tray carts are ideal for stock rooms, receiving and shipping departments, etc. Capacity 600 lbs. with two swivel and two rigid 5" diameter rubber wheel casters, comfortable push handle. Gray enamel finish. Shipped knocked down, easily assembled.

Model No.	Tray size	Height	Trays	Drawers	Price	
235160	16x30	32	2	0	\$62.69	
235162	24x36	32	2	0	77.14	
235164	16×30	36	3	0	76.93	
235166	24×36	36	3	0	99.61	
112168	16x30	32	2	1	78.10	
112170	16x30	36	2	2	95.91	
112172	24 x 36	32	2	1	94.93	
112174	24x36	36	2	2	112.08	



STOCK TRUCKS

We offer an unsurpassed selection of ruggedly built stock trucks for all needs. 15 gauge steel shelves with 2" deep hemmed flanges. Fixed bottom shelf tray; others reversible. Steel push handle, 5" rubber wheels with 2 rigid and 2 swivel casters. Gray finish. Shipped knocked down.

\$62.69



AS LOW AS **\$63.19**





2 SHELF N	MODEL	
Model No.	Size	Price
235180	18"Wx30"Lx31"H	\$63.19
235182	24"Wx36"Lx31"H	78.62

3 SHELF MODEL

Model No.	Size	Price
235184	18"Wx30"Lx31"H	76.0
235186	24"Wx36"Lx31"H	97,18

4 SHELF MODEL

I OITELI IVI	ODLL	
Model No.	Size	Price
235188	18"Wx30"Lx36"H	91.20
235190	24"Wx36"Lx36"H	118.12

Cap. Wheel op

Price

\$165.75

171.00

181.50

192.00


ORDER PICKING CART


58



Shelf cart with "Bill of Material Holder." All steel welded construction. Trays are 2" deep. Two swivel and two rigid 5" rubber ball bearing wheel casters. Finish gray enamel.

	Tray	Overall		No. of	
Model No.	size	length	Height	trays	Price
702580	18" x 30"	45"	34"	2	\$119.50
702582	24" x 36"	51"	34"	2	131.35
702584	18" x 30"	45"	42"	3	138.30
702586	24" x 36"	51"	42"	3	155.60





	8	800 Lb. Cap.			000 Lb. Ca
	30"	High 5" W	/heel	331/4"	High 8" WI
	Flat Top	Tray Top		Flat Top	Tray Top
Size (Ins.)	Model No.	Model No.	Price	Model No.	Model No.
24x42	502341	502361	\$120.75	502381	502391
24x48	502343	502363	126.00	502383	502393
30x48	502347	502367	136.50	502385	502395
30x60	502351	502371	147.00	502387	502397

FLAT TOP MODEL Other heights available—Specify height and add \$5.00 to price.

FOR SORTING, TRANSPORTING AND STORING...

800 lbs. capacity. For temporary storage and "move-ability" versatile bin and shelf drawer trucks. Constructed of heavy gauge steel; secured with special lock bolts and lock nuts; easily assembled, permanently

vibration-proof; suitable for heaviest duty industrial applications. Two swivel and two rigid 5" ball bearing rubber casters. Gray baked enamel. Shipped K.D. Easy to assemble.

A With enclosed ends and back.

Size

36" x 18" x 57" H \$134.70

36" x 24" x 57" H 150.03

48" x 18" x 57" H 157.52

48" x 24" x 57" H 174.92

日日日日

D

Model No.

112200

112202

112204

112206

MOBILE SHELF TRUCKS

AS LOW AS \$134.70



B Has 8 adjustable bin compartments

Edilliz II., closed back.						
Model No.	Size	Price				
112208	36" x 18" x 57" H	\$144.33				
112210	36" x 24" x 57" H	161.37				
112212	48" x 18" x 57" H	167.14				
112214	48" x 24" x 57" H	186.26				

112208	36" x 18" x 57" H	\$144.33
112210	36" x 24" x 57" H	161.37
112212	48" x 18" x 57" H	167.14
112214	48" x 24" x 57" H	186.26

D Has 12 shelf drawers Each 5½"Wx4%"Hx24"D Model No. Size Price 112220 36" x 24" x 34½" H \$246.00 With 48" x 24" pressed wood top



C Has 36 shelf drawers Each 51/2" W x 45/4" H.

Model No. Size 112216 36" x18" x57"H \$365.11 112218 36" x 24" x 57" H 445.06

STOCK SELECTOR TRUCKS

Raised platform eases physical strain—28 models


OVERALL HEIGHT - 40" PLATFORM HEIGHT - 20" Stock selector trucks are ideal for order selection, stock transfer, etc. All welded steel construction. Two swivel and two rigid 5" dia. rubber tired ball bearing casters, 750 lb. capacity. Finished in gray enamel.

Model No.	Size L" xW"	Price
500660	36 x 18	\$124.90
500662	36x24	137.35
500664	42 x 18	133.15
500666	42×24	143.15
500668	48 x 18	143.15
500670	48×24	155.10
500672	48 x 30	155.10





Model No.	Size L XW	Price
500688	36 x 18	\$114.51
500690	36x24	127.10
500692	42 x 18	127.10
500694	42×24	133.15
500696	48x18	133.15
500698	48x24	142.30
500700	48 x 30	142.30



				(6)	2)
Model No.	Size L" xW'		Model No.	Size L" xW"	Price
500674	36x18	\$ 90.40	500702	36x18	\$133.05
500676	36 x 24	102.95	500704	36x24	149.75
500678	42 x 18	102.95	500706	42×18	149.75
500680	42×24	109.40	500708	42x24	158.95
500682	48 x 18	109.40	500710	48x18	158.95
500684	48 x 24	123.10	500712	48x24	170.50
500686	48 x 30	123.10	500714	48 x 30	170.50

Easy to clean

STAINLESS STEEL STOCK TRUCKS

These all stainless steel stock trucks eliminate the problems of rusting, flaking, painting, etc. Easily cleaned, always look neat. Capacity of all trucks is 400 lbs. Rubber bumpers on handle and legs protect doors, walls, etc. Welded construction.



Model No.	Shelf size	Height	Casters	Price
172900	15½x24	331/2	4" swivel	\$90.25
172902	173/4×27	331/2	4" swivel	99.50
172904	21 x35	371/2	5" swivel	162.00
172906	21 x50	371/2	2-5" swivel	246.00
			and	
			0 50 3-14	

ASK US TO QUOTE ON YOUR SPECIAL REQUIREMENTS



Price with 5" dia x1½" wide roller bearing hard rubber wheel-capacity -2000 lbs

Price

100.70

114.30

122.45

140.40

Price with 5" dia x1½" wide roller bearing soft rubber wheel-capacity -1400 lbs

501120 \$ 91.55

Model No.

501122

501124

501126

501128

Price with 8" dia x2" wide roller bearing vulcanized rubber wheel capacity 2000 lbs

Additional end handle

Price	Model No.	Price	Width	Model No.	Price
\$ 91.55	501130	\$138.80	24"	501150 \$	18.90
100.70	501132	143.70	24"	501150	18.90
114.30	501134	157.20	27"	501152	19.20
122.45	501136	165.45	30"	501154	19.80
140.40	501138	183.15	36"	501156	20.65

STEEL DECK TRUCKS

OTHER SIZES CAN BE MADE TO YOUR REQUIREMENTS


All welded heavy duty steel deck with internal longitudinal stiffening members for extra strength. 30" and 36" wide models are constructed of 12 gauge steel, 24" and 27" of 14 gauge steel. Removable pipe handle. Casters are double ball race, two swivel and two rigid. Finish - gray enamel.

QUANTITY DISCOUNT

STEEL PLATFORM TRUCKS Deduct 10%

25 or more -Deduct 5%

stakes extend 30' above deck



HARDWOOD DECK TRUCKS

AS LOW AS \$114.75 These all-purpose platform trucks for general warehousing are constructed of seasoned hardwood decks secured with countersunk bolts to heavy cross battens. Rubber tired roller bearings provide smooth, quiet and effortless

PIPE HAN	DLE MODEL	PIPE STAK	E MODEL			Wheel	
Model No.	Price	Model No.	Price	Deck size	Capacity	size	Deck ht.
270110	\$114.75	270120	\$132.75	24×48	1800	5"	81/4"
270112	133.50	270122	153.75	27 x 54	2200	8"	113/4"
270114	139.50	270124	160.50	30×60	2200	8"	113/4"
270116	156.75	270126	179.25	36x72	2200	8"	121/4"

ALUMINUM LITE-WEIGHT **PLATFORM TRUCKS**


Aluminum features: clean, lite-weight, noncorrosive. maintenance-free ... superior wood or steel. All extruded aluminum members. Unique, heavy, die-cast corners form-fit as bumpers and precision receptacles for push

handles or stakes. Structural design of sections reinforce and support load-bearing surfaces. All wheels are roller bearing equipped-two swivel and two rigid casters.



		Rubber eels capacity	6x2 R tired v 1200 lb.		8x2 R tired w 2000 lb. c	heels	Additional rubber bu	101 1011
Size 24 x 36	Model No. 232302	Price \$124.20	Model No. 232322	Price \$141.60	Model No. 232342	Price \$150.60	Model No. 232362	Price \$ 27.00
24 x 48 30 x 48	232304 232306	149.30 169.25	232324	166.65 186.60	232344	175.65 195.60	232364	32.40 35.00
30x60 36x60	232308 232310	193.70 210.00	232328 232330	211.00 227.15	232348 232350	220.00	232368 232370	40.50 43.00
36 x 72 48 x 84	232312 232314	223.95 280.00	232332 232334	241.30 297.95	232352 232354	250.30 307.00	232372 232374	48.60 59.40
ADDITIO	ONAL REMOVA	BLE HANDLE -	- MODEL NO	232378-\$	15.00			

SEMI-LIVE SKID SYSTEM



These semi-live skid platforms are ruggedly built, have small turning radius, seasoned platform, strengthened with cross battens. 8" x 2" rubber tired roller bearing wheels. One jack

platforms...subs as a lift

handle is sufficient for a number of platforms Platforms conveniently stack, in little space, when not in use. Capacity 2000#.

SEMI-LIVE SKID SYSTEM LIFT A single jack can easily PULL be used to pull different



Model No.	Size	Price
270130	24" x 48"	\$ 94.50
270132	24" x 60"	99.00
270134	30" x 48"	100.50
270136	30" x 60"	105.75
270138	36" x 60"	114.00
270140	36" x 72"	120.75
270148	Jack Handle	68.00

BUY DIRECT FROM GLOBAL AND SAVE!

EXTRA HEAVY DUTY PLATFORM TRUCKS

These easy rolling steel framed reinforced hardwood deck trucks stand up to the toughest uses. Welded steel angle frame with gussets. Flush hardwood deck, sanded and var-

nished. Forged steel double ball race casters with roller bearing rubber wheels. Removable pipe handle set in reinforced pipe sockets.

Model	Platform		Whee	l Size	
No.	Size	Capacity/lbs.	Caster	Load	Price
952250	24" x 60"	2800	8''	12"	\$208.50
952252	30" x 60"	2800	8''	12"	216.00
952254	36" x 60"	2800	8''	12"	223.50
952256	36" x 72"	2800	8''	12"	234.00
952258	30'' x 60''	4000	8''	16"	340.00
952260	36" x 72"	4000	8''	16''	375.00
952262	36" x 96"	4000	8''	16''	408.00



HEAVY DUTY TRAILERS

Sturdy, welded tee section steel frame with flush hardwood deck and peak rails for strength and durability. $2-1/4'' \times 2-1/4'' \times 1/4''$ frame and 14'' H.; 1'' thick deck. Mold-on rubber roller bearing wheels. Caster wheel: $8 \times 2 \%$ on 2,000 lb., 10×3 on 3,000 lb. cap. Load wheels: $12 \times 2 \%$ on 2,000 lb., 12×3 on 3,000 lb. cap.



2,000 lb. cap.						
Size	Model No.	Price				
30×60	476200	\$263.90				
36×60	476202	273.70				
36×72	476204	286.30				
36×96	476206	308.00				
48 × 72	476208	302.40				
48 × 96	476210	327.60				

3,000 lb. cap.						
Size	Model No.	Price				
30×60	476300	\$315.70				
36×60	476302	329.70				
36×72	476304	343.70				
36×96	476306	366.80				
48×72	476308	357.00				
48×96	476310	387.10				
		0				

AUTOMATIC COUPLER For fast hook-up and towing Model No. 476320 \$91.20

MANUAL COUPLER Easily engages manually. Model No. 476322 \$49.60

"T" HANDLE TRUCK


- 3000 LB. CAPACITY
- FLUSH HARDWOOD DECK
- 14" DECK HEIGHT
- 10 x 21/2 ROLLER BEARING RUBBER WHEELS
- WELDED STEEL FRAME



ROLL GOODS TRUCKS

This all welded steel truck is designed to our most rigid specifications. The channel reinforced deck is constructed for years of trouble free use. Smooth ground construction eliminates snagging of goods. 1 5/16" diameter pipe frame. Two swivel and two rigid 8" diameter x 2" tread roller bearing rubber tired wheels for easier movement. Gray enamel finish.

Overall height — 70" Height above deck — 58"





CASTER MOUNTING



4- Wheel Diamond Pattern (2 swivel, 2 rigid). Highly maneuverable, mounted level. Not recommended for ramps.



	4-wheel Sq. Non-Tilt
c	(2 swivel, 2 rigid). Most popular, easily turned or pushed straight,
	Most popular;
	easily turned or
	pushed straight,
	 and trails well.

1	ong Roll	Model		Short Rol	I Model	
	Diamond	Square		Diamond	Square	
Platform	Pattern	Pattern		Pattern	Pattern	
size	Style A	Style B	Price	Style A	Style B	Price
30" x 48"	500480	500488	\$203.80	500496	500504	\$201.55
30" x 60"	500482	500490	220.65	500498	500506	218.40
30" x 72"	500484	500492	234.00	500500	500508	232.30
30" x 84"	500486	500494	248.80	500502	500510	246.90

PACKAGE TRUCKS

Size L"xW 42×24 48x24 54 x 24 42×30

48x30 54 x 30

Size L"xW

48 x 24

54 x 24

48 x 30

5" x 11/4" rubber tired casters 800 lb. capacity

Model No.	Price
500270	\$184.70
500272	189.55
500274	195.10
500276	199.25
500278	205.50
500280	211.35

8" x 2"	
tired casters	
lb. capacity	
Price	
\$252.00	
256.80	
262.40	
266.55	
272.80	
	tired casters lb. capacity Price \$252.00 256.80 262.40 266.55

8" x 2"

Price \$288.95

329.30

346.10

352.80

278.65


500292

Sturdily constructed of heavy gauge steel, welded to last. Casters are two swivel and two rigid. Finished in gray enamel.

Height is 52" above deck. 5" Caster-61"O.H. (800# Cap.) 8" Caster — 64" O.H. (2000# Cap.) Other sizes and capacities available to your specifications.



	2 X I	. */4	0 ^	_
0:	rubber tired casters 800 lb. capacity		rubber tire 2000 lb.	
Size L"xW"	Model No.	Price	Model No.	Price
42×24	500318	\$220.10	500330	\$287.35
48 x 24	500320	228.50	500332	295.70
54 x 24	500322	236.00	500334	303.25
42×30	500324	240.15	500336	307.45
48 x 30	500326	249.15	500338	316.45
54×30	500328	259.85	500340	327.05



0			
5" x 1	1/4"	O	-
rubber tire 800 lb. c		T	
del No.	Price		Mod

000 10. 0	2000	
Model No.	Price	Model No
500342	\$255.36	500350
500344	261.95	500352
500346	278.95	500354
500348	285.55	500356



Size
L"xW"
42×24
48 x 24
54 x 24
42 x 30
48 x 30
54 x 30



rubber tired casters 800 lb. capacity			rubber tired casters 2000 lb. capacity		
	Model No.	Price	Model No.	Price	
	500294	\$199.75	500306	\$268.20	
	500296	208.95	500308	276.25	
	500298	215.65	500310	282.85	
	500300	219.35	500312	291.10	
	500302	227.80	500314	295.05	
	500304	234.60	500316	301.90	

PANEL END SHELF TRUCKS

This double entry truck is ideal for the warehouse, stockroom, shipping dept. etc. for assorting incoming merchandise, picking orders, transferring goods, etc. All welded steel construction for trouble free use. Finished in gray enamel.

Open front and back with two end panels, two rigid and two swivel casters

Height is 52" above deck. 5" Caster—61" O.H. (800 lb. Cap.); 8" Caster—64" O.H. (2000 lb. Cap.)



36×18

36 x 24

48 x 18

48×24

54 x 24

54 x 30

0	rubber til	c1¼" red casters capacity
	Model No.	Price
	500404	\$128.60
	500406	142.40
	500408	137.60
	500410	152.15
	500412	159.05
	500414	179.85

8":	x 2"
rubber tir	ed casters
2000 lb.	capacity
Model No.	Price
500416	\$195.85
500418	209.70
500420	204.85
500422	219.40

226.35

247.15

8" x 2"



The second secon	Size	rubber tir	1½" ed casters capacity	8" x rubber tire 2000 lb.	d casters
I VW I WOOD IND	L"xW"	Model No.	Price	Model No.	Price
36x18 500380 \$142.40 500392 \$209.70			\$142.40	500392	\$209.70
36×24 500382 159.05 500394 226.35			159.05	500394	226.35
48×18 500384 154.20 500396 228.20		500384	154.20	500396	228.20
48×24 500386 172.95 500398 239.95	48x24	500386	172.95	500398	239.95
54×24 500388 179.85 500400 247.15	54 x 24	500388	179.85	500400	247.15
54×30 500390 200.65 500402 251.15	54 x 30	500390	200.65	500402	251.15

9	rubber tir	11/4" red casters
Size	800 lb.	capacity
Ł"xW"	Model No.	Price
36x18	500428	\$156.95
36x24	500430	176.40
48x18	500432	170.85
48x24	500434	193.05
54 x 24	500436	201.30
	======	000 40

1¼" ed casters capacity		c2" ed casters capacity
Price \$156.95 176.40 170.85 193.05 201.30 222.10	Model No. 500440 500442 500444 500446 500448 500450	\$224.30 243.65 238.10 260.30 268.65 289.40

500424

500426

L.D. SHELF TRUCKS

A rolling storage center

Available in heights of 48", 54" and 60", same price

48" height will be shipped unless otherwise specified.

A low cost truck with four 18 gauge steel shelves usable either with 2" lip down or lip up. Easily bolts together with 16 bolts and nuts per shelf. Sturdy 2" corner posts adjust on 1" centers. Swivel casters are 5" diameter rubber wheel with a capacity of 500 lbs. per truck. Finished in gray enamel. Shipped knocked down.

Size		Add'l S	helves
LxW	Price	Model No.	Price
36x18	\$89.40	502302	\$ 9.95
48×18	97.50	502304	11.85
36×24	96.10	502308	11.35
48x24	100.65	502310	14.80
	LxW 36x18 48x18 36x24	LxW Price 36x18 \$89.40 48x18 97.50 36x24 96.10	LxW Price Model No. 36x18 \$89.40 502302 48x18 97.50 502304 36x24 96.10 502308





	Size		Add'l	Shelves
Model No.	LxW	Price	Model No.	Price
500535	60x24	\$107.40	502314	\$17.70
500537	36x30	100.55	502316	14.15
500539	48 x 30	106.85	502318	15.05
500543	60x30	118.90	502322	22.85

CONTACT US TODAY ON YOUR SPECIAL REQUIREMENTS

HEAVY DUTY SHELF TRUCKS

Makes big loads

a breeze

If you have to move heavy stock in shop or tool room, this five-shelf truck pays for itself fast! Handles easily, push bar is right height. Two inch deep 14 gauge trays or reversed, flat top shelf available. Gray enamel finish.


CLEAR SHELF SPACING IS 11%",

PRICE WITH 5" ROLLER BEARING PLASTIC WHEEL CASTERS 2000 LB. CAPACITY 64" O. H.

Size	Tray Shelf	Flat Shelf	
L"xW"	Model No.	Model No.	Price
36x24	500550	500600	\$238.25
48×24	500552	500602	257.25
54×27	500554	500604	277.30
60×24	500556	500606	276.30
60x30	500558	500608	290.40

PRICE WITH 6" ROLLER BEARING PLASTIC WHEEL CASTERS 3500 LB. CAPACITY 65" O. H.

Size L"xW"	Tray Shelf Model No.	Flat Shelf Model No.	Price
36x24	500560	500610	\$251.20
48×24	500562	500612	270.20
54 x 27	500564	500614	290.25
60×24	500566	500616	289.30
60x30	500568	500618	303.35





Receiving through production ...

AJUSTO-RACK SYSTEM

A labor saving system of material handling. Easily adjusted trays can be set according to your needs. Trays simply hook on. Casters are two swivel and two rigid 5" diameter rubber wheel. Gray enamel finish.

Trays adjustable on 3"centers.

Series 800

Series 800 - Adjustable tray parts racks

Trucks (not incl. trays)

Style	Size (LxWxH)	Capacity (lbs)	Model No.	Price
Single sided	36" x 24" x 67"	800	501840	\$ 99.95
		1400	501842	135.10
Double sided	36" x 40" x 67"	1400	500852	157.30
Trays Model No.				

36"Lx15"Dx5"H

501870

Series 900 - Adjustable tray paper racks
Trucks (not incl. trays)











CANVAS TRUCKS AND BASKETS

Exceptionally sturdy canvas basket construction with welded SPRING STEEL frames that will not bend out of shape.

The truck has four swivel rubber wheel casters—one at each corner securely fastened to kiln dried hardwood frame.

		BASI	KETS	TRU	CKS-
Size	Cap.				
L"xW"xD"	bushels	Model No.	Price ea.	Model No.	Price ea
30 x 20 x 20 ½	6	126600	\$36.90	126650	\$54.60
34x22x23	8	126602	44.90	126652	62.60
36×24×25	10	126604	49.45	126654	67.15
36x26x27½	12	126606	53.90	126656	74.05
40×28×27½	14	126608	67.35	126658	87.50
40x28x30	16	126610	70.15	126660	90.30
48×32×30	20	126612	81.15	126662	101.30




STEEL BOX TRUCK

All welded 16 guage steel construction with self reinforced edge. Casters are two rigid and two swivel 5" diameter ball bearing, rubber tired wheels on 800 lb. capacity truck and 5" hard rubber wheels on 1400 lb. truck; 4 corner caster arrangement. Finished in gray enamel.

W × L (inside)	800 LB. Model No.		1400 LE Model No	
24" x 36"	500630	\$121.75		\$155.20
24" x 42" 24" x 48"	500632 500634	127.95 134.85	500644 500646	159.90 166.65
30" x 36"	500636	130.20	500648	177.15
30" x 42" 30" x 48"	500638 500640	137.50 144.25	500650 500652	182.95 188.20

SPECIAL SIZES MADE TO ORDER Inside depth is 24".

Overall L & W, add 2-½"



UTILITY TRUCK

This all-steel welded waterproof cart serves a variety of needs. Rugged 14 gauge steel construction reinforced at points of stress insures long life. Large 10" diameter ball bearing rubber load wheels and 8" diameter swivel rubber casters for easy maneuverability.

Ideal for handling of scrap, machine chips, bulk, packaged parts, etc. Sloping ends make load dumping easier.

500 LBS. CAPACITY

	Size Overa	li .	
Model No.	LxWxH"	Cap. cu. ft.	Price
* 332280 332282 332284 332286	48 x 24 x 40 68 x 24 x 40 68 x 30 x 40 68 x 36 x 40	12 17 24 29	\$171.00 174.00 193.00 231.00

* SINGLE SLOPED END



CLEARVUE BOX TRUCKS

Expanded metal sides for easy visibility and cleanliness. Angle iron construction with solid steel deck. Casters are 5" diameter rubber tired—800 lb. capacity per truck. Finished in gray enamel. Tilt style wheel pattern available at no additional cost.

Inside height is 24", overall height is 30"

Model No.	WxL	Price ea.
500621	24 36	\$160.35
500623	24 42	165.30
500625	24 48	172.70
500627	30 36	176.00
500629	30 42	180.95
500631	30 48	189 20

SPECIAL SIZES MADE TO ORDER.



SLAT SIDE PLATFORM TRUCKS

Large variety of uses for this three sided ruggedly built truck. See-thru design allows visual inspection, substantially increases the load capacity of a standard platform truck and permits safe movement of loads. Constructed of smooth steel deck with flat lattice type sides, reinforced with angle iron frame. Casters are two swivel and two rigid. Finish is gray enamel.

Height is 58" above deck.

5" x 1 1/4" Rubber wheels

Platform	Cle	ar openi	ng	
Size	"A"	"B"	"C"	
24" x 48"	93/4"	73/4"	81/8"	
30" x 60"	8" .	81/4"	81/8"	
36" x 72"	10"	81/2"	81/8"	

800 lb. ca	apacity	
Model No.	Price	Mo
500200	\$161.95	5
500202	191.70	5
500204	212 80	5

- 8"	x2" Rub	ber wheels
	2000 lb.	capacity

viodel Ivo.	Price
500206	\$200.55
500208	230.45
500210	251.40

PORTABLE STEEL **TABLES**

AS LOW AS 96.60

L"xW" Model No. Price **\$106.25** 502201 36 x 18 118.60 502203 36x24 127.20 502205 36×30 502207 36 x 36 135.40 502209 48x18 118.00 129.80 502211 48x24 502213 135.90 48x30 502215 48 x 36 141.70 129.80 502217 60x18 502219 60x24 141.13 502221 60 x 30 502223 60x36 155.00 5". diameter ball bearing swivel rubber tired 502225 136.70 72 x 18 502227 72x24 149.25

72 x 30

72x36



casters. Gray enamel finish. Standard height is 30" unless otherwise specified.

Other sizes can be made to your specifications

Shipped set-up, ready to use

All welded steel construction.

14 gauge reinforced steel top.

PAN AND TRAY TRUCK

All welded pan and tray rack trucks can also be used as an adjustable shelf truck. Four swivel 5" diameter rubber tired ball bearing wheel casters.
4" dia. steel wheels...may be had at same price. Specify. Finished in gray enamel. All trucks are 33" overall width and 66" high

Mod	el No.	Depth	Spacing	Tray cap.	Price
500	720	24"	2"	27	\$193.70
500	722	24"	4"	14	159.70
500	724	24"	6"	9	144.50
500	726	30"	2"	27	212.35
500	728	30"	4"	14	170.25
500	730	30"	6"	9	152.25
500	732	36"	2"	27	231.28
500	734	36"	4"	14	181.00
500	736	36"	6"	9	154.20

502229

502231

Ideal for transporting trays, pans, parts, etc. For 30" wide trays. Other sizes can be made to your specifications.

> AS LOW AS \$144.50

157.30

170.00

Capacity -800 lbs



PAN TRAY Price Size Model No. 500790 24" x 30" 14.05 30" x 30" 500792 15.40 500794 36" x 30" 16.80

Formed of 18 gauge steel with 11/4" hemmed lip, corners are welded. Can be used either as tray or flat shelf. Finished in gray enamel.

MESH TRAY

Constructed of 3/4" flattened expanded metal in formed channel frame.

	Unpa	intea	Gray	msn
24" x 30"	500750	\$ 11.45	500756	\$ 13.20
30" x 30"	500752	14.25	500758	16.40
36" x 30"	500754	16.60	500760	19.30

Extra Large STEEL BOXES


Add volume to your storage system now. Ideally suited for bulky items, unusual shapes and hard to handle parts. 1,000 lb. capacity constructed of heavy duty 14 ga. steel; 2500 lb. capacity 12 guage.

- All Welded Construction
 Stacks 5 High...Complete Lifting Safety
 • Style A & B, 1000 lb. Capacity.
- Style C 2500 lb. Capacity

-	_	_							
		Size		Wt.	Unpai	nted	Gray F	inish	
Style	Α''	В''	C''	Lbs.	Model No.	Price	Model No.	Price	
A*	24	20	20	55	354211	\$ 42.00	354241	\$ 57.00	
A*	30	24	24	80	354213	58.00	354243	75.00	
_A*	36	24	24	88	354215	63.00	354245	84.00	
В	24	20	20	53	354217	44.00	354247	59.00	
В	30	24	24	77	354219	60.00	354249	77.00	
В	36	24	24	85	354221	65.00	354251	86.00	
С	24	36	18	130	354350	89.00	354360	104.00	
С	24	36	24	155	354352	100.00	354362	117.00	

* Style "A" not shown. Same as style "B" without hopper front

7½" underclearance on 1,000 lb. cap. and 6" on 2,500 lb. cap. will be furnished unless otherwise specified. Hopper opening (style B) is "B" dim., less 3"; "C" dim. less 91/2".





BATCH CANS -STOCK POTS

BATCH CANS - heavy gauge type 304 welded stainless steel. Aluminized steel handles and ring around top and bottom for added strength.

STOCK POTS - Pot and handles constructed of heavy gauge type 304 stainless steel without top and bottom rings. Recessed bottom.

COVER - Flat cover with handle.

Capacity Gal.	Size Dia.'' × Ht.''	Batch Can Model No.	Stock Pot Model No.	Price	Cover Model No.	Price
10	13¼ × 18	462100	462200	\$106.00	462300	\$29.00
20	16 × 24½	462102	462202	132.00	462302	32.00
30	20 × 24	462104	462204	173.00	462304	45.00
50	$22\frac{1}{2} \times 30$	462106	462206	228.00	462306	53.00
75	28 × 30	462108	462208	295.00	462308	59.50
100	$30\% \times 36$	462110	462210	363.00	462310	74.00

Stainless Top

STEEL TABLE

The utmost in sanitation and durability. 16 ga. 430 stainless steel top. 1%'' O.D. tubular legs. 34" to 36" Adjustable height.

Size W'' × L''	Without Shelf Model No.	W/Galvanized Steel Undershelf Model No.	Price
24 × 48	464100	464200	\$178.00
24 × 60	464102	464202	190.00
24 × 72 24 × 96	464104 464106	464204 464206	198.00
24 × 117	464108	464208	370.00
30 × 48	464110	464210	186.00
30 × 60	464112	464212	200.00
30 × 72	464114	464214	214.00
30 × 96	464116	464216	260.00
30 × 117	464118	464218	

Stainless Steel

PLATFORM TRUCK



Move supplies and stock easier!

Platform Size. . . 24" x 48" Casters

4-5" Deluxe Swivel 2-8" Deluxe Rigid

Handles

1¼ " diameter 16" gage chrome plate tubing

1000 LB. CAPACITY

GLOBAL's new platform truck offers the quality of durable, stainless steel, plus the excellent built-in workmanship of their regular carts and trucks. Designed for heavy duty use where stock and supplies are to be moved to a storage or usage area. These new trucks reduce the stress and strain of pushing or pulling because of their maneuverability.

Stainless Steel SHELF TRUCK



These versatile units save steps and time in any system.

Casters are two swivel and two rigid 5" diameter double race rubber tired wheels with thread guards.

Model No.	Shelf Size	Ht.	No. of Shelves	Bumper	Price
172601	18" x 31"	37"	3	Handle and	\$155.25
172603	18 x 31	37	4	front leg	172.75
172605	18 x 31	451/2	5	J	190.50
172607	21 x 35	45½	4	Full wrap	239.50
172609	21 x 35	501/4	6	around	257.00
172611 .	21 x 35	541/4	8		363.50
172613	21 x 50	451/2	4	Full wrap	331.25
172615	21 x 50	501/4	6	around	436.75
172617	21 x 50	541/4	8		535.00

Trucks with flat shelves (shelf edges turned down) will be furnished unless Style B (3 edges up, 1 down) is specified.

SHELF EDGES double folded to eliminate all sharp edges and increase strength. They give carts a trim, finished look of excellence.



RUGGED CHASSIS of heavy steel angle provides a sturdy cart foundation.



sound DEADENED padding is mounted to the underside of each shelf to minimize noise and vibration.





SCALES

You get more scale for your money in this new modular design. Imaginative new scale concept. Members function dynamically together as a completely integrated unit—the rigid channel frame, the twin lever system, the force distribution frame, and even the platform itself. As a result you get a beam scale with balanced and uniform strength.

Model No.	Platform Size	Capacity Lbs.	Price
156406	19" x 28"	1000 (100 x ½)	\$332.00
156408	28" x 28"	2000 (100 x ½)	621.00
156410	14" x 17"	300 (15 lb x 1 oz	2.) 280.00

UTILITY SCALE


Accurate, sturdy, dependable

Low priced, quality scale featuring excellent accuracy, large easy to read 6%" dial. Heavy gauge pressed steel, sturdy construction, zero-adjust knob, 6" × 6" platform.

 Model No.
 Capacity
 Price

 412200
 25lb × 1oz.
 \$32.00

 412202
 32oz. × ½oz.
 \$31.00



BENCH DIAL SCALE

Compact design makes this scale ideal for use in shipping rooms, laboratories, assembly lines, stockrooms, warehouses, etc. Built-in knob controls tare adjustment.

- Easy to read 19" dial with bold numbers
- 14" x 17" Platform
- Dirt resistant design
- Lowest maintenance expense record
- Guaranteed weighing accuracy

		, , ,	•
Model No.	Capacity	Graduations	Price
156520	60	1 oz.	\$620.00
156522	100	1/10 lb.	\$620.00
156524	125	2 oz.	\$620.00
156526	250	4 oz.	\$620.00
and the second second			

CHOOSE FROM FOUR CAPACITIES ALL SAME PRICE




Electric gummed

TAPE DISPENSER

Save \$... cut packaging time. Cuts any reinforced tape

- Trouble free operation
- Double nylon brushes
- No-spill S.S. water tank
- · Reloads in seconds
- Faster adhesion
- Uses tape 1½" to 3" wide



Heavy duty, designed for continuous use. Light bulb heat source maintains water temperature...activates glue for fast, efficient adhesion. Calibrated dispensing speed gives proper penetration of even the heaviest glue.

Model No. 469100 - Dispenses tape at touch of lever, cuts when released \$139.50

Model No. 469102 Automatic model - Set dial from 6'' to 48'' for preset lengths \$219.50

PORTABLE CRANE SCALE

Weigh up to 20,000 lbs.

Made from high strength corrosion resistant alloys with instrument precision. Calibrated in pounds, can be rigged in any position to satisfy any load condition.

- Accurate to within 1% of total capacity, in any position
- 200 graduations
- 8½" D × ½" thick shatterproof glass
 Can sustain 25% full range overload
- Can sustain 25% full range overload without calibration damage
- · Adjustable 10% tare

	Cap. Lbs.	Lbs.	Price
412100 412102 412104 412106 412108 412110	500 1000 2000 5000 10,000	2.5 5 10 25 50 100	\$359.95 371.45 371.45 400.20 456.55 531.30
412106	5000	25 50	400 456





Engineered for SAFETY & ECONOMY are made with sturdy 3/16" steel plate body and heavier steel plate base; all welded construction. Hoppers are perfectly balanced to roll forward when loaded, dump completely and automatically return to upright, locked position ready for re-loading. Continuous welding eliminates leaking or dripping of wet materials.

AS LOW AS \$263.00

1. Formed smooth edge around top and pouring lip for safety & strength.

2. Extended sides prevent sidewise scattering of material.

Stacking feature on all sizes optional; permits stacking of loaded or empty hoppers

Strong, easy-to-operate latching mechanism. Finish-Safety Yellow

Model No. Size	e A	В	С	Fork opening	E	F	with	Weight	Price
238407 1½ Cu.	yd. 58½ yd. 63	37¼ 39¼ 39¼ 57¼ 57¼	32¾ 37¼ 39 38½ 45½	3×26½ 3×28½ 3×28½ 3×28½ 3×28½	48 50½ 53 53 53	3 3 3 11	41 ¾ 46¼ 48 47½ 54½	526 lbs. 598 lbs. 643 lbs. 782 lbs. 855 lbs.	\$263.00 302.00 318.00 386.00 434.00

Semi-steel wheel Rubber tire wheel Plastic wheel Polyurethane wheel Add 96.80 per hopper Add 134.00 per hopper CASTERS 8" dia. 2" tread 2 swivel & 2 rigid

DISCOUNTS: 4 thru 9 units -10 thru 24 units - LEGS: (state clearance required) LIFT LUGS: For overhead crane use CHAIN PULL LATCH: (For dump-

ing at extended heights) THREE WAY ENTRY STACKING FEATURE: 1½ or 2

cu. yd. hoppers Add **28.60** per unit (Standard on ½, ¾ & 1 cu. yd. hoppers—no extra charge)

Add 25.00 per hopper

Add 37.50 per hopper







AVAILABLE CASTER MOUNTED

Folding WIRE STORAGE CONTAINERS

One piece heavy duty folding units 3000-4000 lbs. capacity. This heavy duty model is beautifully designed using the strongest engineered section of 11/4" x 11/4" square tubing fabricated into the base carriage. The 2"x2" mesh deck of 2 gauge wire is arc welded to these members and the 2"x2" sides heavily reinforced also of 2 gauge wire results in a container of exceptional strength while giving minimum tare weight, thus savings in original purchase price and freight on every load shipped out. This one piece unit folds flat on own base perimeter. Corners are evelet design giving exceptional vertical rigidity and the best of stacking regulation.

- (68)
 - · Folding steel containers for material handling and shipping
 - Provides visibility
 - · Easy inventory control
 - Cleanliness
 - Folds flat when not in use, sets up in seconds
 - Containers stack and interlock for added rigidity
 - 4" high stacking legs permit handling by fork lift or pallet jack with reinforcing members
 - Can be stacked 4 high
 - Half drop gate

ORDER NOW!!! AND SAVE



Containers fold flat to compact your shipping and storage costs

	Size (in.)	Duan gata	Capacity	Wt. (lbs.)	Price
Model No.	WxLxH	Drop gate	Capacity	Wt. (105.)	
198650	32 x 40 x 28	32" side	3000	141	\$86.95
198652	32 x 40 x 28	40" side	3000	141	84.10
198654	40×48×30	40" side	4000	186	107.85
198656	40×48×30	48" side	4000	186	103.65

PALLET CONTAINERS

FDA APPROVED FOR FOOD HANDLING

The ideal, efficient palletizing container for bulk handling of food products, powders, grains, chips, parts, bags, refuse -- anything to be handled or stored.

Solid - Smooth one piece molded high density polyethylene construction. .300" nominal wall thickness. Easy to clean - no crevices to catch dirt.

Virtually Indestructable - Maintenance Free - Won't Rust, Corrode, Rot, Warp, Chip, Dent or Peel. Withstands sub-freezing temperature.

NESTABLE - Conserves space when empty, built-in nesting stops eliminates jamming and sticking.



FOR FORK LIFT OR PALLET JACK

	Cap.	Size O.D.		Price	
Model No.	Gal.	WXDXH	1-4	5-9	10-24
494421	160	51"x41"x281/4"	\$193.00	\$182.00	\$173.00
494423	208	51"x41"x341/2"	204.00	192.00	183.00
494425	COVER	3/8" thick	109.00	104.00	99.00

GIANT PALLET CONTAINERS


For shipping and storage. These strong, lightweight hidensity polyethylene containers, molded in one-piece, feature bottom protrusions which permit fork lift entry from any direction. Urethane coated plywood cover with handholes. The use of waterproof materials for container insures maximum protection of contents from the elements.

- Material FDA Approved for Food Handling
- Steam Cleanable

Overall Size 52"Lx42"Wx42"H 40 cu. ft. capacity

Model No.		Stacking Cap.	Wt. Lbs.	Price
338330	1000	2 High	80	\$144.50
338334	1000	3 High	100	198.95
338336	1200	3 High	112	222.75

COVER -- Model No. 338332 \$28.50



'em for future use. Form fit covers protect contents; allow safe secure stacking.

Polyethylene SELF-DUMPIN
HOPPERS

STACKABLE - Fill 'em, then stack



Excellent in food and drug production areas ... smooth interior prevents bacterial growth.

· Plastic body will not rust, corrode or pit.

Combination steel frame and gray hi-density polyethylene body for high capacity yet light weight.

· Cleans easily.

AS LOW AS \$315.00 FORK

	Cap. Cu. Yd.	W	Contour	Model	Cap.	Dalas
_	u. Ta.	WxLxH	Casters	No.	Lb.	Price
	11/2	42½ x 84 x 49¼	NO	498108	1000	\$613.35
	1 / 2	72 X 07 X 73 /4	YES	498110	1000	720.85
	2	46 x 84 x 49 ³ / ₄	NO	498112	1000	657.20
		40 X 04 X 4374	YES	498114	1000	774.15
	21/2	55 x 84 x 49 ³ / ₄	NO	498116	1000	708.35
	272	33 X 64 X 4974	YES	498118	1000	825.85

THE HUGGERS Space saving waste receptacles



Half Round 228871 Rectangular 228873
Perfect for use at ends of work benches, counters and

tables. Excellent chemical and fungus resistant, plastic, no corners or crevices to gather germs. Great for against the wall where space is a problem. Shipped 4 per carton of a color. Gray will be shipped unless beige is specified.

Model No.	Size		Capacity	Price Ea.
	L W	H	Gal.	
228871	26 x 11 x	21	21	\$ 22.10
228873	30 x 10 x	20	23	22.85

SELF-CLOSING LIDS

Convert 15, 30, 55 gallon drums and cans into practical, inexpensive waste containers.

Heavy gauge electrically welded steel, bonderized durable baked-on enamel finish. Fire-resistant construction—designed for safety, with no sharp corners or edges.

WASTE RECEPTACLES

Self-closing. Top fitted with two freeswinging doors. Hinges act as stops, hold top open for removing inner container. Made in various sizes for office, factory, corridors, outdoors. Made of heavy furniture steel, ornamental panel effect welded, noiseless (no springs), sturdy feet, fireproof. Encourage neatness among your personnel by liberal use of these waste receptacles. Removable plastic inner container will be furnished

Model No.	L	LxWxH			
* 228841	11½	x 11½	x 34½	\$60.05	
228843	16	x 16	x 35½	73.65	
*228845	16	x 16	x 41½	80.80	
228847	21	x 21	x 46	134.25	

PUSH



unless galvanized steel container

is specified. White finished recep-

tacles will be furnished unless green

is specified.

			PF	RICE
Model		Drum	3	
No.	Style	Size	more	1 or 2
228851	Α	55 Gal.	\$30.25	\$32.50
228853	В	55 Gal.	24.45	26.30
228855	В	30 Gal.	21.80	23.45
228857	В	15 Gal.	17.95	19.35

White Will Be Furnished Unless Green Is Specified.

PLASTIC BOX TRUCKS

One piece molded polyethelene (heavy .125 wall thickness). No corners or seams to trap dirt. Easy to keep clean. Can be used to store or transport almost any material. Rubber wheel casters are mounted on 5 ply plywood base for added rigidity. White box trucks will be shipped unless gray is specified.



Model No.	Cap. gal.	Cap.		LxWxH	Caster dia.	Price
124421	48	200	32	x 23 x 20½	3"	\$70.85
124423	64	200	351/2	x 24½ x 23	3"	81.75
124425	80	350	38	x 27½ x 25	4"	94.85
124427	96	350	38½	x 28 x 28	4"	105.75
124429	112	400	42	x 30 x 28½	5"	111.80
124431	128	400	42	x 30½ x 30½	5"	129.70
124433	160	400	46½	x 34½ x 33	5"	151.50

BULK HANDLING TRUCK

• % CU. YD., 350 LB. CAPACITY

• 54"L x 26"W x 38"H

• 1 PIECE POLYETHELENE BODY, EASILY CLEANED

• 8" DIA. NEOPRENE LOAD WHEELS

• 4" DIA. SWIVEL CASTER FOR EASY MOBILITY



 Model No.
 6 or more
 \$166.95
 each

 264341
 3 - 5
 172.80
 each

 Less than three
 177.95
 each

Model No. 264343 Cover - \$38.00 each.

For better litter control

ROUND-TOP WASTE RECEPTACLES

The most popular and attractive waste receptacles ever designed

Heavy gauge furniture steel with one-piece welded construction. Bonderized for indoor/outdoor durability. Stainless steel base protects the floor from stains and rust marks...protects finish of receptacle from mop stains. Galvanized steel corrosion-resistant inner container. Stainless steel self-closing push door.

AS LOW AS \$42.85

	Size		
Model No.	dia" x ht"	Finish	Price
228860	15 x 30	White	\$42.85
228863	15 x 36	See below*	47.85
228864	15 x 36	Chrome dome/	80.65
		white body	
228866	15 x 36	All chrome	\$119.70
228867	18 x 42	See below*	66.95
228868	18 x 42	Chrome dome/	111.10
		white body	

White will be shipped unless green is specified

Meet the toughest guy on the block HUSKY CONTAINERS

Rugged one piece molded polyethelene containers with convenient built-in handles. They are attractive and can be used in shops, restaurants, restrooms, etc. Seamless and leakproof. Easily cleaned. White containers will be shipped unless gray, brown, or safety orange is specified.





AS LOW AS \$30.00

Sold in carton quantities of four of a size or color only.

Size dia'' x ht"	Gal	Contain Model No.		Container/ Model No.		Plain cov Model No.		Swing cover a Model No.	idď[
23½ x 29	44	264401	\$33.00	264411	\$45.00	264421	\$10.00	264431	\$31.00
23 x 28½	38	264403	31.50	264413	44.00	264423	10.00	264433	31.00
21 x 26	32	264405	30.00	264415	43.00	264425	5.00		-

HEAVY DUTY
PLASTIC TILT/DUMP TRUCKS



sizes, from the compact % cu. yd. model that passes easily through narrow doorways, to the 2.2 cu. yd. model for handling bulkier materials. Durable, sturdy construction features a molded seamless polyethylene body secured to a strong tubular steel chassis. Two heavyduty front wheels and rear swivel caster(s) provide mobility and maneuverability. All wheels have roller bearings and greaseproof neoprene tires.

Trucks are easily handled by one person, with comfortable handgrips insuring full control pushing and dumping.

Designed for in-plant conveyance and dumping of bulk materials. These versatile trucks are available in three

Tilt Trucks meet important OSHA requirements for industrial waste, food, and materials handling; and for industrial edible

food handling.

	Outside dim.	Cap.	Cap.	Wt.				Cov	/ers
Model No.	L"x W"x H"	lbs.	cu. yds.	lbs.	Whe	els	Price	Model No.	Price
					Front	Rear			
264351	54 x 26 x 38	1200	5/8	.93	10" x 2½"	4" x 1 1/2"	\$194.50	264391	\$35.00
264353	67 x 32 x 40	2000	1.1	132	12" x 2½"	4" x 2"	245.70	264393	38.00
264355	75 x 50 x 54	2800	2.2	320	12" x 2½"	6" x 2"	455.00	N/A	



 200 pound capacity per caster

Recommended for use on service equipment such as carts, trucks, dollies for laboratories, hospitals, factories and warehouses • 5"diameter x 1½" wide ball bearing rubber tired wheel • ball bearing swivel • 6½" O.H. • 2 %" x 3 %" hole spacing-3/4" holes • 4" x 4 1/2" top plate • zinc plated finish.

AS LOW AS \$7.20

	Swivel	Rigid
up to 12	\$10.30	\$ 9.65
13-40	9.70	9.00
41-100	9.20	8.55
101-200	8.40	7.75
201 & up	7.85	7.20

MEDIUM DUTY CASTERS

Ideal for general utility trucks, platform trucks, dollies, etc. Swivel casters have hardened double ball races, heat treated king bolt for longer life. Standardized top plate has slotted holes for 2%"x3%" to 3"x3" mounting.







Rigid

Rigid	
Model No. Pr	rice
601200 \$	8.90
601202 1	1.45
601204	8.60
601206 1	1.20
601208 1	1.60
601210 2	21.10
601212	17.15
601214 1	3.20
601216 1	12.80
601218 1	13.00
601220 2	24.95
601222 1	18.35
601224 1	15.50
601226 2	27.60
601228 2	20.45
	Model No. Proceed to the control of

*PB-plain bearing wheel **RB-roller bearing wheel

QUANTITY DISCOUNTS

Up to \$150—net \$151-\$300-10% \$301 and up-15%

MEDIUM **HEAVY DUTY** CASTERS

- * Hot forged steel top plate
- * Extra heavy formed horn
- * Machined and hardened double ball raceway
- * %" dia. king bolt with Unitorque nut
- * Timken type roller bearing wheels

Top Plate - 4" x 41/2" - 3/8" thick Bolt hole spacing -2%"x3%" to 3"x3" for 36" bolts



Swivel



Rigid

Wheel dia.				Sw	rivel	Ri	gid
& face	Ht.	Wheel type	Capacity	Model No.	Price	Model No.	Price
5 x 2"	61/2"	Semi steel	900	308050	\$21.05	308052	\$14.35
5x1½"	61/2"	Soft rubber	325	308054	18.95	308056	13.45
5x1½"	61/2"	Hard rubber	550	308058	18.95	308060	13.45
5x2"	61/2"	Plastic	900	308062	20.35	308064	15.10
5x1½"	61/2"	Demount. rubber	500	308066	29.30	308068	22.65
5x2"	61/2"	Mold-on rubber	350	308070	26.00	308072	19.35
5x2"	6½"	Mold-on urethane	900	308074	31.10	308076	25.85
6x2"	71/2"	Semi-steel	1000	308078	23.65	308080	19.80
6x2"	71/2"	Soft rubber	410	308082	21.55	308084	15.60
6x2"	71/2"	Plastic	1000	308090	22.75	308092	17.75
6x2"	71/2"	Demount. rubber	650	308094	32.10	308096	27.10
6x2"	71/2"	Mold-on rubber	420	308098	27.85	308100	20.25
6x2"	71/2"	Mold-on urethane	1000	308102	37.60	308104	32.10
8x2"	9½"	Semi-steel	1100	308106	27.30	308108	19.60
8x2"	91/2"	Plastic	1100	308118	25.55	308120	19.60
8x2"	91/2"	Mold-on rubber	500	308126	35.50	308128	25.90
8x2"	91/2"	Mold-on urethane	1100	308130	44.05	308132	37.75

QUANTITY DISCOUNTS

Up to \$50 Net \$151-\$300 25% \$51-\$150 20% \$301 & up 30%

QUALITY PRODUCTS REASONABLE PRICES



MOLD-ON RUBBER WHEELS

Easy rolling high quality rubber, vulcanized to cast iron hub. Hardened roller bearings with grease fitting for easy maintenance.

QUANTITY DISCOUNTS


Up to \$150—net \$151-\$300—10% \$301 and up—15%

		Tread					
	Diameter	width	Hub	Axle	C	apacity	
Model No.	inches	inches	length	size (in.)		lbs.	Price
601301	4	11/2	13/4	1/2-5/8-3/4		200	\$ 8.55
601303	5	1½	13/4	1/2-5/8-3/4		240	9.65
601305	5	2	21/4	1/2-5/8-3/4		350	11.00
601307	6	1½	13/4	1/2-5/8-3/4		280	9.90
601309	6	2	21/4	1/2-5/8-3/4		410	11.55
601311	8	1½	21/4	5/8-3/4		350	13.15
601313	8	2	21/4	%-34-1		500	13.50
601315	10	2½	23/4	½-1-1-½-	L-1/4	790	24.75
601317	10	3	31/4	1-1-1/8-1-1/	4	1000	28.05
601319	12	2	21/4	% -1		720	29.45
601321	12	21/2	23/4	%-1-1-½-:	L-1/4	900	30.25
601323	12	3	31/4	1-1-1/8-1-1/	4	1140	35.50

Specify axle size when ordering

UTILITY CABINET

A tool crib on wheels!



Work bench style top plus four roomy shelves for tools, supplies and equipment give crews a convenient storage/work center. 15"sloped front design provides easy access.

- 8" dia. rubber wheels.
- Lift Hooks
- Rain-tight doors
- Forged pin latch
- 53 cu. ft.

Model No. 370652 — 60"L x 32 3/4"D x 57"H. — 351 Lbs. Model No. 370650 — Same as 370652 except less casters.

\$392.00 310.00

PORTABLE MAINTENANCE BENCH

Move your bench to the job



This sturdy all steel bench locks to the floor. Heavy gauge steel top, 36"Lx24"D. Cabinet size 15%"Wx20"Dx27"H. Drawer size 15%"Wx20"Lx6%"D. Two swivel and two rigid 5" rubber wheel casters. Heavy duty floor lock. Gray enamel finish. Shipped set up.

Model No. **501974** Same as above except with built-in locks for drawers and cabinet. **\$377.50**

STAINLESS STEEL CLEANING CART



This new stainless steel cleaning cart is ideal for transporting all types of cleaning and maintenance supplies and tools, smoothly, quietly and quickly. It was designed especially for use in schools, hotels and motels, hospitals and nursing homes, restaurants and similar establishments.

Platform size 18"x31" with 12"x18" shelf Overall dimensions 43½"x19¾"x39" Casters 2-5" rigid and 2-5" swivel Standard equipment includes:

2 Corner Bumpers, 2 Brush Hooks, 3 Broom Holders, 1-2½ bushel canvas duck bag.

PORTABLE CABINET WORK BENCH



It's a complete workshop

Illustrates the modern idea of saving steps. Everything within reach in generous storage space, for tools and parts. Heavy steel top is 48" long—ample 12" vise shelf—full width handle. Bench is all welded construction—rolls easily on 5" casters. Lock and keys. Gray enamel finish. Overall length 63"x 26"W. Bench height 34".

NO. 200990 With ste'el wheels \$270.80

NO. 200992

With rubber wheels \$270.80

NO. 200996 Floor lock (locks bench in place) \$37.50

NO. 200994 Riser shelf \$27.00



MOBILE SERVICE CART

Transport small parts and tools to the job. For use in shops, metal working plants, production lines, etc. Heavy steel construction with round beaded edges. 5" rubber wheel casters, two swivel and two rigid. 600 lb. capacity. Durable gray baked enamel. (Tools not included.)

AS LOW AS \$118.25

Drawer size 5%"Wx3%"H with two adj. dividers

Model	Size	No. of	Drawer	Price
No.	L"xW"xH"	drawers	length	
256710	30x16x36	8	12"	\$118.25
256712	36x24x36	18	12"	160.41
256714	36x24x36	` 18	18"	173.17
256716	36x24x36	8	12"	130.65



VERSATILE WORK CENTER

Fantastic Value!

Ideal for maintenance shop, laboratories, production lines, shipping dept., etc.

Work center has 18 drawer cabinet (drawer size 5½" W x 2¾" H x 11" D); 56 pigeon hole unit (4¼" W x 5¼" H x 9" D); aerial shelf 12" H x 10½" D; two bench drawers (15¾" W x 20" D x 6¾" H); Heavy duty bench is 72" L, 34" H with choice of tops. Finished in gray baked enamel.

	Depth		
Model No.	of bench	Bench top	
183350	28'' _	Heavy 13 ga.	\$365.60
183352	34''	steel	373.45
183354	28"	Masonite	404.35
183356	34''	Bonded to steel	412.55
183358	28" >	Laminated	450.85
183360	34"	Maple	481.60



All models lock . . . end loss of "borrowed" tools

BUY COMBINATIONS AND SAVE EVEN MORE!

Complete mobility for "at the job" reach...ends wasted steps

- "Flush to front" drawers for maximum tool capacity
- Spring tempered drawer stop prevents accidental pull-out
- Three stage rust-resistant baked enamel red finish

Roller cabinets can be used as base for all chests and have large sliding door compartment for bulky tools and equipment, locks all drawers, 4" rubber casters. Chests have 4 compartment top with life out tool tray.





Two drawer section - most versatile chest of all! Use one or several as bench chests or with any of the above cabinets or chests $26\%''W \times 12-9/16''D \times 9''H$

Model No. 438300 \$60.95 List \$65.50

Model No. 438100 - 6 drawer heavy duty chest. Drawers: One 23½" W x 3½" H. Two 23½" W x 1½" H., Two 5-1/16" W x 1½"H., One 11" W x 1½" H. Overall: 26" W x 12½" D x 15½" H. **\$103.45** List \$111.25

Model No. 438102 - 3 drawer roller cabinet. Made to professional standards. Drawers: One 215/4" W x 57/4" H, two 215/4" W x 27/6" H. Compartment: 261/4" W x 121/4" H. Overall: 263/4" W x 17" D x 323/4" H.

\$136.25 List \$146.50

COMBINATION COST SAVER - Order model 438100 with 438102 and save!!

Combo price **\$227.75** List \$257.75

AS LOW AS \$60.95

Model No. 438200 - 10 drawer chest featuring a 5% "D handy power drill drawer. Drawers: One 23% "W \times 3% "H, Two 23% "W \times 1% "H, Three 11"W \times 1% "H, Three 5-1/16"W \times 1% "H, One 5-1/16"W \times 5% "H Overall: 26 "W \times 12% "D \times 19%"H. **\$149.50** List \$160.75

Model No. 438202 - 7 drawer roller cabinet. Large capacity plus mobility. Drawers: One 21%''W × 5%''H, Two 21%''W × 2%''H, Two 21%''W × 1%''H, Two 10-7/32''W × 1%''H-Compartment: 26%''W × 12%''H. Overall: 26%''W × 17''D × 38''H

COMBINATION COST SAVER order model 438200 with 438202 and save!!

Combo price \$324.85 List \$367.70





ECONOMY WORK BENCH



Model No.	Size	List Price	Discount	Price 6 or more
254020	48" × 24"	\$38.57	\$32.00	\$29.95
254022	60" × 24"	47.53	39.45	37.10
254024	72" × 24"	58.03	48.15	45.25
254026	60" × 30"	64.77	53.75	50.50
254028	72" × 30"	72.16	59.90	56.30



TOOL CABINET. WORK CENTER

Excellent for workshop, tool room or maintenance department. Spacious shelves for tools, chemicals, or small parts. All steel pegboard back with hooks for hanging tools. Door hasp accommodates standard padlock for protection of tools. Magnetic catch holds doors closed. 30''W × 11½''D × 24''H closed, 60'' long opened.



20°F

25°F

30°F

35°F

TRANSFER TUBE 12"- 24" OFF FLOOR

Complete with blower, ductwork, thermostat, remote switch and mounting straps. Installation is quick and simple.

ADJUSTABLE TIME CARD RACKS

502502

502504

502506

502508

201

24

28

32

		No. Of	Adj.	Pocket	
Model No.	Height	Pockets	Height	Width	Price
384100	36"	25		3" To 5½"	\$ 15.95
384102	36"	25	3" To 10"	6" To 12"	23.95
384104	23"	12	3" To 10"	3" To 5½"	14.95

- #384102 Holds Computer Cards Horizontally
 - Sturdy Steel Construction
 - · Gray Enamel Finish

AS LOW AS 14.95

ONE YEAR

GUARANTEE

Disposing Fluorescent Tubes Can Be Hazardous

FLUORESCENT TUBE CRUSHER

Eliminates The Hazard At A Very Low Cost

- · Grinds tubes to fragments in seconds
- Three ply dust and fragment filter
- Totally enclosed dust-free 115V motor, UL-CSA approved
- · Adjustable mounting for easy attachment to your drum (drum not included).



280.50

292.00

300.00

311.50

2000

1200 - 2000

1200

700 - 1200

Accurate TIME CLOCKS REDUCE TARDINESS-INCREASE PRODUCTION

Model Style 130100 Manual \$180.00 205.00 130102 Automatic

MANUAL PUSH BAR MODEL SHOWN

Provides accurate and indisputable time records to meet Federal and State Laws.


- Automatic Minute, Hour And Day Changes
- Wall, Desk or Platform Mounting
- Automatic Ribbon Feed For Long Ribbon Life
- Unconditional One Year Guarantee
- Electric Drive ... 115 Volt

128100

TIME CARDS FOR ABOVE - Box of 1,000

Model No. 130110 - Weekly Payroll \$16.00 Model No. 130112 - Daily Job Cost \$16.00

Oct = | 54 Printer clearly indicates Month. Hrs. and Date. Minutes





Fits

most

cards

FUEL SAVING

INFRA-RED

Avoid costly delays due to bad weather. Heats people and objects quickly and economically.

- Uses L.P. gas for complete portability
- Large reflector directs heat only where you need it
- Virtually maintenance free no moving parts
- Odor free
- Push button control
- Wire mesh screen protects personnel

Instant Heat for Loading Docks, Warehouses, Construction Sites







HEAVY DUTY ELECTRIC TORCHES

> Steady flow of safe, dry heat instantly!

> > INSTANT FLAMELESS HEAT

For fast, concentrated heat, up to 1000° f. Temperature controlled for desired heat. Air cooled asbestos nozzle covered metal guard protects you from burns even when set on extreme heat. Light in weight, hold in any position... built-in stand allows setting on bench or floor, 10 ft, cord.

Just a few of its many uses:

Dry paint, glue, etc.
 Soften or set plastics
 Heat seal - heat mold
 Solder-preheat metals
 Blower for cooling

Model No.	Temp.(F)	H.P.	Volts	Watts	Price
434100	350° to 1000°	1/3	115 AC	2200	\$253.35
434102	200° to 500°	1/4	115 AC/DC	1440	214.40
434104	160°	2/5	115 AC/DC	1250	181.95

HEAVY DUTY FANS

24" Pedestal or Wall Models



		Ш	
OSCILLATING			
Model No.	HP	Ш	
PEDESTAL FAN		Ш	
436100	1/6	·	4000
WALL FAN			
436102	1/6		4000
RIGID			
PEDESTAL FAN			
436200	1/3		
436202	1/6		52
436204	1/3		56
WALL FAN			
436300	1/3	Ш	
436302	1/6		52
436304	1/3		56

CFM Price 5000/6000 \$280.00 /5000/6000 250.00 5600 \$200.00 220.00 50/4240 00/5250 220.00 5600 \$170.00 50/4240 190.00 00/5250 190.00

Engineered for wide air coverage and overall cooling. Patented "QUIET" aluminum propellers. Accurately penetrates hot stale air and redistributes cool air uniformly to a distance of 80 ft. OSHA safety guards (front and rear). Pedestal fan has adjustable column and 18 ft cord. All models adjust to direct air stream


HEAVY DUTY AIR CIRCULATOR


- Rugged, heavy gauge steel construction
 Non-spark aluminum propellers
 360° adjustable directional air flow

- Totally enclosed motor
- Heavy ½" wire mesh guards meet OSHA requirements

				Style	A		-Style	B
Fan			Model	.,		Model	,	
Size	H.P.	CFM	No.	Ht.	Price	No.	Ht.	Price
18"	1/3	3300	706101	37"	\$ 321.00	706201	51"	\$ 366.00
24"	1/3	4500	706103	40"	365.00	706203	38"	411.00
24" 30"	1	7400	706105	40"	376.00	706205	38"	421.00
30"	3/4	8800	706107	43"	434.00	706207	44"	502.00
30"	2	12000	706109	43"	500.00	706209	44"	568.00
34" 42"	3	18000	706111	45"	612.00	706211	48"	691.00
42"	3	24000	706113	49"	863.00	706213	56"	947.00
42"	5	29000	706115	49"	847.00	706215	56"	931.00
48"	10	37000	706117	52"	1405.00	706217	62"	1499.00
Door	not inch	ido quitab	Order	anarat	alv			

Does not include switch. Order separately. 18" and 24" models—115/230V, 1 phase supplied unless 230/460V, 3 phase specified. All other models standard with 230/460V, 3 phase motor









Protects your carpeting... lets the beauty show thru

Your carpeting is expensive. Make it last! Allows beauty of your carpet to show thru. Avoid abrasive carpet wear in concentrated traffic areas. Exclusive 1/411 gripper feature holds mat firmly in place, even on stairways.

		Price Per Li
Model No.	Width	Cut Length
276100	36''	\$3.90
276102	48''	5.20

SUPER SPONGE CUSHION MATTING Anti-fatique . . . 1/2" thick

Increase employee efficiency with this fatigue reducing mat. Great where employees must work standing. Provides a "cushioned" underfooting of %" thick resilient sponge base permanently bonded to a 1/2" heavy duty smooth surfaced "marbelized" rubber tile. Beveled edge for safety and easy cleaning. Black shipped unless red, green, gray, beige, or brown specified



Size	Model No.	Beveled Edge	Model No.	Square Edge
18" x 30"	276121	\$14.80 Ea.	276133	\$12.00 Ea.
18'' x 48''	276123	22.80 Ea.	276135	19.00 Ea.
24" x 36"	276125	22.80 Ea.	276137	19.00 Ea.
36" x 60"	276127	56.00 Ea.	276139	46.00 Ea.
24''W*	276129	10.80 Lin. Ft.	276141	9.00 Lin. Ft.
36''W*	276131	11.40 Lin Ft.	276143	9.90 Lin. Ft.

CUSHION RIB TREAD RUNNER

60' Roll \$3.60 4.80

Anti-fatique . . . non-absorbent

Cushioned comfort under-foot for improved worker efficiency and moral...breakage control.. noise control. Resists oil, grease, chemicals and moisture. Lies flat, won't stick to or stain floors, easily cleaned. Highest grade 100% vinyl sponge with nonporous surface and base. Corrugated top for added safety. Black shipped unless brown or gray specified.

			Price Per L	in. Ft.
Model No.	Thickness	Width	Cut Length	60' Roll
276151		36''	\$4.20	\$3.90
276153	1/4"	48''	5.60	5.20
27615 5		72''	8.40	7.80
276157		36''	5.70	5.40
276159	3/8''	48''	7.60	7.20
276161		72''	11.40	10.80
	0.1011	071111111111111111111111111111111111111	410.00	
276171	3/8''	27" W × 36" L	\$12.00 Ea.	
276173	3/8''	27'' W × 60'' L	19.90 Ea.	

FLEXIBLE WOOD MATTING

Keeps feet dry on damp floors

Especially suited for areas where moisture, oil, etc.. cause wet, slippery floors. Thoroughly seasoned, oil treated hardwood strips, securely jointed with rustproof galvanized metal link connectors. %" thick × 1-1/8" wide slat with 1/8" opening between slats.

*Available up to 60 lin. ft.

		Price
Model No.	Width	Per Lin. Ft.
276180	18''	\$ 5.70
276182	24"	7.60
276184	30''	9.50
276186	36''	11.40
276188	42"	13.30
276190	48''	15.20
276192	60''	19.00

CORRUGATED **RUBBER MATTING**

Non slip, traction grip.... cuts accidents

> Built for longer lasting service, resists water and chemicals. Won't curl, shrink or separate. Protects personnel and floors. Easy to clean %" thick black

		Price Per Lin. Ft.		
Model No.	Width	Full Roll 75' or 150'	Cut Roll less than 75	
276111	24"	\$1.80	\$1.98	
276113	36''	2,67	2.93	
276115	48''	3.60	3.96	
276117	72''	6.40 (75' (only) 7.04	



STEEL LINK

Requires very little maintenance, designed for all those heavy traffic areas. Easily rolled to clean mat area. Electro zinc coated for rust resistance. Rough sheared edges for added safety. ¾"x1" openings, ¾" thick. Mat can be cut to fit around machinery. Excellent for machine shops, entrances, commissaries, factory and warehouses.



SAFETY-TRED MATTING

 Provide safety underfoot in wet slippery work areas

- Open slot design allows particles to drop thru
- Hugs floor will not slip
- Ribbed underside permits free drainage eliminating odors and mildew

Constructed of %"
thick rubber
and embedded fibers.

			Price per li	neal foot	
Model No. 276561 276563 276565	Width/In. 24 36 48	Grade Grease resistant Grease resistant Grease resistant	Cut length \$9.60 14.40 19.20	40' roll \$8.80 13.20 17.60	MINIMUM ORDER ON SAFETY TRED MATTING \$15.00
276567 276569 276571 COLOR BLA	24. 36 48 ACK	All purpose All purpose All purpose	\$8.40 12.60 16.80	\$7.60 11.40 15.20	

FLOOR MATS

INTERLOCKING RUBBER MATTING

An all purpose runner with easily removable sections for any desired length. Will not separate or move. 2" thick mat with "no trip" benched edges insures safety and ease of sweeping. Color - Black



HEAVY DUTY MAT

Unexcelled for use in areas where "TOUGH" wear is anticipated. Rubber impregnated strips woven on heavy gauge rust-proof spring steel wire.




Model No.	Size	Price
276402	24 x 48	\$11.55
276404	24 x 60	15.40
276406	24 x 72	18.40
276408	30 x 60	19.25
276410	36 x 72	27.75

Minimum Order - \$15.00

LUXURIOUS "VINYLON" CARPETING

A prestige cut pile nylon carpeting, versatile in use, rugged and tough, yet safe. Vinyl backing is pliable, edges won't chip or crack. Will completely dry and clean wet, muddy shoes... Can be cleaned and dried quickly... Can even be hose cleaned. Choice of decorator colors. Red/black tweed will be shipped unless Blue/green; Black/white; Brown/beige stripe is specified.



OVER 25 YEARS
OF SERVICE
ORDER
TODAY
Minin

*Per lineal foot cut to length Full rolls, approx. 60 ft. - less 10%

Minimum order - \$15.00

INDUSTRIAL VACUUM CLEANERS


Heavy-Duty Shop-Vacs **Make Light of Most** Commercial Maintenance



55-GALLON DUAL VAC

- · Low-cost clean-up for shop, garage, etc.
- Two 2-stage motors—use as a blower too!

The big vac. . .with big cleaning power, big capacity...and big value! Vac head can be used on any 55-gallon drum, simplifies waste disposal, keeps cost to a minimum! Two 2stage motors; unit can be used as a blower, too. Ideal for shop jobs! Equipped with 6' × 2½" hose, square nozzle, 1¼" conversion units.



Model No. 378202 Each \$156.20 2 or more

\$148.90 List \$185.95

RUGGED AQUA-VACS

Fantastic Power Plus the Ability to Pick-Up Water, Wet Debris

DELUXE AQUA-VACS

Extra capacity wet-dry vacs with powerful 2-stage bypass motors, automatic float shut-off, coated steel drums for rust-resistant long life. Includes 12' × 1½" hose, 14" master head, heavy-duty vac cart, two-piece chrome-plated metal interlocking wands, brush, rug, squeegee shoe inserts. Fully portable for quick pickup in shop or

Model No. 378206

10-gal. Each \$151.15 \$144.10(ea.) 2 or more List \$179.95

Model No. 378208

20-gal. Each\$176.35 \$168.15(ea.) 2 or more

List \$209.95



30-GALLON STEEL VACUUM

Extra durability... all heavy-gauge steel

Put this tough cleaner to work for you...manhours are saved, efficiency is improved. Heavy - gauge steel drum assures extradurability for toughest dirt problems. Unit can be used as a blower, too. Comes equipped with 21/21 hose - 6'L., 40" extension wand, square nozzle and 1¼" noz-

Model No. 378200



MAGNETIC **FLOOR SWEEPER**

picks up nails, wire scrap steel shavings, etc.



MAGNETISM GUARANTEED FOR LIFE

Use wherever steel trash is a problem. Protect your personnel from injury. To unload, simply pull lever, and collected material is released from collecting plate. 1/2" - 2" adjustable underclearance.

Model No.	Sweeping Width*	Price
460100	20''	\$ 243.00
460102	24''	255.00
460104	28''	275.00
460106	32''	333.00
460108	36''	413.00


*For overall width add 2".



Save countless hours of time in the removal of dust, chips, sawdust, fillings, and metal shavings. External cloth exhaust bag traps fine particles. 30-gallon steel drum makes shop vacuuming a simple, sure job. Large 3" flexible hose prevents clogging. See what a difference this can make in cleanup time.



PORTABLE WELDING SCREENS



2 Panel Screen with 3 Upright Legs

Model		W×H	
No.	Curtain Material	(Each Panel)	Price
410101	Flame Resistant 12 oz. Duck	6' × 6'	\$82.50
410103	Asbestos	6' × 6'	165.65

3 Panel Screen with 4 Upright Legs

	Model No.	Curtain Material	W×H (Each Panel)	Price
4	110105	Flame Resistant 12 oz. Duck	6'×6'	\$127.50
4	10107	Asbestos	6'×6'	245.70

4 Panel Screen with 5 Platform Legs

TAMED

Model		$W \times H$	
No.	Curtain Material	(Each Panel)	Price
410109	Flame Resistant 12 oz. Duck	Two - 6' × 6' Two - 8' × 6'	\$191.45
410111	Asbestos	Two - $6' \times 6'$ Two - $8' \times 6'$	382.70

PLATFORM LEGS - Attach to uprightlegs, 22" long.

Model No. 410113 Price \$3.15ea.

CASTERS-For use with platform legs (order 2 casters per platform leg) Model No. 410115. Price 2.20ea


CASTERS-For use without platform legs. Model No. 410117 Price 2.90ea.

WELDING SCREEN. **BENCH TYPE**

For in-plant or on the job protection. Light weight, compact and easy to assemble. Fire resistant 12 oz. duck curtain, fastened to tubular steel frame with snap fastners. 36"H × 60"L (24" center panel and two 18" wings).

Model No. 410118 Price \$62.25

SAFETY CANS



UL Listed, these cans meet OSHA No. 1910106, and Factory Mutual requirements. Safety red finish.

STYLE A - Large fill-pour opening has spring closed cap, that serves as automatic release valve.

STYLE B - (Non-explosive) Pour trigger gives sure control of flow, automatically closes when released. Large opening (1%") permits rapid filling. Automatic relief valve, flame arrestors in fill and pour openings, adjustable spout.

Gal.	Style A		Style B		
Capacity	Model No.	Price	Model No.	Price	
2	420200	\$21.00	420208	\$40.00	
2½ 3	420202 420204	21.50 22.00	420210 420212	41.00	
5	420206	23.00	420214	44.50	

В

FUME EXHAUSTER/BLOWER

- Exhausts smoke and toxic fumes from welding, heating, and filling operations.
- Blows cool air into vats, tanks and other enclosures.



Order hose separately.

Set up where you need it to do the job quickly and easily. Removes fumes away from worker, leaving a safe working environment. Cools overloaded motors, generators, etc. Heavy rust and spark proof cast aluminum housing. Heavy tubular tripod with rubber feet. 115/230V, 1 phase open type

Model	Model C.F.N					M. CAPACITY			Fan	
No.	H.P.	R.P.M.	Ú'	10'	20'	30'	40'	50'	Inlet/Outlet	Price
706301	1/4	1750	493	409	397	386	371	356	6"	\$218.00
706303	1/2	3450	424	400	393	385	373	361	5"	233.00
706305	3/4	1750	1573	1296	1196	1103	1032	962	8"	305.00
706307	1	3450	934	847	826	805	784	762	6"	305.00
706309	11/2	3450	1066	826	805	784	764	744	6"	271.00
Explosion	nro	of moto	rs ava	ailable	con	tact u	S			

HOSE AND CLAMP

60" Hose—for 5" Inlet—Model No.706316 \$23.00 60" Hose-for 6" Inlet-Model No.706318 \$27.00 60" Hose-for 8" Inlet-Model No.706320 \$38.00

CLAMP SET

(Two clamps and one sleeve to connect two hoses.) For 5" Hose size - Model No. 706324 For 6" Hose size - Model No. 706326 \$11.00 For 8" Hose size-Model No. 706328 \$13.00

FLAME-TAMER WASTE RECEPTACLES

Snuffs out flames in seconds!

Accidental or spontaneous fires are smothered automatically. In case of fire, internal baffles automatically choke off supply of oxygen... Fire is suffocated. U.L. label and F.M. approved.



				PF	RICE	
Model No.	Dia.	HT.	Opening	1-5	6 or more	
420100 420102 420104	23½'' 19¼'' 14½''	39" 32" 23"	11" 9"	\$63.00 53.00	\$56.70 47.70	
420106	11-3/4"	14"	6½'' 6''	36.50 25.00	32.85 22.50	

LIFE SAVER EMERGENCY LIGHTING

OSHA requires egress illumination as applied by THE LIFE SAFETY CODE, with installation defined by THE NATIONAL ELECTRICAL CODE NFPA70-1971, with unit equipment as approved by a recognized testing laboratory.

ADVANCED FEATURES

Built-in wall mounting bracket (back out of unit) • Piano-type hinge • Neon bulb • 5''diameter heads • Voltmeter • Test switch.

Automatic operation 7½ Volt DRY CELL BATTERY

Upon failure of the normal AC power supply, the auxiliary lamp circuit is automatically put into operation by a 110 volt relay with heavy duty contacts. Case is protected inside and out with acid resistant gray enamel. Two large 5" diameter heads with 5 hour burning time. Size 12"Lx5" Wx15"O.H.

DEPENDABLE
Floods 4,000 sq. ft. for 5 hours

Model No. 280410 Emergency Light with 3 wire cord and plug Model No. 280412 Emergency light with junction box* less battery

Model No. 280414 Dry cell battery (one req. per unit)

\$ 49.50 49.50 11.90



6 Volt LEAD-ACID BATTERY

AUTOMATIC SOLID STATE CHARGING

Economy Model

\$49.50

This UL approved light is designed to provide emergency lighting instantaneously and automatically upon failure of normal power supply. Two 5" sealed beam heads provide 3¾ hours of burning time. Will illuminate up to 10,000 square feet. Recharges automatically after use. Size 12"Lx6"Dx15½"H. Case is protected

ADVANCED FEATURES

- Acid resistant gray enamel—inside and out.
- Fused Primary and Secondary circuits for full protection.
- A total of five heads can be operated from a single unit.
- Compact Design.

ready for service *Underwriters Laboratories requires a junction box on a unit to qualify as an Emergency Light. Units with cord and plug having lamp heads on the unit qualify as Auxiliary lighting.

covers 10,000 sq. ft.

Model 280420 Emergency light with 3 wire cord & plug Model 280422 Emergency light with junction box 134.00 Model 280426 Remote head 14.00

PLEXIGLASS CONVEX MIRRORS

	Model No.		Model No.	
Size	Indoor Type	PriceC	Outdoor Type	Price
13"	490118	\$20.50	490218	\$26.35
18"	490120	32.95	490220	40.25
26"	490122	51.25	490222	62.20
30"	212124	88.55	212224	103.90
36"	490126	95.15	490226	106.15




GLASS INDOOR MIRRORS

Model No. Size	Price	Model No	. Size	Price
Round Co	nvex	R	lect. Conv	
490020 18"	\$30.35	490032	15x24	\$43.95
490022 26"	43.95	490034	20x30	80.50
490024 30"	65.90			
490026 36"	80.50			
			Rect. Fla	t
Round Fla	at	212036	14x18	26.65
212028 18"	31.75	212038	15x24	48.35
212030 26"	48.35	212040	20x30	96.65

UNBREAKABLE PLEXIGLASS SAFETY MIRRORS

Prevent Injuries...Stop Pilferage

Indoor or out, you need protection against intersection accidents from blind corners and between aisles. Great in loading areas, hospitals, stores, warehouses, etc. Round convex mirror mounted with ball swivel bracket for mounting and adjustment to desired angle. Outdoor type has weatherproof frame.





SAFETY PAINT STORAGE CABINET

Keep your combustibles in this specially designed steel cabinet. Air spaced double walls to 16 ga. and 18 ga. welded steel, 2" door sill. Self-closing door, vented top. Three point locking device. Meets underwriter recommendations. Will give you lifetime service. Finish-gray enamel.

		Capacity			
Model		(5 gal.	Overall dim.	Com-	
No.	Gallons	cans)	WxDxH	partments	Price
248348	20	4	28x16x39	2	\$180.00
248350	40	8	28x28x39	2	205.00
248352	60	12	28x28x55	3	265.00
248354	90	18	28 x 40 x 55	3	345.00
248356	135	27	40x40x55	3	415.00
248358	180	36	40x40x73	4	520.00
248358	180	36	40x40x73	4	520.00

NEW 55 GALLON DRUM MODELS

248360 1-55 Gal. drum (horizontal) 30"x 49"x 55" \$460.00 plus 45 misc. gal.

248362 2-55 gal. drums (horizontal) 60"x49"x55" **\$730.00** plus 90 misc. gal.





This heavy gauge steel bin is fire safe. Should contents catch fire (excelsior, paper, rags, etc.), fusible link, underwriter approved, closes cover, smothers the fire. Safety pays. Finished in gray enamel

AS LOW AS \$54.95

Model No.	Bale cap.	WxLxH	Price
496958	1/2	20"x18"x33"	\$54.95
496960	1	36"x 20" x 33"	86.95
496962	2	48"x21"x37"	98.50
496964	4	48"x 42"x 37"	168.00


COMBUSTIBLE WASTE CANS

OSHA REQUIREMENTS

U.L. approved—
foot operated

	•			
Model	Capacity	Dia.	Ht.	Price
38646	6 gal.	121/2	19%	\$22.25
38648	10 gal.	13¾	20¾	25.65
38650	12 gal.	16	21	28.35
38652	15 gal.	16	24	30.00

Help prevent fires. Safe storage for oil rags, shavings, chemicals and paint cloths. Finished in federal safety yellow.





ACOUSTI-BOOTHS

Transforms noisy spots into zones of quiet, for telephoning in peace and complete privacy. Scientific acoustic design and construction socks up noise, makes doors unnecessary. Useful in factories to avoid errors in telephoned instructions. Easy maintenance—no glass, no hinges, no corners to collect dirt. Space-Saving design. Ruggedly constructed of sound-absorbent materials.

No. 118760

31"W x 38½"D x 79"H with built-in fluorscent light and shelf.
Gray finish with white interior

\$674.00

No. 118750 28"W x 26"D x 32"H Gray Finish

\$214.00



GLOBAL FOR QUALITY PRODUCTS

Be prepared! INDUSTRIAL FIRST AID CABINETS

Items are clearly labelled and sealed to maintain sterile purity. Cabinets can be wall mounted.

CABINET CONTAINS: 10 rolls asst bandages, 3 rolls adhesive tape, 6 rolls cotton, 100 bandaids, merthiolate, iodine, mercurochrome, ammonia, soap, gauze pads, first aid cream, aspirin, eye wash & cup, alcohol, tourniquet, scissors, tweezers, depressors, splints, and first aid handbook. White enamel

case.
Size 18"x12"x4". Model No. \$ 49.95 282468. complete.

CABINET CONTAINS: 7 rolls asst bandages, 2 rolls adhesive tape, 2 rolls cotton, bandaids, iodine, merthiolate, alcohol, ammonia, eye wash, gauze pads, first aid cream, aspirin, scissors, tweezers and first aid direction. Grav enamel case. Size 16"x 11"x 21/2"

Model No.282470. \$29.95

Model No. 282470



Model No. 282468

NOW... A FIRST AID KIT WITH **EMERGENCY** OXYGEN

Complies with OSHA regulations • refillable long lasting

No first aid kit is truly complete without emergency oxygen. The life protector first aid kit combines emergency oxygen with first aidall in one compact, light-weight steel carrying case.

Model No. 364510 \$189.95

• For industry, homes, institutions, offices, factories, cars, planes, boats, hotels, municipal buildings, police cars, ambulances, fire and rescue squads.

 Large balanced assortment of first aid supplies. All sterile products are in individually sealed pack-

Serves facilities employing 50 persons.

Here are some of its features...

1. For heart attack victims, accidents, shock and other respiratory crises.

30 minutes of medically pure oxygen.

3. Refillable at local oxygen supply stations.

4. Regulated flow pre-set between 6-9 liters per minute. Averages 7 liters per minute.

5. Easy to operate-just place mask over face and turn control knob.

6. Oxygen remains leak-proof in tank up to 10 years even without use.

Wheel mounted

BACK-UP ALARM



OSHA standards

- · Low priced
- Fits all industrial trucks
- No wires no switches completely mechanical
- Self-contained alarm. works by wheel motion
- Easy to install maintenance free

Model No. 227100 Only \$24.90 (1-5)

(6 or more) **\$23.90**

SAFETY WARNING LIGHTS



Why take chances? Play it safe. Put warning lights on your plant vehicles.

• Revolves 3600 • Helps prevent in jury • Increases plant vehicles visability • Rapid flashing • Self lubricating features assures years of trouble free service • Easily installed•

Amber light will be supplied unless red is specified

	12 or			
Model No.	Voltage	1-3	4 - 11	more
226401	6 DC	\$39.95	\$35.95	\$29.95
226403	12 DC	39.95	35.95	29.95
226405	24 DC	39.95	35.95	29.95
226407	36 DC	39.95	35.95	29.95
226409	48 DC	39.95	35.95	29.95
226411	115 AC	59.90	53.90	48.50
226413	230 AC	69.00	63.00	58.00



50 EMPLOYEE SIZE—Includes large first aid kit, folding pole stretcher, utility blanket and sturdy aluminum storage cabinet. \$190.00 Model No. 484102

100 EMPLOYEE SIZE - Includes deluxe folding stretcher with casters and restraint straps; giant first aid kit; utility blanket and aluminum storage

Model No. 484104

\$215.00

STRETCHER KIT

MODEL NO. 484110-81" Folding stretcher with Feet, Blanket, Plastic Sheet and Wall mounted Aluminum Storage Cabinet. \$95.00

SAFETY ALARM LOCK



Fits all doors

Now...lock fire doors and emergency exits legally

> EMERGENCY EXIT ONLY PUSH TO OPEN & SOUND ALARM

Model No. \$128.95 106265

Insures full-time locking of emergency exit doors while complying with standard safety, fire and building department codes. This day-and-night "watchman" deters pilferage from within or without...yet provides instant exit in event of emergency. Requires no special instructions, tools or keys and combines best features of a panic device plus a warning alarm. First person reaching door releases lock with slight pressure on clapper; door opens automatically and alarm sounds. Locks are reversible for left or right hand doors and are furnished with inside and outside cylinder locks. Batteries included.

CYLINDER CART Fork Liftable ... Handles All Sizes

Handle cylinders easily and cut your costs! Carries large quantity of assorted sizes. Diamond plate platform. Rust resistant finish. 36" W x 48" L x 48" H

- Compact ... fits through in-plant doors, traffic lanes, etc.
- Easy loading and unloading
- Secure ... heavy duty nylon strap prevents shifting of cylinders.

Model No. 386204 \$462.00

Model No. 386206 \$595.00 same as above except with casters; 2 swivel, 2 rigid, 1200 lb. cap.

Stop pilferage and protect personnel Use with existing locks PILFER GUARD

Deters unauthorized use of emergency exit doors. Maintains doors unlocked as required by fire, building and safety codes. Mounts on interior surface of door. For in-swinging and outswinging doors. Permits setting alarmed or noneither alarmed. Opening the door, causes twin horns to sound. Operates from outside door by the use of rim type cylinder. Test button signals condition of batteries and circuit. Batteries included.

The low cost exit door alarm

or panic devices



GAS CYLINDER STORAGE CABINETS

Protect your fuel cylinders



Model No. 386201 \$615.00 Stores vertically assorted cylinders up to 200 lbs. each. 60" W x

"Gaseous Fuels" sign will be supplied unless "oxygen" sign is

38" D x 70"H.

from unauthorized handling!

Tamper-proof padlock hasp and drop hinges. Back panels are reinforced against slamming of cylinders. Wall panels 18 gauge expanded metal with ½" openings, roof 18 gauge steel. Angle iron frame with provisions for bolting to floor. Finished with rust inhibited paint.

- · Meets OSHA Requirements
- Meets N.F.P.A. Standards #58-79
- Sets Up In Minutes With Simple Hand Tools

31

38





		Cylinder	
Price	WXDXH	Capacity	del No.
\$384.00	30" x 38" x 41"	4	36100
433.00	30" x 38" x 70"	8	36102
470.00	42" x 38" x 70"	12	36104
615.00	54" x 38" x 70"	16	36106

Compliance Signs Help Meet OSHA Specifications

Implement a Common Sense Safety Program with the Use of Low-Cost Signs

STANDARD SIZE: 10" x 14"...OF HEAVY-DUTY .062 (1/16")...PERMANENT...PLATE GLASS THICK...HIGH IMPACT PLASTIC...
RESISTANT TO RUST, WEATHERING, TEARING, FADING, DENTING, CHIPPING, FLAKING, TEMPERATURE, CHEMICALS, ELECTRICAL
CONDUCTIVITY, MAGNETISM AND RADIATION. NO SHARP EDGES OR CORNERS. PRE-DRILLED FOR MOUNTING OR MOVING.



Black & Yellow CAUTION









Black & Blue on White



EYE PROTECTION

Specify	Sign Wording
361	CAUTION / DO NOT OPERATE
	WITHOUT SAFETY GLASSES
362	CAUTION / SAFETY GLASSES MUS
	BE WORN AT ALL TIMES

BE WORN AT ALL TIMES
CAUTION / DO NOT WATCH ARC
CAUTION / DO NOT OPERATE
WITHOUT FACE MASK
CAUTION / WEAR EYE PROTECTION
DANGER / CAUSTIC
DANGER / ACID
CAUTION / SAFETY GLASSES MUST
BE WORN BEYOND THIS POINT

OSHA HEADINGS

Specify	Sign W	/ording
300	CAUTION / BLANK	(Add Your Own
400	DANGER / BLANK	Wording With
500	NOTICE / BLANK	Permanent Marke

PLANT AREA PROTECTION FEDERAL REGISTER 1910.145 (C)

Specity	Sign Wording
385	CAUTION / CHAIN CYLINDERS
	UPRIGHT AND CAP
386	CAUTION / STORE OXYGEN AT LEAST
	20' AWAY FROM ACETYLENE
387	CAUTION / FLOOR LOAD CAPACITY
	LBS. PER SQ. FT.
388	CAUTION / MAXIMUM LOADLBS.
389	CAUTION / USE HANDRAIL
202	CAUTION / WHEELS MUST BE

CAUTION / WHEELS MUST BE CHOCKED WHEN LOADING OR UNLOADING CAUTION / WATCH YOUR STEP NOTICE / KEEP THIS AREA CLEAN NOTICE / WASH HANDS BEFORE RETURNING TO WORK NOTICE / IN CASE OF FIRE DO NOT USE ELEVATORS—USE STAIRWAY

HEAD PROTECTION FEDERAL REGISTER 1910.135

Specify	Sign Wording
368	CAUTION / LOW HEADROOM
367	CAUTION / OVERHEAD CONVEYOR
371	CAUTION / KEEP FROM UNDER
	CRANE LOAD
372	CAUTION / HARD HAT PROTECTION
	REQUIRED
471	DANCED / HADD HAT ADEA

DANGER / CRANE OVERHEAD DANGER / FALLING MATERIAL DANGER / MEN WORKING ABOVE CAUTION / WEAR YOUR HAIRNET

FACE AND LUNG PROTECTION

9	pecity	oigh wording
	358	CAUTION / WEAR YOUR RESPIRATO
	364	CAUTION / DO NOT OPERATE
		WITHOUT FACE MASK
	369	CAUTION / Face Mask Must Be Worn
		In Spray Booth
	487	DANGER / CAUSTIC
	488	DANGER / HOT
	461	DANGER / ACID
_	469	DANGER / POISON

PLANT TRAFFIC OSHA 1910.145 (C)

Sign Wording

762	MEN (PICTORIAL)
712	REST ROOMS RIGHT ARROW ►
713	REST ROOM LEFT ARROW
338	CAUTION / WATCH OUT FOR FORE
	LIFT TRUCKS
339	CAUTION / STOP-Beep Horn-
	Proceed with Caution
340	CAUTION / WATCH OUT FOR TRUC
341	CAUTION / FORK LIFT TRUCKS-

CAUTION / GO SLOW
CAUTION / CLOSE CLEARANCE
CAUTION / NO OVERHEAD

CLEARANCE CLEARANCE
CAUTION / SLIPPERY FLOOR
CAUTION / KEEP THIS AREA CLEAR
CAUTION / KEEP AISLES CLEAR
CAUTION / OPEN PIT

FIRE INFORMATION 1910.157

Sign Wording

167	KEEP STORAGE 36" BELOW
	SPRINKLER
306	CAUTION / NOT FOR USE ON
	ELECTRICAL FIRES
503	NOTICE / MAIN GAS CUT OFF
500	NOTICE / MAIN POER CUT OFF

EAR, FOOT & HAND PROTECTION 1910.132

Specify	Sign Wording
377	CAUTION / HEARING PROTECTION
	REQUIRED

380 CAUTION / WEAR FOOT PROTECT
381 CAUTION / WEAR SAFETY SHOES
IN THIS AREA

NO SMOKING AREAS

Specify		Sign	Wording
131	NO	SMOKING	

THANK YOU FOR NOT SMOKING SMOKING PERMITTED NO SMOKING BEYOND THIS POINT NO SMOKING IN THIS AREA

NO SMOKING IN THIS AREA
CAUTION / NO SMOKING BEYOND
THIS POINT
CAUTION / OXYGEN—NO SMOKING—
NO OPEN FLAME
DANGER / NO SMOKING
DANGER / FLAMMABLE MATERIALS
DANGER / NO SMOKING—STOP
YOUR MOTOR
DANGER / GASOLINE
DANGER / EXPLOSIVES

INFORMATION WITH ARROWS

١		Specify	Aight of Le	
	Specify	y	Sign Wording	1
	801	OFFICE		

001	OFFICE
803	SHIPPING AND RECEIVING
811	RESERVED PARKING
812	VISITOR PARKING ONLY
813	CUSTOMER PARKING
814	PARKING
815	NO PARKING
816	NO PARKING-FIRE LANE
819	EMPLOYEE PARKING
820	LOADING ZONE

NO PARKING IN DRIVEWAY PARKING IN REAR WHEEL CHAIR SYMBOL (pictorial)

MORE INFORMATION SIGNS

Specif	y Sign wording
908	OSHA POSTER (mandatory Govt.
	information, must be displayed in time clock area.)
826	UNAUTHORIZED VEHICLES WILL
	BE TOWED AWAY AT OWNERS
	EXPENSE
828	VISITORS PLEASE REGISTER IN OFFICE
850	NEW FEDERAL SAFETY REGULATION
	Prohibits Customers From Waiting
	in our Service Area. Please Wait in
	Chowroom or Lounge

RESTRICTED AREAS

855 ENTER ONLY

	The same of the sa
Specify	Sign Wording
515	NOTICE / AUTHORIZED PERSONNEL ONLY
516	NOTICE / EMPLOYEES ONLY
517	NOTICE / NO TRESPASSING
518	NOTICE / PRIVATE GROUNDS— KEEP OUT
500	NOTICE / KEEP THIS DOOR CLOSED
520	
331	CAUTION / HAZARDOUS AREA—
	AUTHORIZED PERSONNEL ONLY

DANGER / KEEP OUT
DANGER / WATCH DOG ON PATROL
DANGER / MEN WORKING MACHINERY OSHA 1910.145 (A)

Specify		Sign wording
	310	CAUTION / DO NOT OPERAT
		WITHOUT GUARD
	311	CAUTION / REPLACE GUARD
		DECODE LICINIC

BEFORE USING
CAUTION / DO NOT OPERATE—
MACHINE UNDER REPAIR
CAUTION / STOP MACHINERY TO
CLEAN. OIL, REPAIR
CAUTION / DO NOT TOUCH SWITCHES
CAUTION / HANDS OFF
DANGER / MOVING MACHINERY

ELECTRICAL PROTECTION

Specify	Sign Wording
325	CAUTION / HIGH VOLTAGE
320	CAUTION / DO NOT TOUCH SWITCHE
328	CAUTION / BURIED CABLE
509	NOTICE / MAIN POWER CUT OFF
444	DANGER / HIGH VOLTAGE
	DALLOSSO

UNLESS OTHERWISE SPECIFIED, ALL SIGNS ARE 10" x 14"

REGULAR SIGNS. MIX TITLES IN THIS CATEGORY FOR LOWEST PRICES.
TITLES AVAILABLE. FOR COMP. 50 SIGNS \$188

1 SIGN \$3.49 12 SIGNS \$2.49

25 SIGNS \$2.15 TWO HOUR—GLOW SIGNS. MIX TITLES IN THIS CATEGORY FOR LOWEST PRICES. AVAILABLE IN TITLES 201-G AND 211G-216G

1 SIGN \$4.75 25 SIGNS \$3.30 12 SIGNS \$3.75 50 SIGNS \$2.90

\$15.00 MINIMUM SIGN ORDER

Choice of Regular or 2-Hour-Glowin-the-Dark Lettering



FIRE EXTINGUISHERS

Specify Regular		Specify Glow
101	Fire Extinguisher (10" x 14")	201-G
102	Fire Extinguisher (4"x20")	202-G
103	Fire Hose (vertical	203-G
104	Fire Alarm as shown)	204-G

EXITS All 10" x 14" OSHA 1910.37 (Q)

Exit	
EXIL	211-G
xit / Right Arrow	212-G
xit / Left Arrow ◀	213-G
xit / Double Arrow	214-G
Not An Exit	215-G
Emergency Exit	216-G
	xit / Left Arrow xit / Double Arrow

ABOVE TITLES ARE AVAILABLE IN REGULAR OR 2-HOUR GLOW-IN-THE-DARK LETTERING

INEXPENSIVE NEW SAFETY CONCEPT

 INSTANTLY OPERABLE IN DARKNESS UP TO 2-HOUR GLOW—NO POWER NEEDED

SIMPLE INSTALLATION—NO WIRES OR BATTERIES
 NORMAL APPEARANCE IN NORMAL

HIGH IMPACT PLASTIC (1/16" PLATE

GLASS THICKNESS)
MEETS O.S.H.A. SPECIFICATIONS (1910.137Q)

FIRST AID

Sign Wording

Specify

181	EMERGENCY FIRST AID—BURNS.
	SHOCK, FRACTURES, WOUNDS,
	FAINTING, ETC. (pictoral)
182	EMERGENCY CHOKING MANEUVRES
	(pictoral)
183	EMERGENCY ARTIFICIAL
	RESPIRATION (pictoral)
506	NOTICE / REPORT ALL INJURIES
	TO SUPERVISOR
121	FIRST AID STATION (specify arrow ◀■

127 FIRST AID STATION IN OFFICE 128 FIRST AID STATION IN PERSONNEL NOTICE / EYE WASH

THINK HEADINGS

		100:200 100 100 100 100 100 100 100 100 100
40	Specify	Sign Wording
	620	A FIRE TODAY-NO JOB TOMORROW
	621	OUR AIM-NO ACCIDENT
	622	REPORT ALL UNSAFE CONDITIONS
		TO YOUR FOREMAN
	625	DO NOT LIFT MORE THAN YOU
		ARE ABLE
	626	WALK, DON'T RUN
	627	THE SAFEWAY IS THE BEST WAY
	628	MAKE EVERY MOVE A SAFE ONE
	629	KEEP THIS PLANT SAFE AND CLEAN



MEET O.S.H.A SAFETY STRIPE STANDARDS

Roller type LINE MARKER

Model No.	Capacity	Price
222721*	3/4 gal.	\$125.60
222723	¾ gal.	145.75
222725	1½ gal.	190.25
222727	2½ gal.	215.75
222729	5 gal.	250.00

222732 conversion kit for 2" line \$ 11.00 222734 conversion kit for 4" line 11.00 SAVE...make your own parking and safety lines with this multi-pur-

*without rear wheels



Furnished with 3" wide line roller unless 2" or 4" wide is specified. At no additional cost

THE MARKING MACHINE FOR EVERY INDOOR OR OUTDOOR REQUIREMENT

- SIMPLE TO OPERATE—one-man, one-hand operation—stays on track with minimum of effort and direction.
- NON-CLOGGING...NO MESSY CLEAN-UP—just drop in the aerosol cans and press the trigger.
- VERSATILE—Makes straight or curved, continuous or skip lines at walking speed.
- NEW LONGER LASTING AEROSOLS—one case of paint will stripe a line 3" wide and approximately 2400 feet long, depending upon surface conditions.

Model No

366840 366902 366904 Line Striper

1 Case (12-18 oz. cans) yellow paint 1 Case (12-18 oz. cans) white paint

\$99.95

Adjustable stripe width 3"-6"



PARKING LOT CURBS

Hi tensile-shock resisting steel

Easy one man installation

 Maintenance-free epoxy finish

Drive anchors included

Model No. 360800 50 & up \$16.75 each 10-50 \$19.50 each Sold in carton

quantity of 10 curbs only

Designed and engineered in hi-tensile ultra shock resistant steel for sure stopping as well as functional beauty. Tests have proven that a 5" high curb with a drive angle of 48 degrees is almost impossible to climb. These curbs will take the impact of the heaviest passenger cars without deforming. Two 12" long by 1/2" diameter galvanized threaded sure-lok pins make installation fast and fool proof, insures permanent grip. Furnished in two coat Safety Yellow Melemine epoxy. Size 77"Lx5"Hx8½"W.



Spray type

LINE MARKER

Easy to use...anyone can operate

368902



- · FAST OPERATING-
- Stripe as fast as a man can walk.
- GUIDE LINE POINTER-Makes it easy to run straight lines every time
- OFF-SET SPRAY BOX—
 Allows 4"striping next to curbs, walls.
- · RUGGED, ALL-STEEL CHASSIS-With long wheel base for true, straight running
- HEAVY DUTY 31/2 GALLON PAINT TANK— Minimum of 1200 linear feet of striping
- SPRAY TRIGGER-Mounted on the handle, starts and stops the paint spray instantly.
- · CLEANS UP IN MINUTES-Operates with minimum maintenance.



Model No. 368900—A few strokes on the air pump will build sufficient pressure to paint approximately 600 linear feet of striping. Pressure gauge shows exact pressure in tank at all times. \$224.20

Model No. 368902—Same as Model No. 368900 except has air pressure tank. 110 lbs. of air pressure will run out two full tanks of paint. Charge the pressure tank with an air compressor, just like you would fill the tire on your car. Has safety relief valve, gauges and pressure regulator for selecting the exact operating pressure. Hand pump paint tank can be used in emergency \$363.50

368900



EDGE-OF-DOCK LEVELER

Attaches to steel nosing of your existing dock... no concrete work necessary

Lip automatically locks when raised and automatically releases and returns to stored position when truck pulls out. Supplied with two 12" × 13" molded rubber bumpers and reinforced bumper mounting blocks.

- 6" ± Operating Range
- No Pit Required
- Only Three Moving Parts-Virtually Maintenance Free
- · High Strength Safety Plate
- Torsion Assist Adjustment
- Heavy Duty Hinges
- Full 16" x 66" Lip Gives 12½" Of Usable Lip Projection,
 Overall width 100"
- Aeets OSHA Requirements

Model No. Capacity 454200 20,000 lbs.

Price

OSHA

standards

\$423.00

ELEVATING DOCKS Loading docks too high? Too low? No dock at all?
Solve today's cargo handling problems...fast, safe, stable

Fast material handling for medium size lift trucks or pallet trucks. Can be installed in a permanent pit, or through use of a simple dolly, moved to wherever needed swiftly and easily.

All welded steel structure and scissor assembly. Maintenance is virtually eliminated with self-lubricating bearings, bushings and heavy duty lift cylinders. 110 or 220/1/60* 1½ H.P. motor; remote power pack; 8 ft. hydraulic hose and power cord, less plug (requires 20 Amp service). 18" L × 60" W piano-hinged lip on rolling end.

- Push button control on 8 ft. cord...stop in any position
- Checker deck and lip ensure safe operation
- Safety indicator bars on 4 sides—warns if feet are in way of lowering platform
- · 42" high removable guard rails
- · Safety striping on 4 sides.

Clearance between posts-deduct 18" from width Approx. lifting speed-4 FPM

*220 v will be shipped unless 110 v is specified.

	Deck Size	Capacity	Heig		
	WXL	(Lbs.)	Raised -	Lowered	Price
392101	6' × 7'	3,000	58''	4½"	\$2574.00
392103	6' × 7'	5,000	58½''	5"	2928.00
392105	6' x 8'	3,000	60''	4½"	2698.00
392107	6' x 8'	5,000	60½''	5"	3051.00
392109	6'x10'	3,000	60½''	5"	2995.00
392111	6'x10'	5,000	60½''	5"	3348.00
392113	7' × 7'	3,000	58''	4½''	2586.00
392115	7' × 7'	5,000	58½''	5"	3051.00
392117	7' x 8'	3,000	60''	4½"	2816.00
392119	7' x 8'	5,000	60½''	5"	3168.00
392121	7'×10'	3,000	60½''	5"	3113.00
392123	7'×10'	5,000	60½''	5"	3466.00

Extra LIP -48" W × 18" L. on post end. Model No. 392127 \$73.00



Elevating dock can be furnished portable, complete with rear dolly.

Model No. 392124

\$101.00



DOCK LADDERS

For accident-free access

- High-strength welded steel construction.
- · Quickly and easily installed with fasteners furnished for masonry walls.
- Safety treads are 7" deep and 16" wide between handrails, overall width 221/2"
- · Painted safety orange.

Designed especially to be mounted beside truck loading doors - ladder provides safe access without obstructing the door opening.

· Set top tread level with floor being served. Grab rungs continue four feet above floor for safety.

Model number	Number steps	Price
500802	2	\$78.00
500804	3	84.00
500806	4	90.00
500808	5	96.00
500810	6	102.00

automatic release SCISSOR STYLE

Safe, durable...a real time and labor saver Pull loaded pallets, slide heavy crates, etc., to edge of dock or truck, so it can be picked up with forklift. Variable grip and

PALLET GRABBER

Model 132600 \$5900 Pulling chain with hooks on both ends Model 501920 20 ft. long \$26.95 Model 501922 40 ft. long Model 358600 \$7395 CAM STYLE

STA-PUT® WHEEL CHOCKS

Eliminate loading dock accidents

- Meets OSHA and DOT requirements
- Ice and snow won't pack under chock
- Positive grip on any surface



Protect life and property. Extra heavy duty patented construction assures you of positive chocking. Unique construction uses weight of vehicle as locking brake to prevent rolling. 9" H x 6½" W x 15" L.

Model No. 430108 Wall type holder for chock-

\$15.00 pair

Adjustable!

RAILROAD WHEEL CHOCK



Provide safe and effective blocking of all rolling stock. Has rail biting tool steel spurs. Instantly attached and removed without tools. Yellow indicator flag extends beyond side of car for visibility at a distance.

CAUTION

Adjustable to 14" hlah

For Both Flush and Exposed Rails!

Model No. 132100

ONLY \$49.75

NEW! WHEEL CHOCKS

Safe, tough, lightweight Urethane

The wheel chock for holding trucks, trailers, aircraft or passenger cars with ease. Use anytime or anywhere loads need to be blocked.

Protect against runaway vehicle accidents with these amazing new chocks made from a miracle urethane elastomer

Model No. 117100 (6+ pair) \$29.95 per pair (1-5 pair) \$ 31.95 per pair

Model No. 500050 - 10' long chain with attaching ring \$15.65 pair

OSHA requirements, "the brakes of highway trucks shall be set and wheel chocks placed under the rear wheels to prevent trucks from rolling while

they are boarded with powered industrial trucks.



ALUMINUM DOCK BOARD

11° Bend A loading dock problem solver! Non-skid diamond surface Two year guarantee STRONGER! Offset locking angle gives "I" beam strength. WIDER! Utilize greater width Meets OSHA REQUIREMENT Beveled edges with this improved safety curb design. both ends 1910.30 (A)

Recommended Angle of operation board length 3° 7° 8° 1 (see step 4)

Height Differential (see step 3) 48" 30" 36" 36" 66" 36" 36" 36" 42" 42" 36" 54" 48" 36" 4" 5" 6" 7" 8" 9" 60" 54" 42" 66" 60" 48" 72" 66" 54" 72" 60" 66" 66"

Aluminum construction. Light weight, maintenance-free, and retains attractive appearance. Modern new curb design. Curb angle protects truck tires—prevents run-off, provides full length hand grip. Curb is painted bright traffic yellow for operator safety.

Safety stop understructure. Offset for closer truck-to-dock parking.

Eliminate your loading bottlenecks. For an immediate solution to your dock problems, order a custom constructed dockboard today!

*A 11 degree bend will be furnished unless height differential is specified (see step 3) in which case the proper degree of bend will be furnished. Model No. 244101

Easy steps in selecting your dockboard Step 1-CAPACITY is determined by taking 80% of the combined weight of your maximum pallet load and your fork lift

Step 2-WIDTH should be 12" greater than lift truck or load. The most popular width is 60". Us able width is 4" less than overall width.

Step 3-HEIGHT DIFFERENTIAL is determined by measuring the difference in height between the top of your loading dock and the bed of the highest or lowest truck. The same dockboard can be used for trucks higher or lower than your loading dock, as long as truck falls within the same height difference (above or below dock).

Step 4-LENGTH of board is determined by consulting chart below, so as to give proper underclearance required by fork or pallet truck. As a general rule, the following are maximum recommended angle of operation:

Straddle Trucks Pallet Jack, walkie or electric Electric fork truck	3° 7° 8°
Gas fork truck	11°

CAPACITY	WIDTH	-								LENGTH (See step	p 4) ——						
		-	30)'' L	3	6" L	4:	2'' L	4	8'' L	54	" L	60)'' L	66	" L	72'	
(See step 1)	(See step 2) _	Wt.	Price	Wt.	Price	Wt.	Price	Wt.	Price	Wt.	Price	Wt.	Price	Wt.	Price	Wt.	Price
5,000 lb.	54		86	\$212.00	99	\$232.00	111	\$262.00	130	\$294.00	144	\$324.00	157	\$359.00	183	\$359.00	196	\$435.00
	60		94	228.00	108	253.00	122	279.00	142	324.00	157	358.00	170	403.00	186	437.00	213	469.00
	66		102	241.00	117	270.00	132	314.00	153	356.00	179	384.00	195	445.00	214	485.00	263	566.00
	72		110	258.00	126	292.00	142	321.00	165	371.00	209	443.00	234	501.00	261	546.00	282	594.00
7,000 lb.	54		88	217.00	101	240.00	113	267.00	132	308.00	154	347.00	168	386.00	206	449.00	222	488.00
	60		96	232.00	110	257.00	129	305.00	162	355.00	189	420.00	206	458.00	225	486.00	244	531.00
	66		104	248.00	119	275.00	151	338.00	183	388.00	205	446.00	224	490.00	245	534.00	288	642.00
	72		112	264.00	128	300.00	163	350.00	197	431.00	220	471.00	240	519.00	287	561.00	310	663.00
10,000 lb.	60		110	258.00	130	291.00	149	334.00	190	416.00	211	447.00	230	491.00	251	545.00	271	588.00
	66		121	275.00	141	330.00	174	386.00	205	438.00	227	490.00	248	545.00	272	608.00	293	650.00
	72 78		131	295.00	163	368.00	186	410.00	220	478.00	244	522.00 547.00	267	560.00	292	644.00	315	704.00
	/8		140	316.00	177	400.00	201	439.00	235	511.00	261		285	610.00	312	689.00	336	764.00
14,000 lb.	60		123	286.00	144	321.00	163	362.00	208	445.00	240	504.00	262	554.00	281	597.00	304	649.00
	66		134	321.00	166	358.00	192	424.00	225	481.00	253	551.00	278	599.00	305	653.00	330	706.00
	72		145	331.00	178	399.00	218	473.00	242	520.00	272	600.00	299	643.00	337	709.00	363	790.00
	78	L	155	367.00	191	444.00	234	498.00	270	593.00	292	630.00	320	700.00	359	788.00	387	878.00


When ordering, please specify length, width, and height differential

STEEL DOCK BOARD

6000#, or 10,000# capacities— Sturdy-all welded-for heavy duty use

				Height		1
Model No.	Capacity	Width	Length	Differential	Weight	Price
196700	6000#	48"	36"	3"	223#	\$185.00
196702	6000#	60	36	3	272#	223.00
196704	6000#	48	48	5	291#	239.00
196706	6000#	60	48	5	353#	274.00
196708	6000#	48	60	7	358#	278.00
196710	6000#	60	60	7	434#	321.00
196712	6000#	48	72	9	426#	316.00
196714	6000#	60	72	9	515#	368.00
196732	10000#	48"	36"	3"	331#	\$245.00
196734	10000#	60	36	3	406#	301.00
196736	10000#	48	48	5	430#	317.00
196738	10000#	60	48	5	527#	375.00
196740	10000#	48	60	7	529#	376.00
196742	10000#	60	60	7	647#	460.00
196744	10000#	48	72	9	629#	446.00
196746	10000#	60	72	9	769#	543.00

AS LOW AS \$185.00 · Lifting chains for handling with equipment Litting chains for handling with equipment
 Safety side rails
 Tread pattern surface plate with beveled edges
 Locking brace between dock and trucks
 Painted dark green with safety yellow side rails
 Speeds up loading operations & cuts down labor costs
 Prevents accidents



In use-truck lower than dock level



In use-truck higher than dock level

truck ramps provide for one man operation with

Crowned to compensate for height differences

To determine height differential, measure the difference in height between the top of your loading dock and the bed of your truck. The same dock board can be used for trucks higher or lower than your loading dock, as long as trucks fall within the same height difference (above or between the control of th

trucks fall within the sahe height difference below dock.

For 3" height difference + use 36" long dock board

For 5" height difference + use 48" long dock board

For 5" height difference + use 60" long dock board

For 9" height difference + use 72" long dock board

NOTE: For ease of operation overall width of dock board

should be 12 wider than lift truck and load

AS LOW AS \$67.00

ALUMINUM DOCK PLATE

Lightweight...cut loading costs and hazards— Now designed to meet

OSHA Spec. No. 1910.30 (A)

Reduce your truck loading costs. Safety legs prevent "out of position" hazards. Light weight minimizes lifting strains. Beveled edges and crowned construction results in smooth entry and exit.

DOCK PLATES



Model No.	Size (WxL)	Weight	Height*	Load cap.	Price
244340	36" x 24"	45	3"	3400	\$ 67.00
244342	36" x 36"	61	5"	2300	96.00
244344	36" x 48"	81	8"	1900	124.00
244346	48" x 24"	55	3"	5200	85.00
244348	48" x 36"	79	5"	3500	120.00
244350	48" x 48"	104	8"	2600	153.00
244352	60" x 48"	126	8"	2900	193.00
244354	60" x 60"	157	10"	2000	240.00
244356	48" x 48"	131	8"	3800	205.00
244358	60" x 48"	160	8"	4700	250.00

^{*}Height is the difference of truck above or below the dock

ALUMINUM WALK RAMP

Multiply your manpower

- The ideal space-spanner
- Light and mobile
- Fast one man positioning
- "Sure-trac" deck surface Light weight maintenance free aluminum construction with "I" beam understructure provides maximum strength and stability. TWO YEAR GUARANTEE on material and workmanship.

"Sure-trac" deck surface. **Assures** positive All-weather traction.



AS LOW AS 128.00



	iviax. rise		Overall			
Model No.	20° angle	Length	width*	Capacity	Weight	Price
244250	26"	7'	30"	1350	67	\$128.00
244252	26"	7'	42"	950	84	181.00
244254	34"	9'	30"	1350	84	157.00
244256	34"	9'	42"	950	106	217.00
244258	42"	11'	30"	1350	101	179.00
244260	42"	11'	42"	950	127	264.00
244262	51"	13'	30"	1350	118	210.00
244264	51"	13'	42"	950	148	300.00
244266	64"	16'	30"	1350	144	243.00
244268	64"	16'	42"	950	180	361.00

^{*}Usable width - 21/2" less than overall width.

PLUS 8% F.E. TAX

WHEEL RISERS Skidproof for faster loading...unloading 24,000 LBS CAPACITY PER PAIR

These heavy duty ramps make it easy to bring a truck or trailer into your dock at a smooth working level, gives you faster loading and unloading. Constructed of rugged light weight aluminum with non-skid safety

Model No.	Height	Level Length	Incline Length	Width	Weight	Price each
244360	6"	30"	20"	18"	55	\$147.00
244362	6"	30"	20"	24"	69	175.00
244364	8"	30"	26"	18"	67	168.00
244366	8"	30"	26"	24"	86	196.00
244368	10"	30"	32"	18"	86	205.00
244370	10"	30"	32"	24"	102	234.00
244372	12"	36"	38"	18"	110	247.00
244374	12"	36"	38"	24"	129	281.00

TRUCK DOCK SHELTERS

"EXPANDER - SEAL"

Why you need up-to-date loading dock protection

- Protect merchandise from damage due to exposure to the elements.
- · Prevent work slow-downs and absenteeism due to reluctance to work unprotected in bad weather.
- Prevent accidents caused by wet or icy floors.
- Prevent high insurance costs and penalties resulting from accidents.

Vehicle contact with shelter causes panels to open up completely. Spring-like action of vicryl lining insures close conformation of top and side sealing panels to truck Safety X-braces and rubber bumpers form part of new expandor-seal framework. Although basically rigid, framework is designed to yield if accidentally struckthereby avoiding serious damage

Standards are designed on 8'0" maximum permissible width of highway transports (8'4" with doors opened flat against sides) and 3'9" minimum platform height. Shelter is designed to accommodate vehicle heights from 11'6" to 13'6"

SPECIFICATIONS

TRUCK ACTUATED

- 1. Seal Panels-.080 vicryl pvc acrylic alloy covered inside and out with ultra-heavy-duty nylon-reinforced, 22oz. vinyl impregnated fabric. Seams electronically heat sealed.
- 2. Cover, Shelter-single thickness 18 oz. heavy-duty nylon, vinyl impregnated.
- 3. Sealing strips-\%''\x1\%'' aluminum flat bar. Secures cover to mounting frame
- 4. Sealing Angle-%"×1"×2" aluminum angle. Secures cover to front frame
- 5. Front Frame-4"×1" profile steel channel. Plated rustproof finish. 6. Extension Arms-1½"×1½" square steel tubing. Plated rustproof finish
- 7. Slide Tube-1%" diameter steel tubing. Plated rustproof finish. 8. Slide Bearing-2" diameter × 1%" long bearing with oilite bushing. Plated rustproof finish.
- Slide Collar-1%" I.D.-2" O.D.×%" thick. Restricts spring travel.
 Safety Springs-tempered steel. Designed to hold frame rigid but yield under accidental pressure to avoid damage.

 11. Mounting Frame-4"×1" formed steel channel with rust proof
- finish.

13.		nick formed		e for spotting truers projecting 12'	
Model	Width	Height	Extension	Openings to 10'0" wide 10'0" wide	Price
186151	11'0"	10'6"	2'0"		\$513.00
186153	11'0"	10'6"	4'0"		553.00

TRAILER STABILIZING JACKS

DELUXE MODEL

- 8" diameter wheels
- Height adjustable from 40" to 51"
- Base: 18" square with reinforcing ribs and braces
- Ratchet: Heavy duty malleable iron.
- Accommodates up to 9° tilt off level
- All welded steel construction
- Painted eye-catching Alert Orange

Model No. Description Price

132050 3½" Cap \$210.00 ea.

PLUS 8% F.E. TAX

• Optional 8" CAP - distributes load over larger area, slips over standard 3%" cap. Held in place by hardened socket head screws

132052 8" dia. Cap \$20.00 ea.

PLUS 8% F.E. TAX



FULLY GUARANTEED FOR ONE YEAR





A "must" for loading and unloading trailers safely

LIFTING CAPACITY 50,000# 100% SAFETY FACTOR

- Prevents collapse of trailer landing gear
- · Levels front and rear of trailers
- Prevents tipping of trailers




Use jacks singly or in pairs

EASY TO POSITION

- Jack handle in stored position serves as steering lever
- Balances and maneuvers easily on ball bearing wheels

EASY TO OPERATE

 Ratchet head and 40" long handle make it possible for worker to stand upright while operating jack.



ECONOMY MODEL

20,000 lbs. capacity. Lightweight - 31 lbs. Adjustable 36" 48". Finished in bright yellow

Model No. 244236 \$75.00 ea.

PLUS 8% F.E. TAX



Model No. 186165 - CURTAIN TYPE

\$230.00

For door openings 8' wide to 10' high, accommodates trucks 11'6" to 13'6" high. Weighted drop curtain forms the head seal and drapes over face of vertical foam pads to seal variety of truck heights. Curtain is secured in position against the side pads by means of elastic ropes. Vertical foam pads accommodate opening heights to 10'0"

Model No. 186161 - STANDARD TYPE

\$271.00

Foam pads on three sides. Recommended door opening: 7'4" to 8'0" wide x 8'0" high.

> SPECIFY HEIGHT AND WIDTH OF DOOR OPENING (DOCK BUMPERS NOT INCLUDED— SHOULD BE USED TO PROTECT DOCK SEAL)

LOADING DOCK DOOR SEALS

Save Fuel and Heating Costs

- · Protect merchandise from damage due to exposure to the elements.
- Prevent slow-downs and absenteeism due to rejuctance to work unprotected in bad weather.
- · Prevent high insurance costs and penalties resulting from accidents.

No sewn-on stripes to rip off; no paint to chip or wear.


You spend good money to heat or air condition your plant. Why pour it out of wide-open doors at your loading dock?

Seal in processed air, comfort and profits. Seal out dirt, weather and contamination. Door seals make trucks and trailers temporary extensions to your plant, with safety, comfort and efficiency.

Designed for truck and trailer loading docks with no projecting platforms. The vehicle, with rear doors open, backs up against door seal, guided by the vertical yellow stripes, and makes a squeeze fit that forms a perfect seal. Pads are 12" x 12" including 2"wood backing; length as required. For 8'0" wide openings angle brackets are provided to reduce opening width to 7'4".

Both Models Give These Outstanding Features:

- Ultra heavy-duty Nylon-reinforced vlnyl impregnated 22-oz. fabric. Grab tensil 500/400 Lbs.; tongue tear 150/150 Lbs.; adhesion 10 Lbs. minimum. This ultra-weight, ultra-strength permanently waterproof material requires no additional protection.
- 2. Dense polyfoam filler, chemically welded to a seasoned wood frame encased by vinyl cover.
- 2" thick weatherproofed seasoned wood frame.
- 4. 4" wide x 10" long 11 ga. steel brackets, enamel-coated.
- 5. 4" x 4" x 1/4" x 6" long formed steel angle brackets, enamel-coated. Model No. 186161



HEAVY DUTY DOCK BUMPERS

Eliminate damage to your shipping dock.



Constructed of fabric impregnated rubber pads compressed to give maximum strength and wear. angle iron end plates pre-drilled for quick installation.

Allow 12" between each bumper for dependable protection.

Absorbs over 80% of impact force.

Size overall	Price	Model
LxHxD	ea.	No.
14"x10"x4"	\$18.75	276480
20"x10"x4"	23.00	276482
26"x10"x4"	26.50	276484
38"x10"x4"	34.00	276486
	LxHxD 14"x10"x4" 20"x10"x4" 26"x10"x4"	LxHxD ea. 14"x10"x4" \$18.75 20"x10"x4" 23.00 26"x10"x4" 26.50



Size overall LxHxD 14"x12"x41/2" \$25.30 20"x12"x4½" 26"x12"x4½"

38"x12"x41/2"

Price ea.

30.85

33.00

38.50

QUANTITY **DISCOUNTS** 5-11-Less 10% 12 & UP-Less 20%

FLEXIBLE RUBBER IMPACT DOORS

Safe, fast, strong, self-closing for openings up to 10'0"

At these new low prices, every plant, every warehouse, every loading dock can have all the traffic doors it needs for up-to-date, cost-cutting, non-stop movement of goods and material... with standard of safety impossible to achieve by any other method.

Notes: For in-between sizes, use price for next largest size.

*When ordering, always state "one pair of doors to fit" and give exact opening size.

If single panel is required, use price for double width, divide by two, and state "single panel."

Double-acting, self-closing impact doors allow plant traffic to move freely, safely and quickly between different departments...or from inside areas to outside loading docks.

INSTALLATION

Doors are made for easy installation in 6" minimum channel jambs for openings up to 10'0" x 10'. Openings must be plumb and square. Installation instructions are supplied with every door.

"Actoseal" – exclusive feature. Allows installation with only ½ " clearance at floor and header. MAIL YOUR ORDER TODAY



MODEL No. 186457


HEIGHT	WIDTH -											
	4' - 0''	5' - 0"	6' - 0''	7' - 0''	8' - 0''	9' - 0"	10' - 0''					
6' - 0" 7' - 0"	\$599.00 641.00	\$651.00 691.00	\$707.00 750.00	\$756.00 851.00	\$804.00 901.00							
8' - 0'' 9' - 0''	686.00	739.00	793.00	904.00	968.00	\$1099.00	\$1126.00					
10' - 0"		837.00	878.00 1007.00	982.00 1087.00	1096.00 1134.00	1118.00 1170.00	1164.00 1227.00					

DOCK LIGHTS Heavy duty, shock proof

MEETS OSHA REQUIREMENTS

Shipping and receiving dock areas. Loading operation equipment is subjected to rough usage. Loading lights are no exception. Dock lights are designed to withstand such damage... especially bulb damage.

- Four-way, shock-absorbing mount cushions bulb ... extends bulb life to the limit.
- Heaviest gauge metal of any dock light made...withstands rough usage.
- Independent switch pre-wired to box or arm,no hanging cords.
- Safe to use...does away with awkward, dangerous, temporary hook-ups.
- Quickly pay for themselves...in faster, safer and more efficient loading and unloading.
- Bulbs not included.



Model No. 274302 274304 274306 Description single arm – 24" double arm – 40" double arm – 60"

\$63.95 74.95 93.95

BUY DIRECT FROM GLOBAL AND SAVE!

IMPACT TRAFFIC DOORS

SELF-CLOSING / DOUBLE-ACTING SHOCK-ABSORBING

A high-visibility, wide-vision, see through traffic door that will absorb heavy shocks

- Integral shock absorbing bumper design protects doors and loads from damage.
- Vista Vision double panel LEXAN Shatterproof insulating windows give a clear, unobstructed view for speedier traffic and greater safety.
- Foam insulated panels and compressible seals at top, sides and center for temperature control.

SUBSTANTIAL SAVINGS

Installation of doors result in many direct and indirect savings:

- Save on heat, refrigeration, air conditioning
- Prevent accidents.
- Avoid damage to equipment and merchandise.
- Save on door maintenance.
- Control temperature and humidity for production efficiency.
- · Expedite handling and shipping.
- Reduce labor trouble by sealing off drafts, dust, fumes, etc.

EASY MAINTENANCE

Specially designed hardware for impact traffic doors is extraheavy-duty, long wearing and rarely needs replacement... far outlasts conventional spring hinges. Self-lubricating oilite V-cam hinge bearings need no attention. Cam-follower needle roller bearings are permanently self-lubricating and sealed. Door panels are of high-impact, abrasion-resistant Vicryl—a PVC acrylic alloy of exceptional toughness and durability. Color is impermeable, never needs repainting or replacing. Doors are washable, easy to keep clean and fresh.

	186201		·	Width			
Height	4'-0"	5'-0"	6'-0"	7'-0"	8'0"	9'-0"	10'-0"
6'-0'' 7'-0''	\$727.00 764.00			\$932.00 1022.00	\$987.00		
8'-0"	809.00	877.00				\$1266.00	
9'-0"	901.00 956.00			1218.00 1304.00	1327.00 1405.00	1504.00 1530.00	1590.00 1712.00

Notes: For in-between sizes, use price for next largest size.

*When ordering, always state "one pair of doors to fit" and give the exact opening size.

If single panel is required, use price for double width, divide by two, and state "single panel.

Vinyl Seals

Vinyl Seals

Vinyl Seals

Heavy-duty ½"

rubber bumper

Heavy-duty ½"

14 Ga. steel shaft

Urethane Foam Core

Heavy-duty ½"

14 Square

Heavy-duty ½"

14 Square

Impact traffic doors are opened by pallet, truck or load contacting the flexible, shock-absorbing rubber bumpers. If a load is unstable the danger of swipe-off is minimized because with the bumper contact is made by the lower, central portion of the load, the most stable portion.

"SWING-A-WAY" LOADING LIGHT



Spring suspended - Swivel mounted

Cut relamping costs. Overhead Mounted Fixture will bend and swivel at the slightest impact. Returns to original position. Universal mounting bracket available for overhead doors that open inside.

- UL LISTED "IMPACT RESISTANT FIXTURE"
- LAMP FACE RECESSED TO PREVENT BREAKAGE
- LIGHTHEAD ADJUSTS TO POSITION
- COMPLETE WITH 3' WIRE CORD FOR ATTACHMENT TO JUNCTION BOX. (LAMP NOT INCLUDED)

Model Price 3 Or No. Description 1 or 2 more 273308 Loading Light \$50.40 \$56.00 Universal Mtg. Bracket 273310 22.50 25.00 273312 Wire Lamp Guard 6.25 5.65

As Low As \$50.40






CRANE DUMPING BUCKET

> Bale Handle Tested To 30,000 Lbs.

AS LOW AS \$494.00

Self-Dumping... Automatic Return... Self-Locking





Increase production and reduce costs! Easy lever release permits easy dumping of bulk materials, waste, scrap...Constructed of hot rolled steel with continuous welded seams. Reinforced at all stress points.

	Model No.	Cap.	Bucket Dim. W"xL"H"	O.H."	D.H."	Wt.	Price
	INO.	Cu. Tu.	VV XL II	0.11.	D.FT.	LUS.	THE
7	08100	3/4	30x50x28	431/2	60	675	\$494.00
7	08102	1	36x52x30	461/2	681/2	750	563.00
7	08104	11/2	45x60½x33½	54	741/2	975	681.00
7	08106	2	48x64½x36	59	80	1100	847.00

AUTOMATIC LIFTING CLAMP

Lift plates, beams, weldments, assemblies from any position, horizontal or vertical. Heavier the load, the tighter the grip, even under swinging loads.

- Drop forged and heat treated
- 5 to 1 safety factor
- Completely enclosed mechanism
- Case-hardened tool steel jaws

Model No.	Cap. Tons	Grip	Α"	Dimen:	sions C"	D"	Wt.	Price
716100	12	0-5/8"	103/4	21/4	13/4	1	4	\$ 57.20
716102	1	0-3/4"	1412	27/8	17/8	11/2	91/2	80.30
716104	2	0-1"	141/4	27/8	17/8	11/2	101/2	107.80
716106	3	0-1"	19	31/2	212	2	2112	138.60
716108	4	0-11/2"	20	312	212	2	251/4	170.50
716110	7	0-112"	26 ¹ ²	41/4	31/2	25/8	56 ¹ 2	343.20



For Speed and Greater Safety

Simply insert heat-treated pivoting wedge between stacked coil, automatically tuns coil to vertical position as coil is lifted. Wedge acts as retainer for coil and assures operator safety. Coils should have spacer blocks to accommodate wedge lip.

AS LOW AS \$183.95



Model	Cap.			
No.	Lbs.	Dim A"	Dim B"	Price
704100	1000	6	13"	\$ 183.95
704102	1000	12	13"	218.50
704104	2000	8	16"	253.00
704106	4000	10	18"	414.00
704108	7000	12	20"	948.75
704110	10,000	12	24"	1075.00

Perfect for use with our low cost fork lift hook. See page 104


LOCKING CLAMP

1/2 to 2 Ton Model

Locks open or closed with easy to operate lever. Spring loaded cam trips automatically when lifting from horizontal to vertical.

- Completely enclosed mechanism
- Wide face pad for larger gripping area
- Sliding pad permits easy release
- 5 to 1 safety factor
- Minimum maintenance due to fewer parts





Model	Cap.			Dime	nsions			
No.	Tons	Grip	A"	B"	C"	D"	Wt.	Price
716200	1/2	0-5/8"	105/8	21/4	13/4	7/8	61/2	\$ 88.00
716202	1	0-3/4"	141/4	27/8	17/8	11/8	121/2	121.00
716204	2	0-1"	145/8	27/8	17/8	11/2	14	144.65
716206	3	0-11/4"	131/4	3	2	11/2	14	151.80
716208	5	0-11/2"	15	31/2	23/8	13/4	18	251.90
716210		11/4-21/2"	15	31/2	23/8	2	22	358.60
716212	6	1/8-11/2"	15	31/2	212	11/2	28	426.80
716214		1/4-21/2"	21	5	31/2	21/4	55	458.70
716216	8	2-4"	22	5	31/2	21/4	60	559.90
716218		4-6"	/22	5	312	21/2	70	629.20
716220		1/4-21/2"	23	5	312	23/4	74	613.80
716222	12	2-4"	23	5	312	3	80	671.00
716224		4-6"	24	5	312	3	87	717.20
716226		1/4-3"	25	5	312	33/4	110	1046.10
716228	20	3-512"	25	5	31/2	33/4	122	1136.30
716230		51/2-8"	25	5	312	33/4	136	1226.50

ELECTRIC HOISTS

This "Low Headroom" precision made electric hoist is dependable, safe, low in cost and upkeep, and above all, fast and efficient. No matter what your application: Suspension, Monorail, Jib Crane, Overhead Traveling Crane or Gantry Crane; these electric hoists can do a better job for you.

4 STAR FEATURES:

- ★ Dust proof frames made entirely of steel plate
- ★ Heavy duty 5/16" hi-tensile chain
- ★ Low headroom
- ★ Easy operation to insure efficiency

ADDITIONAL LIFTING HEIGHTS AVAILABLE 115/230 V 1 Phase Pushbutton Control - 10 foot lift

Capacity Ibs. 1100 2200 4400 6600	Model No. 292141 292143 292145 292147	Lifting speed FPM 13½ 9 4.8 3.0	Headroom 19" 19½" 23½" 30½"	10 ft. lift Price \$504.00 568.00 748.00	**Raddi for extra 5' or lift ***79.20 **79.20 **96.20 **111.70
11000	292147	3.0	30½"	1083.00	111.70
	292149	1.8	43½"	1335.00	162.95

220 volt-3 phase-Push Button Control-10 foot lift

		Lifting speed			Add'l for extra 5' of
Capacity lbs.	Model No.	FPM	Headroom	Price	lift
2200	292123	16.7	20¼"	\$524.00	\$79.20
4400	292125	8.4	26½"	722.00	96.20
6600	292127	5.6	32"	1094.00	111.70
11000	292129	3.3	35"	1381.00	
			00	1301.00	162.95

NEW! HIGH SPEED MODEL -220 volt -3 phase - Push Button Control - 13 foot lift

		1	ifting speed			extra 5' of
Ca	pacity lbs.	Model No.	FPM	Headroom	Price	lift
	2000	292131	29.7	21"	\$668.00	\$86.20
	4000	292133	27.1	24"	945.00	111.70
	6000	292135	16.1	34"	1318.00	128,70
	10000	292137	10.9	40"	1680.00	180.45
440	O volt can	be furnished a	at no addition	nal cost		



Ball bearing wheels.
Adjustable to fit width of beam.
Self aligning frames.

"I" BEAM TROLLEYS

Capacity	"I" beam	"I" beam		
in tons	vert. size	flange width	Model No.	Price
1/2	4"-12"	3"-5"	292050	\$ 44.75
1	5"-12"	3"-5"	292052	62.00
1½	5"-12"	3"-5"	292054	89.00
2	6"-18"	4"-6"	292056	112.00
3	6"-18"	4"-6"	292058	122.00
5	6"-18"	5"-7"	292060	196.00

LEVER HOIST

- Dependable
- Safe-tested to 150% of rated capacity
- 5' standard lift
- All-position
- Easy to use
- Lightweight

Constructed of special type steel with needle bearings for long life. The unique brake and quick reverse system is designed for safety. This versatile hoist is designed for pulling or hoisting in all types of industry.

COIL CHAIN TYPE

			Min.	Lever pull			Add'l for
(Capacity	Model	between	to lift full			extra 10'
	lbs.	No.	hooks (in.)	load (lbs)	Weight	Price	of lift
	1000	292085	12	62	/ 14	\$ 91.00	\$ 58.85
	1500	292087	13	68	/ 20	103.00	58.85
	3000	292089	17	60	34	136.00	91.35
	6000	292091	23	62	42	188.00	162.35
	9000	292093	24	66	63	321.00	256.35
	12000	292095	27	71	84	405.00	330.85

ROLLER CHAIN TYPE-FOR A SMOOTHER LIFT

		Min.	Lever pull			Add'l for
Capacity	Model	between	to lift full			extra 10'
lbs.	No.	hooks (in.)	load (lbs)	Weight	Price	of lift
1500	292097	13	68	20	\$121.00	\$ 72.80
3000	292099	17	62	35	165.00	153.35
6000	292101	23	66	47	233.00	237.35
9000	292103	24	73	64	367.00	348.35





CHAIN HOISTS

Triple spur-gearedDrop forge steel hook

• Tested to 150% overload

Light weight

Low headroom

• All gears molybdenum steel

Lifting capacity		Standard		1	Additional for
in tons	Model No.	lift	Weight	Price	extra 10' of lift
1/2	292071	10'	25	\$ 71.50	\$ 43.50
1	292073	10'	36	95.25	43.50
11/2	292075	10'	57	132.00	66.00
2	292077	10'	75	149.00	85.00
3	292079	10'	84	203.00	144.00
5	292081	10'	156	310.00	275.00

GLOBAL SAVES YOU TIME, WORK, MONEY

PORTABLE TELESCOPIC **GANTRY CRANES**

Raises and lowers in 12" increments for different headroom requirements. Heavy duty steel wheel casters for easy maneuverability. 10 foot span, 12 6 O.L.

7" AMERICAN STANDARD

"I" BEA	M	Maxim	um		
	,	height	"6" swivel		
		under	casters	Height	
Model I	٧٥.	beam	"A"	adjustmen	t Price
502020	0	7'0''	4'	3'4"	\$628.50
50202	2	9'0"	5' "	4'4"	659.90
50202	4	10'0"	5'6"	4'4"	693.20
50202	5	12'0"	6'6"	4'4"	722.85
50202	8	14'0"	7'6"	4'4''	785.70

4000 LB. CAPACITY - 8" AMERICAN STANDARD

		IVICIALITIC			
		height	"8" swivel	Height	
Model	No.		casters "A"	adjustment	Price
5020	30	7'0"	4	3'4"	\$ 941.75
5020	32	9'0''	5	4'4"	975.25
5020	34	10'0"	5'6"	4'4"	1010.90
5020	36	12'0"	6.6	4'4"	1053.00
5020	38	14'0"	7'6''	4.4	1100.50

Additional for two floor locks - \$53.25

Trolley and hoist not included. See page 97


1 and 2 ton capacity

SELF - RAISING

ADJUSTABLE GANTRY CRANE

Roll to work area...adjust height...one man does it all! Winchoists mounted on sliding tube sections of legs easily adjust to desired height. Positive locking pins hold "I" beam in place. 11 ft. span inside legs, 8 ft. min. to 12 ft. max. height. Swivel casters for easy movement.

	Capacity		
Model No.	Tons	"I" Beam	Price
374400	1	6"	\$1120.35
374402	2	8''	1202.85






WINCHES

Sturdy . . . efficient . . . dependable . . . economical

- · Double gear-low or high speed
- Steel plate frames
- · Recessed cable anchors for smooth winding
- Covered gears for safety
- Positive spring controlled ratchet
- External hand type brake



Model No.	Cap Tons*	Cap.	Cable	Winch Price	Cable Ft.	/ Hook**
374301	1	75'	1/4"	\$105.70	\$.46	\$ 20.60
374 303	1	150'	1/4"	108.40	.46	20.60
374305	1 1/4	90'	5/16"	158.67	.70	22.32
374307	2	150'	3/8"	304.45	.95	27.16
374309	5	160'	1/2"	513.85	1.30	58.08


- Based on two layers of cable on drum
- Swivel safety hook attached to cable with sleeve

Safety brake handle Recommended for lifting and lowering, where the load is apt to get away; load is automatically held when you stop cranking.

Model No.	Size	Price
374310	1 & 1¼ Ton	\$33.75
374312	2 Tons	95.33
374314	5 Tons	109.73

WORM GEAR

POWER WINCHES



- *Based on two layers of cable on drum.
- **Swivel safety hook attached with sleeve

- Compact, quiet, enclosed machine cut gears Drum type reversing switch
- Alloy steel shafts—bronze bearings
- Ball thrust bearings on worm shaft
- Totally enclosed motor chain
- 115/230V., 1 PH. ball bearing motor
- 8 ft. ext. cord provided (up to 1 H.P.)

Model No.	Capacity* Lbs.	Motor H.P.	Cap.	Cable	Winch Price	Cable/ Ft.	Hook**
374501	700	1/2	75′	1/4"	\$447.92	\$.46	\$20.60
374503	1000	3/4	75′	1/4"	475.88	.46	20.60
374505	1300	3/4	300'	1/4"	686.80	.46	20.60
374507	1300	_1	75'	1/4"	510.30	.46	20.60
374509	1700	1	140'	1/2"	720.12	1.30	20.60
374511	2400	1 1/2	140'	3/8"	773.84	.95	22.32
374513	3200	2	140'	3/8"	819.90	.95	27.18

For vertical lifting or positive holding, the addition of an electric brake is strongly advised. Add "B" to Model No. and \$132.45

IMPROVE YOUR MATERIAL HANDLING...ORDER TODAY



JIBBOOM - CRANE

132308

MOVE BULKY LOADS YOUR FORK LIFT ALONE CAN'T HANDLE

· Safety chain welded to boom has grab hook for anchoring jibboom to truck mast.


Two swivel hoisting hooks.

· Spring-loaded steel pin locks boom securely in any of 10 positions.

• 5 intermediate support points under boom for added support of long loads.

673

Converts your fork lift instantly...unlimited uses. Simply slip forks of your counterbalanced lift truck into fork pockets of jibboom and attach safety hook to truckmast. Verify load center capacity of your fork lift truck.



Inside Dimensions Fork Pockets 51/2" x 21/2" for 4000 # Capacity 71/2" x 31/2" for 6000 # Capacity

Dimension''S'

	Capacity	6,000# 5,365#	4,850# 4,425#	4,070# 3,765	# 3,505# 3,2	80# 3,080# 2,9	00#	4	100
ı			. Capacity			6,000 Lb. Cap	pacity		
	Model No.	Dim. "S"	vVt.	Price	Model No.	Dim. "S"	Wt.		Price
	132300	11"	365	\$372.00	132320	13"	517		\$570.00
	132302	24"	441	625.00	132322	24"	602		775.00
	132304	30"	461	655.00	132324	30"	628		795.00
	132306	36"	472	680.00	132326	36"	6/2	1	820.00

710.00 | 132328

109" 116"

PORTABLE FLOOR CRANE

Goes anywhere!

Lifts hydraulically 1500 LBS. from 39" to 96"H.

Knocks down and sets up in 60 seconds for easy storage



Lifts 1,500 Lbs. to 8 feet high. Easily dismantles into six pieces for easy storage. 401/2" W. O.D.,36" W. I.D. long boom. 39" lowered

By-pass valve prevents overloading and damage

Slow release valve for positive control when lowering load

4,000 Lb. high test chain

casters Model No. \$425.00

HI-RISE BOOM

102"

95"

Same excellent features as above except increases height to 68" above fork

position. 36" deep fork pockets for added stability.

		O		9	
Model No. 132500 132502 132504 132506 132508	4,000 Lb. Dim. "S" 10" 24" 30" 36" 42"	Wt. 556 624 645 656 683	Price \$640.00 775.00 795.00 820.00 850.00	tocomenture des efficientes reconsciones de la companya del companya de la companya de la companya del companya de la companya del la companya de la company	
Model No. 132510 132512 132514 132516 132518	6,000 Lb. Dim. "S" 12" 24" 30" 36" 42"	Capacity Wt. 782 877 898 913 945	Price \$ 900.00 1075.00 1100.00 1135.00 1170.00		

ECONOMY BOOM CRANE

8 ft. non-telescoping boom, handles long loads with ease. 2,000 lb. capacity on end hook position, 3,000 lbs. on three intermediate support points under boom.

> Model Fork No. Pocket Fork Pockets Price 132400 5½" x 2½" 10" \$250.00 132402 71/2" x 31/2" 12" 285.00

SELF - RAISING FLOOR CRANE

1000-3000 LB. CAPACITIES

Automatic safety relief valve prevents overloading

For efficient handling of bulky, awkward loads. Improved design provides low cost combined with utility

• Completely self-contained hydraulic system with single-action, manual pump. • Swivel hook with safety latch

Roller bearing wheels

	Capacities	(105)			Hook	100			
	2nd	3rd	Fully	Boom	height	Frame overall	Width		
Model No. Retracted	ext.	ext.	extended	length	extended	LxWxH	I.D.	Wheels	Price
220108 1000	750	-	450	45"-57"	27"-118"	53"x35"x72"	30"	Hard rubber	\$378.00
220110 2000	800	400	300	58"-90"	23"-136"	68"x34"x76"	29"	Steel	640.00
220112 3000	1200	700	500	59"-86"	27"-132"	68"x36"x77"	31"	Steel	775.00

220116 Floor lock \$ 53.50

GLOBAL SAVES YOU TIME, WORK, MONEY



when sling is cut or damaged.

• Protects load from marring or scratching. · LONG LIFE! Resists rot, mildew, most chemicals and shock absorbing to

· Soft and extremely flexible.



cushion loads

LOOP EYE - Two reverse eyes. Eye width is ½ the sling width


	Rated capacity lbs.									
		Choker	Basket	Basic	Ea. add'l					
Model No.	Width	@30°	@90°	3' length	foot					
306601	2"	2000	4000	\$10.35	\$.75					
306603	27	3000	6000	12.45	.95					
306605	2"	4000	8000	16.10	1.05					
306607	3"	3000	6000	12.95	1.10					
306609	3''	4500	9000	16.50	1.55					
306611	3"	6000	12000	19.55	1.65					
306613	4''	4000	8000	17.95	1.40					
306615	4''	6000	12000	21.95	2.05					
306617	4''	8000	16000	27.40	2.20					
306619	6''	6000	12000	23.75	2.40					
306621	6''	9000	18000	32.50	3.10					
306623	6''	12000	24000	39.95	3.20					

HOW TO ORDER

1. Select the best type sling for the application.

2. Determine the required sling capacity. Catalog rated capacities for each type hitch are specified.

(10



bearing to bearing sling length

4. Order by sling stock number and specify length in feet.

3. Determine bearing to

bearing length to safely

lift load

Rated capacities are given with a 90° sling-to-load angle for a basket hitch and a 30° sling-to-load angle for a choker hitch.

ENDLESS TYPE - For all-purpose lifting. Load contact and lifting points change with every lift, giving maximum wear for better economy and safety

		Rated ca	pacity lbs.		
		Choker	Basket	Basic	Each
Model No.	Width	@30°	@90°	3' length	Add'l foot
306101	1"	2000	4000	\$5.25	\$.75
306501	1"	3000	6000	7.25	1.00
306503	1"	4000	8000	8.70	1.20
306105	2"	4000	8000	7.95	1.45
306505	Sar	6000	12000	10.75	1.95
306507	2"	8000	16000	13.95	2.10
306109	344	6000	12000	11.50	2.15
306509	3''	9000	18000	15.95	3.10
306511	3''	12000	24000	19.95	3.30
306115	4''	8000	16000	15.75	2.80
306513	4''	12000	24000	21.95	4.05
306515	4"	16000	32000	27.90	4.40
306119	6''	12000	24000	25.70	4.80
306517	6''	18000	36000	33.95	6.20
306519	6''	24000	48000	41.60	6.40

DUAL EYE TYPE — The toughest, most versatile heavy duty sling any where. Reversible eye and body for extra life. Eye width is ½ the sling width Has one reversible eye and one flat eye.

		Rated ca	pacity lbs.		
		Choker	Basket	Basic	Each
Model No.	Width	@30°	@90°	3' length	Add'I foot
306303	2"	3500	7000	\$17.25	\$2.95
306701	2"	4500	9000	18.75	3.20
306703	2"	6000	12000	23.35	3.35
306705	3"	5000	10000	25.80	4.40
306707	3''	7000	14000	27.70	4.65
306709	3"	8000	16000	30.40	4.95
306305	4"	7000	14000	27.30	4.55
306711	4''	10000	20000	29.50	5.25
306713	4''	11000	22000	32,60	5.45
306309	6''	10000	20000	40.60	6.80
306715	6''	12500	25000	44.60	7.95
306717	6''	16000	32000	55.95	8.30

TRIANGLE - CHOKER TYPE - Used for choker and basket lifting. Forged

Aluminum end	fittings.	Rated ca	Rated capacity lbs.							
		Choker	Basket		Basic	Each				
Model No.	Width	@30°	@90°		3' length	Add'I foo	t			
306801	2"	2000	4000		\$22.95	\$.60				
306803	2"	4000	8000		28.50	1.05				
306805	3"	3000	6000		30.80	1.00				
306807	34.	6000	12000		40.70	1.55				
306809	4"	4000	8000		39.95	1.25				
306811	4"	8000	16000		51.05	2.20				
306813	6"	6000	12000		68.25	2.05				
306815	6''	12000	24000		82.60	3.20				

WALL MOUNTED JIB CRANES

Mounts easily on building, column, or other support. Positions at desired height. Complete with beam and mounting support with Timken tapered bearings.

180° ROTATION

			TOP BR	ACED		y	UND	ERBRA	CED		
	Capacity	Boom	" "	Model		Capacity	Boom	" "	Model		
	Lbs.	Length	Beam	No.	Price	Lbs.	Length	Beam	No.	Price	
		8′	6''	376520	\$334.00		8'	6"	376580	\$552.00	
		10'	7''	376522	339.00		10'	7''	376582	600.00	
	1000	12'	8''	376524	358.00	1000	12'	8"	376584	605.00	
		14'	8''	376526	388.00		14'	8"	376586	678.00	
		16'	8''	376528	436.00		16'	8"	376588	757.00	
		8′	7''	376530	346.00	-	8'	7''	376590	605.00	
		10'	8''	376532	388.00		10'	8′′	376592	642.00	
	2000	12'	8''	376534	406.00	2000	12'	8''	376594	726.00	
		14'	- 8''	376536	448.00		14'	8''	376596	830.00	
		16′	10"	376538	552.00		16'	10"	376598	890.00	
	-	8′	10"	376540	545.00		8'	10"	376600	787.00	
		10'	12"	376542	569.00		10'	12"	376602	860.00	
	4000	12'	12"	376544	630.00	4000	12'	12"	376604	890.00	
		14'	12"	376546	654.00	The same of the sa	14'	12"	376606	1084.00	
		16'	15''	376548	690.00		16'	15"	376608	1283.00	
	-	8′	12''	376550	593.00		8'	12"	376610	890.00	
		10'	12"	376552	654.00		10'	12"	376612	1005.00	
	6000	12'	12"	376554	678.00	6000	12'	12"	376614	1084.00	
-		14'	12"	376556	721.00		14'	12"	376616	1283.00	
00	9)	16′	15''	376558	787.00		16'	15"	376618	1392.00	

KIT STYLE

Build your own Jib Crane

Just weld or bolt "I" beam and the crane is completed



Quickly assembled by just sliding in your "I" beam and attaching it to the assembled beam plates.

Model	Cap.	Max.	Dim	
No.	Lbs.	Span	"A"	Price
	2000	25'		
376561	4000	16' }	54''	\$247.50
	6000	10'		
	4000	20'		
376563	6000	16'	60′′	\$368.50
	8000	8'		
	4000	25'		
376565	6000	20'	66"	\$545.50
	10,000	12'_		
	6000	25'		
376567	10,000	20'	78''	\$874.50
	12,000	10'		
			•	

(specify boom length and capacity.)

JIB CRANE

Cap

100

200

4000

600

Up to 10,000 lbs. capacity



Rugged crane complete with base plate, for bolting to floor, perfect for use in crowded areas to transfer machines, dipping, maintenance work and where overhead supports are not available.

HEIGHT.	TO	UND	ERSID	E O	F	BOOM .

		1	10'	3 6		12'		16'
). S.	Boom Length	Model No.	Price		Model No.	Price	Model No.	Price
00	8' 10' 12' 14'	376202 376204 376206 376208	\$792.00 807.00 915.00 1099.00 1241.00		376302 376304 376306 376308	\$822.00 838.00 944.00 1142.00 1283.00	376402 376404 376406 376408	\$955.00 971.00 1077.00 1324.00 1469.00
	16' 20' (8' 10'	376210 376212 376214 376216	1613.00 964.00 1041.00		376310 376312 376314 376316	1655.00 1007.00 1084.00	376410 376412 376414 376416	1834.00 1159.00 1247.00
00	12' 14' 16'	376218 376220 376222	1356.00 1450.00 1665.00		376318 376320 376322	1399.00 1511.00 1725.00	376418 376420 376422	1564.00 1693.00 1941.00
00	20' 8' 10' 12'	376224 376226 376228 376230	1916.00 1307.00 1375.00 1513.00		376324 376326 376328 376330	1976.00 1368.00 1435.00 1571.00	376424 376426 376428 376430	2248.00 1665.00 1729.00 1867.00
	14' 16' 20'	376232 376234 376236 376238	1634.00 1934.00 2481.00 1399.00		376332 376334 376336 376338	1693.00 1987.00 2564.00 1460.00	376432 376434 376436 376438	1979.00 2394.00 2981.00 1763.00
0	10' 12' 14' 16'	376240 376442 376244 376246	1506.00 1661.00 2045.00 2154.00		376340 376342 376344 376346	1567.00 1723.00 2137.00 2246.00	376440 376442 376444 376446	1867.00 2052.00 2392.00 2660.00
000	8' 10'	376248 376250 376252	2735.00 1966.00 2099.00		376348 376350 376352	2826.00 2082.00 2221.00	376448 376450 376452	3248.00 2512.00 2638.00
00	12' 14' 16' 20'	376254 376256 376258 376260	2365.00 2766.00 3650.00 3940.00		376354 376356 376358 376360	2360.00 2897.00 3834.00 4113.00	376454 376456 376458 376460	2790.00 3364.00 4369.00 4641.00

JIB CRANE ELECTRIFICATION

Rotation of boom without danger of twisting or snagging of wires. Adds 8" to overall height. Due to special assembly unit must be ordered at the same time as ib boom. Includes internal wiring fed from junction box, conduit tube and electrical rings.





BUILD YOUR OWN


Revolving Jib Crane

SELF SUPPORTING 360° ROTATION JIB HEAD ASSEMBLY INCLUDES:


- Jib head frame
- Top bearing plate
 Lower roller assembly
- Upper bearing assembly All you provide is the "I" beam, steel pipe column, and base

Weld your "I" beam onto the jib head Jib head completely assembled

Weld the top bearing plate, (included with the jib head assembly) onto your steel pipe and drop the jib head in place








3 Point Bearing Suspension



Bearings

PIPE BAR & TUBE STORAGE RACKS

BAR, PIPE AND ROD UNITS



Built for heavy duty use. 12" long arms are adjustable on 1½" centers. Double face model for center floor use and single face for use against wall. Finished in durable gray enamel. Shipped knocked down.








ADD-ON SECTION

	Price
Single face starting section 36"Wx22"Dx791/4"H	\$194.55
Single face add-on section 36"Wx22"Dx79¼"H	105.85
Double face starting section 36"Wx33¾"Dx79¼"H	248.85
Double face ado-on section 36"Wx33¾"Dx79¼"H	133.10
Extra arms for all models	4.95
	36"Wx22"Dx79\%"H Single face add-on section 36"Wx22"Dx79\%"H Double face starting section 36"Wx33\%"Dx79\%"H Double face ado-on section 36"Wx33\%"Dx79\%"H

BAR STOCK STORAGE RACK

To store bars, pipes, tubes, rods, etc. Preengineered for rigidity, strength and versatility. Capacity 490 lbs. per cubic foot. Nominal compartment size—9%" high, 10½" wide. Shipped knocked down complete with pre-cut components, hardware and simple erection instructions.




			No. of	Model	
Depth	Width	Height	Compartments	No.	Price
120"	48"	96"	32	160182	\$454.00
120"	96"	96"	64	160184	859.00
210"	48"	96"	32	160186	725.00
210"	96"	96"	64	160188	1334.00

BAR AND TUBE TRUCK

This rugged truck is designed for the moving of heavy loads of pipe, bars, angles, tubes, etc. Cradle design facilitates easy loading or unloading with either fork lift truck or crane sling. Caster arrangement permits truck to turn in its own radius. 12" diameter roller bearing steel load wheels. 8" diameter roller bearing steel swivel casters. Trucks are 28" wide, 29" overall height. Finished in gray enamel.





MODULAR BAR STORAGE RACKS

Stacks 8 to 10 high Patent No. 2801752

Efficient, low-cost storage rack takes only minutes for one man to set up. Sturdy, yet lightweight and easy to handle, they provide a highly flexible storage system for all types of materials. Installations are expandable in width, height and length. They are readily shifted to meet changing storage requirements.

Removal is fast and convenient. Cut-off lengths can be returned to storage and quickly identified next time needed


Simply stack to the depth, height and width you require for space-saving economical storage. Heavy-duty welded steel construction.




I	
ı	
I	
Į	1111

Rack Model No	COMPART Capacity Lbs.	*A''	0.D.	DIM.	D"	Price	4-Way Shelf Model No.	Price	Shelf Model No.	Price
340510	2500	16	12	131/2	12	\$15.65	340540	\$ 7.90	340530 \$	4.15
340512	3700	19	14	17	15	21.00	N/A		N/A	
340514	3700	19	14	17	15	22.65	340542	16.15	340532	8.45
340516	5600	22	15	201/2	18	23.85	N/A		N/A	2
340518	5600	22	15	201/2	18	26.20	340544	19.75	340534	9.65
340520	7500	26	16	231/2	20	35.50	340546	24.10	340536	12.30
*Inside [Dimensions	- A	and E	3, dedu	ct 4".					

Use two units to support 8'-10' long bars, three for 12'-16' and four for 16'-24'.



MOLITELE	COMPARTMENT	HACK COMP	non Post Co	ISTRUCTION
Rack	No. of	Capacity		
Model No.	Compartments	Lbs.	Width "	Price
340550	2	5,000	30	\$30.30
340552	3	7,500	44	38.80
340554	4	10,000	58	49.45
340556	5	12,500	72	64.20
340560	Shelf			3.95
340562	4 Way Shelf			7.90
		y		



STEELMOBILE

2000 lbs. capacity

- HANDLING
- TRANSPORTATION
- FEEDING of metal strip and bar stock to punch presses, shears, screw machines, etc.

Eliminates extra handling. Just roll stock to machines ... and start feeding



VERTICAL SHEET STORAGE RACK

Provides vertical access to sheet, plate and flat panels, offers an easily assembled structure for organizing awkward-to-handle materials. Time-consuming re-stacking of horizontal bundles and piles is eliminated. Random access to inventory becomes a rapid operation with all items fully visible and easily handled.

One standard size conveniently and neatly stores sheets ranging 8 to 12 feet in length and 3 to 6 feet in width. Five 6 inch angled compartments rated at 6,000 lbs. per opening. Can be assembled into continuous rows of desired length.

SIZE-120"L x 84"W x 36"H FINISH-GRAY ENAMEL

FLOOR PAN - 534" Wide support materials shorter than the 84" base channel span, drops in place in any compartment, locks in place. Model No. 340680 - \$ 26.20





Price

\$303.00

311.30

319.65

VERTICAL BAR RACK

The vertical bar rack keeps a limited supply of long parts close to the job. Long pieces stack vertically; shorter pieces are kept in the three pan shelves spaced at 21" intervals. Finished in gray enamel. 36" wide, 24" deep (bottom), 84" high. Bottom pan is 36" wide. 6" deep, with 1½" high flange.



712990 \$88.50

PORTABLE BAR **STORAGE RACKS**



Solves your storage problems.

- Carries heavy loads evenly distributed
- Saves time, floor space, money
- Stacks four high
- Built in stops prevent upright spread
- Heavy welded steel construction
- Stores bars, channel, angle, pipe, flats, etc.

Outside dimension

(A) 25" wide (B) 17½" high

(C) 4" wide bottom channel


Inside dimensions

(D)15½" wide bottom (E) 21" wide top (F) 15½" high upright


HORIZONTAL BAR STOCK RACK

All welded steel bar rack ruggedly built of angle steel. Perfect for the storage of an assortment of angle, pipe, bars, tubes, etc. Use two of Model 500988 for long lengths up to 20 feet. 9" arms on each side of frame are spaced 6" apart. Base size 30"x30", height 84". Gray enamel finish.





712988 \$97.15



ROLLER TYPE

Length Min. Max.	12" Wide Model No.	Price	20" Wide Model No.	Price
5'4" - 12'6" 7'4" - 17'6"	206100	\$430.00 588.00	206102 206106	\$626.00 871.00
9'4" - 22'6"	206104 206108	748.00	206110	1108.00
11'4" - 27'6"	206112	905.00	206114	1344.00

WHEEL TYPE

Lenath	12" Wide		16" Wide		20" Wide	
Min. Max.	Model No.	Price	Model No.	Price	Model No.	Price
 3'7" - 12'6"	206300	\$396.00	206302	\$468.00	206304	\$554.00
4'8" - 17'6"	206306	570.00	206308	630.00	206310	760.00
5'9" - 22'6"	206312	684.00	206314	812.00	206316	932.00
6'10" - 27'6"	206318	826.00	206320	985.00	206322	1170.00



#501898 has maximum opening which permits outside fork spread of 20¾" \$81.00



SKATE WHEEL CONVEYORS

Use wheel conveyors to move packages with smooth flat bottoms. 2" diameter ball bearing plated wheels. $2\frac{1}{2} \times 1$ " channel frame. Distributed capacity per 10' section is 800 lbs. on steel frame, 500 lbs. on aluminum frame.

STRAIGHT SECTIONS

	Wheels		STE	EL FRAM	E & WHEELS		
Width	per foot	Model No.	10'L	(Wt)	Model No.	5'L	(Wt)
	8	242102	\$68.10	(59)	242104	\$37.00	(30)
12"	10	242106	71.90	(63)	242108	40.40	(32)
	12	242110	78.10	(67)	242112	44.20	(34)
	16	242114	91.20	(75)	242116	51.00	(38)
	12	242118	87.70	(72)	242120	47.90	(37)
18"	16	242122	98.70	(80)	242124	54.50	(41)
	18	242126	106.40	(84)	242128	59.30	(43)
	16	242130	119.80	(88)	242132	65.70	(45)
24"	20	242134	133.70	(96)	242136	71.90	(49)
	24	242138	146.50	(104)	242140	78.30	(53)

ALUMINUM FRAME & WHEELS

Model No.	10'L	(Wt)	Model No.	5'L	(Wt)
242202	\$82.00	(32)	242204	\$45.40	(17)
242206	89.00	(35)	242208	49.20	(18)
242210	96.10	(38)	242212	53.20	(20)
242214	109.50	(44)	242216	60.50	(23)
242218	108.60	(44)	242220	58.10	(23)
242222	120.00	(50)	242224	64.10	(26)
242226	126.60	(53)	242228	67.40	(27)
242230	147.70	(55)	242232	79.70	(27)
242234	159.30	(56)	242236	85.50	(30)
242238	171.00	(65)	242240	91.60	(33)

ADJUSTABLE CONVEYOR TRIPODS

Adjusts easily

Min

541/2

Max



	C	ONVEYOR WID	TH	
ADJ	12"	18"	24"	`
Range	Model No.	Model No.	Model No.	Price
18"-25"	242400	242408	242416	\$15.20
24"-40"	242402	242410	242418	15.90
35"-52"	242404	242412	242420	16.80
41"-66"	242406	242414	242422	19.90

CURVED SECTIONS

HAVE A
CONVEYOR PROBLEM?
CONSULT OUR EXPERT
CONSULTANTS.
NO OBLIGATION,
OF COURSE.

		Inside				
		Radius	STEEL	CURVES	ALUMINUI	M CURVES
	12"	3'	242300	\$70.10	242312	\$87.50
90°	18"	2'6''	242302	86.40	242314	96.90
	24"	3'	242304	134.10	242316	141.00
	12"	3'	242306	41.60	242318	54.30
45°	18"	2'6''	242308	50.30	242320	59.80
	24"	3'	242310	84.70	242322	94.80

TELESCOPING GRAVITY CONVEYOR

Ideally suited where space is limited on loading docks, shipping areas, etc. Floating transfer rollers connecting each section provide smooth, uninterrupted flow from beginning to end of fully extended conveyor. Rigid casters allow conveyor to be easily pulled into or pushed out of trailer or shipping doors!

- 1.9" dia. steel rollers on 3" centers
- 4" rigid rubber casters
- Floating transfer rollersSelf-aligning sections
 - Rugged construction
 - 10 ga. steel frame

				-			
	Roller Width*	Extended Length	Retracted Length	No. of Sections	"E" Ht Min - Max	Model No.	Price
	12"	20'	11'	2	27½" - 33½"	158460	\$569.00
	12"	30'	12'	3	18½" - 21½"	158462	807.00
	12"	40'	13′	4	18½" - 21½"	158464	1046.00
	18"	20'	11'	2	27½" - 33½"	158466	597.00
	18"	30'	12'	3	18½" - 21½"	158468	850.00
	18"	40'	13'	4	18½" - 21½"	158470	1102.00
	22''	20'	11'	2	27½" - 33½"	158472	615.00
	22''	30'	12'	3	18½" - 21½"	158474	876.00
	22''	40'	13'	4	18½" - 21½"	158476	1139.00
-							

*Nominal roller length. For overall width, add 41/2".



ROLLER CONVEYORS

LIGHT DUTY-1%" DIA. ROLLERS

> overall width 12 ga.~

CAPACITY Steel, 10' long-50 lbs. per roller with 800 lbs. max. distributed live load. 5' long-50 lbs. per roller with 1200 lbs. max. distributed live load. Aluminum 10' long—35 lbs. per roller, with 500 lbs. max. distributed live load. 5' long—35 lbs. per roller with 800 lbs. max. distributed live

load.

STR	AIGHT	SECTIONS	GAL	VANIZEI	D STEEL ROL	LLERS & FRAM	ΛE		ALUM	INUM ROLL	ERS & FRAM	
5111	Overall	Roller		10' Long		5' Lo	ng	10)' Long	g	5' Lo	ong
	width	centers	Model No.	Wt.	Price	Model No.	Price	Model No.	Wt.	Price	Model No.	Price
	12"	1½"	158002	101	\$134.15	158004	\$71.30	158050	53	\$182.55	158052	\$93.90
	12"	3"	158006	68	75.80	158008	42.35	158054	36	109.45	158056	57.20
	12"	41/2"	158010	58	56.65	158012	32.00	158058	30	85.85	158060	46.20
	12"	6"	158014	52	46.75	158016	27.95	158062	27	72.85	158064	45.60
	18"	1½"	158018	135	159.25	158020	83.90	158066	70	229.50	158068	119.85
	18"	3"	158022	97	88.75	158024	48.95	158070	51	136.85	158072	72.80
	18"	3 4½"	158026	73	66.30	158028	36.50	158074	38	106.20	158076	59.00
		4 ½ 6"	158020	63	53.80	158032	31.35	158078	33	90.25	158080	49.70
	18"		158030			158036	98.50	158082	88	284.10	158084	148.05
	24"	1½"		168	186.50	158040	58.15	158086	56	169.10	158088	90.40
	24"	3"	158038	108	105.30			158090	46	132.30	158092	72.05
	24"	41/2"	158042	88	79.10	158044	45.80	158094	41	113.35	158096	62.75
	24"	6"	158046	78	84 40	158048	37.80	130034	-4 T	113.33	1 100000	UZ./ J

PERMANENT "H" STANDS

with adjustable feet and pivot plate

EOD 1-2/9



	011 . 07				
-	01150	00	OVATE	VALLECT	CONVEYOR
н	\square \square \square \square \square	1 31-4	SKAIF	VVDCCI	CUNVETUR
ш		011	011711	* * * * * ***	

	Ht. adj. to top	
Model No.	of roller	Price
158131	16" - 19"	\$15.20
158133	19" - 25"	17.50
158135	23" - 29"	18.20
158137	27" - 39"	20.00
158139	37" - 49"	22.85
158141	49" - 61"	27.00

FOR 1.9" DIA. ROLLER CONVEYOR

	Ht. adj. to top	
Model No.	of roller	Price
158151	17" - 20"	\$16.65
158153	20" - 26"	19.25
158155	24" - 30"	20.50
158157	28" - 40"	22.60
158159	38" - 50"	25.45
158161	50" - 62"	29.15


FOR 2½" DIA. ROLLER CONVEYOR

Ht. adi. to top	
Tit. daj. to top	
of roller	Price
18''-21''	\$22.65
21"-24"	23.80
24''-30''	28.55
30''-36''	30.95
36''-48''	35.90
48''-60''	40.10
	of roller 18"-21" 21"-24" 24"-30" 30"-36" 36"-48"

Specify width of conveyor to be used

CURVI


ED SECTIONS—3" centers		STEEL CURVES		ALUMINUM CURVES		
12"	90°	158102	\$84.75	158114	\$116.25	
18"		158104	97.55	158116	134.05	
24"		158106	201.00	158118	253.85	
12"	45°	158108	64.95	158120	81.55	
18"		158110	67.55	158122	92.05	
24"		158112	120.75	158124	161.85	



1.9" DIA. ROLLERS MEDIUM-HEAVY DUTY Galvanized steel frames

STRAIG	STRAIGHT SECTIONS							
	Roller	10'	Long		- 5' L			
Width*	centers	Model No.			Model No.	Price		
12"	3"	158202	\$116.70		158204	\$62.65		
12"	41/2"	158206	89.55		158208	48.95		
12"	6"	158210	74.50		158212	40.15		
12"	9"	158214	62.00		158216	33.10		
18"	3"	158218	130.85		158220	70.05		
18"	41/2"	158222	98.75		158224	54.00		
18"	6"	158226	81.55		158228	43.60		
18"	9"	158230	67.00		158232	35.80		
24"	3"	158234	144.40		158236	77.40		
24"	41/2"	158238	107.90	-	158240	59.45		
24"	6"	158242	88.25		158244	47.45		
24"	9"	158246	72.05		158248	38.30		
36"	3"	158250	169.10		158252	92.20		
36"	41/2"	158254	126.65		158256	69.70		
36"	6"	158258	102.25		158260	54.95		
36"	9"	158262	81.55		158264	43.55		
					10020			
ÇURVE				1 45°	158280	\$60.50		
12"	90°	158270	\$108.65			66.85		
18"	90°	158272	123.10	45°	158282			
24"	- 90°	158274	184.90	45°	158284	97.35		
36"	90°	158276	245.60	45°	158286	125.00		
*Nomin	al roller ler	ngth. For over	all width, ad	d 4"				

CAPACITY-250 lbs. per roller with 1350 lbs. max. distributed live load over 10 ft. length; 3100 lbs. max. distributed live load over 5 ft. length.



48"

36"

2-1/2" DIA. ROLLER CONVEYOR

For heavy loads

CAPACITY-750 LBS PER ROLLER WITH 3500 LBS MAXIMUM DISTRIBUTED LOAD **OVER 10' LENGTH**

WHAT CONVEYOR TO USE?

1. Use skate wheel conveyor for items with smooth flat bottom, such as . .









2. Use roller conveyor for items with uneven or open bottom, such as...











3. When using skate wheel conveyor, there should be a minimum of 10 wheels under the item.

4. When using roller conveyor, there should be a minimum of 3 rollers under the item.





10 wheels under box minimum Less than 3 rollers ... box tumbles





Best — 3 rollers under box at all times! This determines the roller centers to order.

. For portable set-up use tripod stands, permanent installations use "H" type stands.

Suggested pitch per foot for gravity Unit weight (lbs.) Pitch per foot conveyors: (These degrees of pitch 50-150 will vary according to conditions.) 1/2" 7-15 5/8' 3-7 3/4"

STRAIGHT SECTIONS

Width*	Rollers	10'	Long	1	5'	Long
In.	Centers In.	Model No.	Price		Model No.	Price
18	3	158660	\$341.20		158700	\$178.40
18	4	158662	272.45		158702	143.10
18	6	158664	205.00		158704	107.70
18	8	158666	169.90		158706	89.10
18	12	158668	136.00		158708	70.60
24	3	158670	383.70	Т	158710	201.80
24	4	158672	304.35		158712	160.00
24	6	158674	225.40		158714	119.60
24	8	158676	186.60		158716	97.40
24	12	158678	146.35		158718	77.50
30	3	158680	428.95	T	158720	225.30
30	4	158682	338.00		158722	178.40
30	6	158684	248.95		158724	131.20
30	8	158686	203.60		158726	107.70
30	12	158688	158.20		158728	82.40
36	3	158690	472.60	Т	158730	247.20
36	4	158692	371.80		158732	195.10
36	6	158694	270.80		158734	141.40
36	8	158696	220.40		158736	116.10
36	12	158698	168.00		158738	89.10

*Nominal roller length. For overall width add 4"

CURVED SECTIONS

	90	degree	45	degree
18	158740	\$204.00	158748	\$131.80
24	158742	233.20	158750	149.60
30	158744	480.00	158752	309.40
36	158746	524.70	158754	334.30

Inside radius: -18"; 24" wide-32%"; 30", 36" wide-48"

ORTABLE CASTERED SUPPORT

0' long rolling conveyor tand moves your coneyor out of the way hen not needed. Coneyor section not cluded. Height is djustable 24"-40"

odel No. Width Price 158290 12" \$85.65 158292 18" 85.65 158294

For use on 13/8" or skate wheel conveyor

GUARD RAILS


Adjustable guard rails are used with gravity roller and skate wheel conveyors, straight or curved sections. Attaches easily and is readily adjustable. For 1%"D. and skate wheel conveyors only.

STRAIGHT-TWO SIDES

242501 5'L # 242503 15.30 CURVED - TWO SIDES 90° # 242505 \$17.60 45° # 242507

14.00

Gates, spurs, "Y" sections and cross over ladders available, contact us.



\$1111.00 \$1166.00 \$1231.00 40' 158403 1366.00 1435.00 158443 1521.00 158423 CAPACITIES 50 158405 1625.00 1707.00 158445 1813.00 158425 60 158407 Total dist Add'I 1881.00 Motor 158427 1979.00 158447 2115.00 230/460 V. cost load 70 158409 2135.00 158429 2251.00 158449 2394.00 INCLUDED 1/3 H.P. 500 lbs. 80 158411 2391.00 158431 2523.00 158451 2687.00 1/2 H.P. 1000 lbs. \$21.85 90 158413 2646.00 158433 2793.00 158453 2978.00 3/4 H.P. 1500 lbs 44.85 100 158415 2902.00 3064.00 3268.00 158435 158455

> CONTROLS -One direction push button switch wired to motor \$47.10 Reversible magnetic starter 193.75 Reversible push button switch for rev. mag. starter 31.70

158421

Model No.

158441

24" wide

DIA POP-OUT ROLLER-8" DIA DRIVE PULLEY "FLOOR-TO-FLOOR" CONVEYOR 2 1 DIA SNUB IDLER-For moving cartons, cases, boxes, tote pans, etc. smoothly, safely and economically floor-to-floor, in either direction. Rugged and compact. RETURN IDLER LOWER RETURN IDLER Single nose over • Reversible • For 15°-34° angles CAPACITIES • 2 ply rough top rubber belt Total Add'I Sealed bearings Motor load cost • Belt speed - 65 F.P.M. 34 H.P. 400 lbs Included • ¾ H.P. -230/460 V. -3 ph. 60 cy. 1 H.P. 500 lbs \$93.05 Ball bearing motor furnished unless otherwise specified. 1½ H.P. 750 lbs 202.60 Pre-assembled components 2 H.P. 1000 lbs 256.15 OPTIONAL EQUIPMENT Floor 16" Belt - 20" Bed 10" Belt - 12" Bed 20" Belt - 24" Bed Conveyor "B" Adjustable Guard Rails - both sides \$2.10 length Model No. floor Model No. Price Model No. dim Price Price per foot of conveyor length.

\$1403.00 7'0' 18'2" 158601 \$1220.00 158621 158641 \$1647.00 7'10' 20'0" 1260.00 158623 1439.00 158643 1727.00 158603 24 158625 8'8" 21'10' 158605 1302.00 1493.00 158645 1809.00 26 158627 9'6" 1341.00 1554.00 1891.00 23'7" 158607 158647 28 10'4" 25'5" 158609 1388.00 158629 1613.00 158649 1972.00 11'2" 30' 27'3" 158611 1432.00 158631 1677.00 158651 2053.00 158633 12'1" 29'1' 1480.00 1739.00 158653 2137.00 158613

One Direction Push Button Switch— \$47.05 up to ¾ H.P. motor

Reversing Drum Switch \$60.95

Reversible Magnetic Starter \$193.75

Reversible Push Button Switch For Rev. Mag. Starter \$31.70

For efficient assembly line operation, inspection, sorting, packing and shipping. Modular construction for future expansion. Easily assembled from preassembled components. All conveyors are pre-tested before shipment.

STANDARD FEATURES

Belt - 3 ply woven white cotton furnished unless 2 ply black rubber friction belt is specified.

Floor supports - Adjustable 28"-40". Holes for bolting to floor.

Drive pulley - 4" diameter crowned and fully lagged with 1" shaft.

Take-up - Screw type at tail pulley to provide proper tension.

Bearings - Sealed pre-lubricated ball bearing.

Belt speed - 65 F.P.M. unless 25-135 constant belt speed is specified (No add'l cost).

Motor - 1/3 H.P. - 230/460 V. - 3 Phase - 60 Cycle - ball bearing furnished unless otherwise specified.

HORIZONTAL BELT

Bed - One piece 12 or 14 gauge formed steel channel section 4" thick, 5' & 10' long sections bolt together with floor supports and inner splice plate.

BELT WIDTH -								
Length 5' 10' 15'	Model No. 158301 158303	\$687.00 751.00	Model No. 158321 158323	\$735.00 821.00	Model No. 158341 158343	18" \$787.00 901.00	Model No. 158361 158363	\$807.00 946.00
20' 25' 30'	158305 158307 158309 158311	811.00 874.00 939.00 1004.50	158325 158327 158329	899.00 985.00 1071.00	158345 158347 158349	1014.00 1128.00 1241.00	158365 158367 158369	1084.00 1226.00 1363.00
35′ 40′	158313 158315	1065.00 1128.00	158331 158333 158335	1153.00 1239.00 1324.00	158351 158353 158355	1354.00 1469.00 1582.00	158371 158373 158375	1501.00 1640.00 1776.00
45′ 50′	158317 158319	1191.00 1251.00	158337 158339	1404.00	158357 158359	1694.00 1808.00	158377 158379	1916.00 2052.00

Add 4" to belt width for overall width Add 12" to length for overall length

OPTIONAL EQUIPMENT FOR BELT OR TROUGHED BED CONVEYORS

One direction Push Button Switch—up to ¾ H.P. motor, wired to motor **\$47.05**

Reversing Drum Switch—wired to motor \$60.95
Reversible Magnetic Starter \$193.75

Reversible Push Button Switch For Rev. Mag. Starter \$31.70

	CAPACITIES	
	Total load	Add'l
Motor	@ 65 F.P.M.	cost
1/3 H.P.	300 lbs	Included
1/2 H.P.	400 lbs	\$21.85
3/4 H.P.	600 lbs	44.85
1 H.P.	750 lbs	147.20

Bed - One piece 12 ga. formed steel with 2½" high sides. 5' & 10' long sections bolt together with floor supports

TROUGHED BED

Built-in quard rails

	and aligning pins.											
Length	Model	6''	Model	12"	Model	18''	Model	24"				
Length	No.	Belt	No.	Belt	No.	Belt	No.	Belt				
5'	158761	\$639.00	158781	\$668.70	158801	\$693.00	158821	\$721.00	7			
10'	158763	715.00	158783	764.00	158803	812.00	158823	866.00				
15'	158765	796.00	158785	857.00	158805	937.00	158825	1008.00				
20'	158767	872.00	158787	962.00	158807	1056.00	158827	1149.00				
25'	158769	948.00	158789	1074.00	158809	1179.00	158829	1290.00				
30'	158771	1030.00	158791	1158.00	158811	1303.00	158831	1433.00	-			
35'	158773	1105.00	158793	1259.00	158813	1421.00	158833	1591.00				
40'	158775	1181.00	158795	1353.00	158815	1544.00	158835	1721.00				
45'	158777	1262.00	158797	1454.00	158817	1663.00	158837	1861.00				
50'	158779	1338.00	158799	1550.00	158819	1787.00	158839	2003.00				
			40									

Add 1" to belt width for bed width, **12**" to length for overall length. Ceiling hangers can be supplied in lieu of floor supports at no additional cost. Floor supports will be supplied unless otherwise ordered. Higher vertical sides may be ordered

BELT CONVEYORS

Ideal for packaging,

assembly & warehouse

Adjustable Guard Rails - both sides \$2.76 per foot of conveyor.

10"W - \$5.06 per linear foot per side 16"W - 6.80 per linear foot per side 22"W - 10.35 per linear foot per side

Side Table

in lieu of 2 1/2" sides, for:
4"H sides, add \$4.19 per ft. (both sides)
6"H sides, add \$5.11 per ft. (both sides)
9"H sides, add \$6.36 per ft. (both sides)

12"H sides, add \$8.51 per ft. (both sides)

10 DAY FREE TRIAL GUARANTEE

"The item must do the job for which you need it... you have 10 days to check it out... if it isn't completely satisfactory or as represented, you may return it for an immediate and unquestioned credit." That is the unconditional guarantee upon which our steady and substantial growth has been based. If for any reason the material does not measure up to your expectations... if it is not completely adaptable to your needs... if you are not 100% satisfied, return

it unused within 10 days and your only obligation is transportation charges. Please notify us before return, so that we may give you the proper shipping procedure. This guarantee applies to standard catalog items. Special design, custom constructed, factory shipped or cut to size items are excluded. On these, our experience and reputation are your assurance of satisfaction.

"A quarter of a century of customer satisfaction."



by powered screw. Standard equipmentno extra cost.

One lever control adjusts angle without

effort. Desired angle automatically locked

Bed – 20" wide. Bed is 4" thick and hinged at half its length on 10 ft. to 16 ft. sizes. 20 and 22 ft. sizes hinged 14 ft. from lower drive pulley.

Hinges - to fold bed to shorter length for storage. Screw adjustment insures alignment of bed. Exclusive link ("breathing hinge" feature) prevents damage to belt when folded.


Incline - adjustable from 0° to 45° with powered screw raising device. Conveyor motor changes incline angle by moving convenient lever. Safety nut prevents rapid release of bed in case of overloading.

Base - welded steel base 28" wide sizes 10 ft. to 16 ft. - 33" wide sizes 20 and 22 ft. length.

Casters - 4" dia. steel swivel casters on 10 ft. to 16 ft. sizes - 6" dia. on 20 and 22 ft. with corner guards.

Switch - electric, drum type, reverse switch with 20 ft. of 3 wire power cord and plug.

Capacity — at 65 fpm. 300 lbs. total load — 150 lbs. unit load.



ALUMINUM PORTABLE BELT CONVEYOR

Easily moves boxes, cases and cartons up inclines. Narrow width fits in stairway to convey from floor to floor. Loading and unloading trucks. Propped on shelves for stacking-order picking.

• Aluminum bed (12" wide) • Reversible • Ruff-top belt (10" wide) • Sealed ball bearings • Low cost • Capacity — 200 lbs • Motor — 115/230 V — 1 phase • Belt speed — 65 F.P.M.

Price

\$665.00

718.00

759.00

821.00

912.00 974.00

1040.00

1104.00

Standard spacing &



BALL TRANSFER TABLE

\$52.50



(110)

		16 BALLS PE	ER SQ. FT.	9 BALLS PER SQ. FT.					
L"	x W"	Model No.	Price	Model No.	Price				
24	12	502240	\$168.50	502260	\$138.55				
36	12	502242	206.80	502262	163.05				
24	18	502244	206.80	502264	163.05				
36	18	502246	282.15	502266	203.50				
24	24	502248	265.70	502268	188.55				
36	36	502250	489.80	502270	316.30				
48	48	502252	724.70	502272	464.85				


Capacity per ball - 65 lbs. Maximum table capacity — 2000 lbs.

Other sizes and heights made to your order.

is used on trucks, stairs, mezzanines, etc. Adjustable 17"-36" Model 158516

> Ball centers Balls per sq. ft. "B" 16 21/8 41/4 21/8 534"

Solves the problem of changing direction of flow and converging conveyor lines. Also used for turning boxes when packing, checking or strapping. Balls are attached to a heavy duty steel plate. Tables adjustable 30"-36" overall height. Table finished in gray enamel.





Catches small steel or aluminum stampings, plastic parts, etc. Conveys them quickly up the hopper or drum.

Min. tail

Overan	,	177171.	Lan		, com	111017		1110	ı
length	Base	min. c	Irive,	max	c. drive	min.	drive	max	
size "A	" length	"C"	"H"	"C"	"H"	"C"	"H"	"C"	
5'	22"	11"	411/2"	10"	56"	251/2"	37½"	26"	
7'	34"	11"	511/2"	10"	761/2"	441/2"	441/2"	45"	
9'	46"	11"	641/2"	10"	971/2".	571/2"	571/2"	48"	
11'	58"	11"	741/2"	10"	118"	671/2"	671/2"	551/2"	
13'	58"	11"	861/2"	10"	139"	671/2"	67½"	55½"	
Overall length	8" BELT - Model No.	12" BED Price	12" E Mode		16" BED Price	18" BE	ELT - 24" No. F	BED	
5'	158521	\$783.00	158	531	\$831.00	1585	41 \$11	19.00	
7'	158523	844.00		533	910.00	1585		25.00	
9'	158525	896.00	158	535	984.00	1585	45 13	35.00	
11'	158527	958.00	158	537	1055.00	1585	47 14	43.00	
13'	158529	1009.00	158	539	1133.00	1585	49 15	45.00	

Overhead drive

Overall

- Extra tough belt
- Sealed bearings

TAKE-UP

- Rolled edge guard rails—3½"H
- 3 ply neoprene E2R9 with 11/2"H cleats 12" O.C
- Speed 65 F.P.M. 300 lb. capacity
- 1/3 H.P. 230/460-3 phase motor.

Add'l for manual push button switch wired to motor with 20' cord and plug

Max. tail

Model No. 158520 \$65.40 Constant speeds between 25-135 F.P.M. can be had at no additional charge.



LOW PROFILE PARTS CONVEYOR

- Speed 25 F.P.M.-300 lb. capacity • 1 " high vertical sides above cleat
- high angle cleats • 3 ply neoprene belt
- Sealed bearings
- Enclosed box construction
- Underside drive

Can be positioned under punch presses to catch small steel or aluminum stampings, plastic parts, etc. Conveys them quickly up to hopper or drum. Ideal for use with punch presses, plastic injection molding machines, extruding equipment and other machinery.

	• 1/3 H.P. 230/460 3	phase m	otor						
	The street of th							Model	100
		Overall	Belt	, "A"	"B"	"C"	"D"	No.	Price
		frame	width /	/	45"	82¾"	37¾"	158560	\$984.00
		width	- /	30"	54"	90¾"	43%"	158562	1010.00
		151/8"	12"		66"	98¾"	491/2"	158564	1038.00
			1		45"	943/4"	37¾"	158566	1025.00
°C" ————————————————————————————————————	Æ.		/	42"	54"	102¾"	43%"	158568	1052.00
PULL	EY		_ /	\	66"	110¾"	491/2"	158570	1072.00
	r		/	,	45"	82¾"	37¾"	158572	1085.00
				30"	54"	90¾"	43%"	158574	1118.00
** // //		211/8"	18"		66"	98¾"	491/2"	158576	1151.00
-123					45"	943/4"	37¾"	158578	1131.00
			1	42"	54"	102¾"	43%"	158580	1164.00
	D"		1		66"	110¾"	491/2"	158582	1197.00
"A" ———————————————————————————————————	Add'l for manual push button switch wired to motor with		/	/	45"	823/4"	37¾"	158584	1196.00
En	20' cord and plug.		/	30"	54"	90¾"	43%"	158586	1228.00
36°	Model No. 158520 \$65.40	271/8"	24"		66"	98¾"	491/2"	158588	1266.00
	Constant speeds between 25-65 F.P.M. can be had at				45"	943/4"	373/4"	158590	1246.00
E	no additional charge.		1	42"	54"	1023/4"	435/8"	158592	1284.00
PULLEY 4" TO 30" ADJ.			1	1	66"	11034"	491/2"	158594	1317.00
ROLLER					00				

LIGHT DUTY PARTS CONVEYOR

Move stamplings, plastic parts, machined products, etc., from in or under punch presses, molding machines, extruding equipment, etc., quickly and efficiently to hoppers or drums. Usable on flat surfaces, positions easily.

	Belt width	4''		6	6" 8"		8"	1	0"	24''	
	Overall	Model									
	Length	No.	Price								
	6′	158931	\$577.00	158937	\$590.00	158943	\$599.00	158949	\$617.00	158955	\$698.00
Site:	8'	158933	605.00	158939					651.00		743.00
1	10'	158935	636.00	158941	652.00	158947	663.00	158953	684.00	158959	787.00

Intermediate lengths available, use next higher price. To belt width, add 1/2" for bed width, 5 1/8" for overall width.

*6 1/2" clearance supplied unless specified

• 12ga. steel troughed bed with 1" high sides • 3 ply neoprene friction surface belt • $\frac{1}{3}$ H.P. 230/460V., 3ph. totally enclosed gearhead motor • Start - Stop switch included • Sealed bearings • 65 F.P.M. belt speed furnished unless other constant (25-135 F.P.M.) is specified • Capacity - 100 lbs. distributed live load



OPEN TYPE WORK BENCHES

Global believes a good bench makes a good workman...better

If your job calls for heavy duty bench work or a very smooth, shock absorbent surface for precision work or protecting fine instruments, you'll find your bench in this collection. Gray baked-on enamel.



Size		
LxW	Model No.	Price
48 x 28	183400	\$75.75
48 x 34	183402	93.00
60 x 28	183404	83.55
60 x 34	183406	90.90
72 x 28	183408	90.15
72 x 34	183410	98.40

STEEL TOP WORK BENCH

Longest lasting...and solid


Just the look of this rugged steel bench tells you it is meant for the heaviest duty. The heavy steel top will not crack, splinter, gouge or become oil soaked. Box flanged 13 gauge construction.



WORK BENCH WITH MASONITE TOP BONDED TO STEEL TOP

Size		
LxW	Model No.	Price
48x28	183412	\$110.75
48 x 34	183414	116.00
60x28	183416	123.10
60x34	183418	130.55
72×28	183420	130.85
72×34	183422	139.45

Bonded directly to the 13 gauge steel top with special gripping cement. Masonite top can be used in natural finish or waxed to high gloss for working with highly polished and precision parts. Tough yet resilient, masonite absorbs the shock of a dropped instrument, preventing damage to the tool.



(112)

"TEMPCORE" TOP BENCH

 Size
 Model No.
 Price

 60x30
 183440
 \$112.95

 60x36
 183442
 123.70

 72x30
 183444
 124.25

 72x36
 183446
 137.55

Kiln dried wood core. Surfaced on both sides with high density, tempered pressed wood panels. Permanently bonded. Non-conductive. Warp and splinter free.



\$156.75

185.20

180.80

213.00

183428

183430

183432

183434

WORK BENCH WITH LAMINATED EDGE GRAIN MAPLE TOP

A good workman's dream bench

A bench for craftsmen, yet solidly rugged for heavy duty too. Laminated edge grain maple top is kiln dried, electronically glued. Sanded to 134" thickness. You can't buy a better all-purpose bench.

ASK US TO QUOTE ON YOUR SPECIAL REQUIREMENTS

Size LxW 60x28

60x34


72×28 72×34



Solid heavy channel steel

Build your own work bench with any top, and make a substantial saving. These legs are also ideal for storage platform supports, or machine mountings. Legs are punched for tops and stringers. Cross member is punched for shelf attachment. Flared feet insure maximum stability. Base plate punched for attachment to floor if desired. All welded construction. Baked-on gray enamel finish.

Model No.	Depth	Height	Price ea.
183510	231/4"	281/4"	\$ 13.80
183512	331/4"	28¼"	14.90
183514	28"	321/4"	15.30
183516	34"	321/4"	16.10



BENCH DRAWERS

Low cost—easy to attach

Ready for permanent attachment to work benches, tool stands and counters. Or bolt them together for free standing storage units. Drawers glide within their own complete case. Padlock attachment. Gray finish.

Model No.	Size	Price
183453	14"Wx20"Dx5"H	\$ 32.95
183455	20"Wx20"Dx5"H	36.15
183456	Built-in lock	2.45
	2 keys	

PORTABLE WORK BENCH

Rolls right to job

A great time saver for mechanics and mobile assembly or production lines. Rigid bench casters are securely attached; wheelbarrow handles slide out of the way. Note handy shelf. Baked gray enamel. Shipped knocked down. May be equipped with No. 183453 or No. 183455 Bench Drawers.



BENCH RISER

Additional Storage Space

Provides handy, easy-toreach shelf storage without cluttering work surface. Fits all tops. Gray enamel finish.

	12"Hx10½"D			18"Hx14"D	
Model No. 183490 183492	Length 4' 5'	Price \$ 25.55 27.00	Model No. 183496 183498	Length 4' 5'	\$ Price 32.10 33.80
183494	6′	28.30	183500	6'	35.55

BACK & END STOPS





ELECTRICAL OUTLET STRIPS



Attaches easily to any bench top, riser, back stop, shelf or to any wall. Internal wiring will carry 15 amperes of electrical current at voltages up to 125.

APPROVED BY
UNDERWRITERS' LABORATORIES

No. Outlets

(8 outlets)

(5 outlets) \$

Price

35.45 ea.

BENCHES

MODULAR BENCHES

Create individual bench or multiple bench arrangement to your specific requirements. Bench tops are the same as those used on open type benches. Drawers glide on ball bearing rollers. Cabinet has adjustable shelf. Drawers and cabinet may be had with built-in key lock. All benches are 34" high. Finish is gray baked enamel. Shipped knocked down, easily assembled.



	_			_			_	
Overall			Overall			Overall		
Size	STEEL TOP BENCH		Size	STEEL TOP BENCH		Size	STEEL TOP BENCE	Н
LxW	Model No.	Price	LxW	Model No.	Price	LxW	Model No.	Price
60x28	183572	\$199.85	60x28	183540	\$260.05	60x28	183556	\$320.25
72×28	183574	205.70	72x28	183542	265.90	72x28	183558	326.10
	MASONITE/STEEL			MASONITE/STEEL			MASONITE/STEE	L
	TOP BENCH			TOP BENCH			TOP BENCH	
60x28	183576	237.50	60x28	183544	297.70	60x28	183560	357.90
72x28	183578	244.45	72 x 28	183546	304.65	72×28	183562	364.85
	LAMINATED MAPLE			LAMINATED MAPLE			LAMINATED MAPL	.E
	TOP BENCH			TOP BENCH			TOP BENCH	
60x28	183580	262.00	60x28	183548	322.20	60x28	183564	382.40
72x28	183582	283.95	72x28	183550	344.15	72×28	183566	404.35
	"TEMPCORE" TOP BENC	H		"TEMPCORE" TOP BENC	Н		"TEMPCORE" TOP BE	
60x30	183584	216.10	60x30	183552	276.30	60x30	183568	336.50
72×30	183586	225.20	72×30	183554	285.40	72×30	183570	345.60

SEE PAGE 112 FOR DESCRIPTION OF BENCH TOPS AND ACCESSORIES

#183456 Built-in key lock with two keys (For each drawer or cabinet) \$2.45 ea. See pages 104 and 105 for bench accessories

CABINET BENCHES

Useful...anywhere

Price

\$252.60

290.25



Because of its versatility, the cabinet type bench is ideal for many types of work. Equally useful in toolrooms, production, assembly, laboratories, garages, or anywhere an enclosed

LAMINATED MAPLE TOP

Model No.

183528

183530

type bench is desirable. Bench tops are the same as those used on open type benches. Gray baked enamel finish. Shipped knocked down; easily assembled.

STEEL TOP

SLIDING DOORS FOR CABINET BENCH

Rolls smoothly on ball bearing rollers. Easily installed on cabinet type benches and have recessed handle and built-in key lock.



LxW

60x28

72x28

	OILLE IOI	
LxW	Model No.	Price
60x28	183520	\$176.60
72×28	183522	197.80
	"TEMPCORE" TOP	
LxW	Model No.	Price
60 x 30	183532	\$206.70
72×30	183534	231.50
	MASONITE/STEEL TOP	
LxW	Model No.	Price
60x28	183524	\$228.10
72x28	183526	250.75

All benches are 34" high

Model No. **183536** — for 60" long benches **\$ 77.60**Model No. **183538** — for 72" long benches **81.70**

SEE PAGE 112 FOR DESCRIPTION OF BENCH TOPS AND ACCESSORIES.

PACKING AND ASSEMBLY TABLES

Comes all assembled, ready to use

- Arc welded thruout
- Heavy 14 gauge steel top with reinforcing ribs.
- Channel formed legs flared for additional stability.
- Finish-gray enamel.
- All benches are 34" high unless 32¼" or 36"H is specified.



Steel top Model No.

502101

502103

502105

502107

502109

502111

502113

502115

502117

Price

92.00

89.55

100.65

96.95

110.00

110.00

127,90

125.40

147.70

\$ 82.10



Back and end stops - 3"H. add \$5.00 to price and letters "BE" to model no.

4	Pressed wood over steel top		Add'l for lower shelf' 20"W	
	Model No.	Price	Model No.	Price
)	502121	\$106.85	502140 \$	22.30
0	502123	121.70	502142	24.50
5	502125	120.45	502144	25.30
5	502127	137.80	502146	27.95
5	502129	134.10	502148	28.50
)	502131	155.10	502150	31.30
)	502133	160.05	502152	34.65
)	502135	187.30	502154	38.10
)	502137	187.30	502156	40.80
)	502139	221.95	502158	44.95

Other sizes can be made to your specifications

BENCH DRAWER



A low cost bench drawer for easy attachment to wood top benches. Handy padlock attachment size 16"Wx22"Dx4"H—finish—gray enamel. Comes welded to right side of bench unless otherwise specified.

Model No. 502151 \$23.60

BENCH LEGS

Width

30

36

30

36

30

36

30

30

36

Length

48

48

60

60

72

96

96

120

Built for extra stability



A low cost die formed channel leg flared for additional stability. Rigidly welded for continued use. Horizontal members punched for easy attachment to top. Finish—gray enamel.

Model No.	Width	Price each
502161	23½"	\$11.50
502163	27½"	12.40
502165	33½"	13.30
502167	39½"	14.40
502169	45½"	15.55

32% height will be shipped unless 34 or 36 is specified. Other sizes can be made to your specifications.

Precision swivel
BENCH VISES



Smooth operation and rugged dependability make these vises hold up on the toughest use. Chromed replacable jaws and locking swivel base.

Model	Jaw		5	Size				
No. Op	pening	L	X	W	×	Н	Weight	Price
292202	3¾"	141/2	x	9	×	8	35	\$ 36.00
292204	4"	161/2	X	11	x	91/4	50	56.25
292206	6''	18	X	111/4	x	10	65	76.00
292208	7''	201/4	x	12½	X	111/4	90	87.50

MACHINE TABLES AND STANDS

Heavy duty...
rugged...
durable

Heavy duty arc welded thruout. Sturdy 2" angle legs. %" thick channel formed steel top with reinforcing "X" brace. Shipped set up,



ready to use. We will ship 30" height unless you specify other heights (no add'l cost). Finish is gray enamel.

Model No.	L"×W"	Price
502171	24x18	\$ 68.50
502173	30x18	73.45
502175	36x18	79.00
502177	24×24	73.45
502179	30 x 24	79.00
502181	36 x 24	83.95
502183	48×24	95.70
502185	30 x 30	95.70
502187	36 x 30	100.65
Ot	her cizes available	0

CONTACT US TODAY ON YOUR SPECIAL REQUIREMENTS

AJUSTO CHAIRS Automatic adjustment...locks at any height

Features:

All models have bases of 14 gauge, 1%" dia. high strength steel tubing. 22" leg spread. Equipped with 1½" steel guides. Fully enclosed tamperproof height adjustment provides quick, quiet, easy operation.

CONTOUR SEAT AND BACK

001110011		-1110	
	Ht.	Foot	
Model No.	Adjust.	ring	Price
102019	18"-26"	Yes	\$57.90
102021	22"-30"	Yes	59.30
102023	26"-34"	Yes	61.00
102025	15"-20"	No	54.60
102027	18"-26"	No	55.20

Gray trame furnished unless eyerest green, beige or black frame—is specified.



MJUJIU UIIAII	113
6-11 units	10%
12-24 units	15%
25-49 units	20%
50 or more units	25%

UPHOLSTERED SEAT AND BACK

	Ht.	Foot	
Model No.	adjust.	ring	Price
102043	20"-28"	Yes	\$71.60
102045	24"-32"	Yes	73.00
102047	28"-36"	Yes	74.70
102049	17"-22"	No	68.30
102051	20"-28"	No	68.90

Gray frame/Black upholstery furnished unless eyerest green, beige or black frame—gray, green, or tan upholstery is specified.

These chairs are sold with a 10 year guarantee—solid proof of their mechanical and structural durability. Instantly adjustable to any size worker. Saves time, minimizes fatigue, reduces absenteeism—increases efficiency of workers. Metal parts durably finished.

MOLDED PLASTIC

	Ht.	Foot	
Model No.	adjust.	ring	Price
102031	18"-26"	Yes	\$54.80
102033	22"-30"	Yes	56.20
102035	26"-34"	Yes	57.90
102037	15"-20"	No	51.50
102039	18"-26"	No	52.10

Gray frame/ black seat furnished unless eyerest green, beige or black frame —green or white seat is specified

STEEL SEAT

Adadal No	Ht.	Price
Model No.	adjust.	
102055	18"-26"	\$36.20
102057	22"-30"	37.60
102059	26"-34"	39.30

If desired, ball bearing rubber wheel casters can be added to any chair



#102060 \$8.10 Set

TUBULAR ADJUSTABLE STOOL

- Seam welded heavy gauge tubular steel frame
- Gray baked enamel finish, chip resistant
- Won't gouge floors... due to special glides
- Leg extentions are rust resistant-positive locking at 1" intervals
- Fitted with contoured tempered hard board panel

No. **207500** adjustable from 17½" to 25½" **\$23.25** No. **207600** adjustable from 24½" to 32½" **24.25**



ECONOMY COMFO-STOOLS

Solid comfort ... and economy

You can't beat comfo-stools for comfort, durability and economy. All welded, non-breakable construction. Rounded edges. Channel braced at proper height for foot rest. Legs taper out to prevent tipping. 14" masonite seat, perforated for ventilation.

Special low price for quantity buyers; such as vocational schools, inspection departments, assembly lines, etc.

Model No.	Height	Price
183600	18"	\$ 20.65
183602	22"	20.85
183604	24"	21.55
183606	26"	21.75
183608	30"	26.10

Baked gray enamel finish.

Minimum Order 2 Stools

ADJUSTABLE COMFO- STOOLS

A simple adjustment makes these stools correct for any size individual. Legs may be adjusted every inch, with bolt and nut. Baked gray enamel finish

IIIIIIIII		
Model No.	Ht. adjust.	Price
183610	18"-21"	\$ 24.95
183612	22"-25"	25.15
183614	24"-27"	25.85
183616	26"-29"	26.05
183618	30"-33"	30.40



Minimum Order

2 Stools



SEAT AND BACK CUSHIONS

For comfo-stools only.
Foam rubber, vinyl covered, snap-on.

No. **183620** Seat cushion \$ **9.80** No. **183622** Back cushion **5.30**







VERSATILE TOOL STANDS

Unlimited uses

Name almost any use for an accessory tool stand, and these units fill the need. Use them as work stands at production lines, as mountings for small tools, for parts containers on assembly lines, as portable carriers wherever men work with tools. Reversible trays. Legs hold glide feet or swivel casters. Drawers on ball bearing rollers; sliding tool tray; drawers can be padlocked. Gray baked-on enamel Shipped knocked down.

Shelf Size - 24" wide, 36" deep, 34" high, WITHOUT CASTERS

No. 183658 —2 shelf	47.70
No. 183660 – 2 shelf & 1 drawer	78.60
No. 183662 —3 shelf	60.55
No. 183664 — 3 shelf & 1 drawer	91.45
No. 183666 — STEEL WHEEL CASTERS — SET OF FOUR	5.80
No. 183668 — RUBBER WHEEL CASTERS — SET OF FOUR	7.50

TOOL STANDS AND

Shelf Size - 20" wide, 28" deep, 34" high, WITHOUT

CAS	STERS			
No.	183650 - 2	shelf		\$ 38.95
No.	183652-2	shelf & 1	drawer	69.85
No.	183654 - 3	shelf		47.65
No.	183656 - 3	shelf & 1	drawer	78.55

HANGING WALL CABINET



Hangs on wall out of the way ... yet keeps tools within easy reach. Pegboard sides and back. Strong latching device and padlock attachment. Complete with shelf, socket tray, 18 pegs. Baked gray enamel. Shipped knocked down.

No. **183630** 24"Wx12"Dx33"H **\$ 83.50**



12 square feet of storage space. Heavy steel top fine for small grinders and vises-equally sturdy for mounting office machines. Detachable back and end stops. Double swing doors. Three point locking device; built in lock. Gray baked enamel. Shipped knocked down.

No. **183646** 36"Wx24"Dx34"H **\$108.50** No. 183646 No. 183678 — Portable bench. Same as

above except with 31/2" casters (2 swivel, 2 rigid). \$154.55



CABINET SHOP DESK

Top and drawer same as standing type. Cabinet for records. tools, etc. Interior shelf adjustable. Gray baked-on finish.

No. 183636

34½"Wx30"Dx53"H (Cabinet 32"Wx28"D) **\$180.35**



TOOL STAND CABINET

Sturdy steel storage cabinet for locking away valuable drawings and tools. Three adjustable shelves. Tray top reversible to give flat working surface. Gray baked-on enamel. Shipped knocked down.

No. 183642 21 ¹ / ₄ "Wx15 ¹ / ₄ "Dx34"H	\$62.50
No. 183644	T
Casters for tool stand \$	13.60 set of 4



TOOL TOTER Portable time saver

Excellent portable tool stand with built in drawers. Closed sturdy case keeps drawers aligned. Both drawers can be padlocked together. Top and bottom tray flanged (1½"). Stee! swivel casters. Gray finish. Shipped set-up

18"Wx24"Dx341/2"H

No. 183648

Drawers: 15"Wx23"Dx4%"H......

\$76.55



No. 183634 - 341/2"Wx30"Dx53"H (Top is 43" high at front

\$115.75

STANDING SHOP DESK

Sloping writing surface, with pigeon holes and pencil compartments. Shelf at bottom is adjustable. Drawer (25"x24"x 3½") has nylon glides, rolled handle, built in lock. Gray baked-on finish.

No. 183640-Portable type shop desk Same as No. 183634, except has locking casters.

\$121.40

DRAWER TOOL STAND



- With reversible top Four drawers with heavy duty work top mounted on swivel type casters with composition rubber wheels 5" in
 - Top may be reversed to provide tray with ½" flange on all sides. Drawers have recessed handles and individual padlock attachments.
 - Gray baked-on enamel finish.

No. 183632 - 221/4" wide, 201/2" deep, \$180.60

183456 - Add'l for built-in key lock & two keys...... \$2.45 per drawer

WALL TYPE SHOP DESK

Attaches to wall, column or shelf rack end. Sloping lift top 24%" x 14". Storage compartment below lift top.



No. 183638 -- 24½"Wx23½"Dx13"H.. \$ 71.80

STEEL LOCKERS

Features

- · Full length pre-locking lock bar
- Single tier doors have 3-point locking device (Top, bottom and center)
- Double tier doors have 2-point locking device (Top and bottom)
- Frame specially designed and engineered for maximum strength and
- No bolt heads on locker fronts
- Rubber cushions eliminate metallic
- Trouble free butt hinge is recessed in door frame; pin cannot be forced out
- Tamper proof chrome handle for smooth finger tip operation
- Used with padlock or built-in lock
- · Gray baked enamel finish will be shipped unless beige or mist green is specified
- Shipped knocked down to save freight
- · Add 6" to Height for legs

A group of 3 single tier locker doors

SINGLE

Most practical and widely used of all lockers.

Full length clothing storage. Shelf 9" from top for hats, lunches, etc. Coat rods are standard equipment in place of ceiling hooks on lockers 18" and 21" deep. Add 6" to height for legs.

		No. of	Price
Model No.	WxDxH	doors	per group
480700	12x12x60	- 1	\$ 45.50
480702	36x12x60	3	113.55
480704	12×15×60	1	48.55
480706	36×15×60	3	118.95
480708	12×18×60	1	52.55
480710	36x18x60	3	127.20
480712	12x18x72	1	54.55
480714	36×18×72	3	138.00
480716	15x18x72	1	60.05
480718	45×18×72	3	150.15
480720	18x18x72	1	63.10
480722	54x18x72	3	159.60



Twice as economical

Economical on cost and storage area. Satisfactory for a great many usesparticularly for short period occupancy

			No. of	Price
Model	No.	WxDxH	doors	per group
48073	30	12x12x36	2	\$ 56.30
48073	32	36×12×36	6	142.80
4807	34	12×15×36	2	59.90
48073	36	36×15×36	6	150.30
48073		12x18x36	2	60.70
48074	10	36x18x36	6	156.60


Lockers are 72" High plus legs

All lockers may be equipped with built-in locks No. 480456 - \$2.70 per door

MULTIPLE TIER

A wide variety of uses: store individual belongings and supplies in classrooms, laboratories, gymnasiums, bowling alleys, etc. Doors have one point latch. Locker doors with padlock attachment have door pull no door pull necessary with built-in

			Price
Model No.	WxDxH	No.of doors	per group
480746	12x12x12	5	\$ 61.75
480748	36x12x12	15	159.75
480750	12×12×12	6	72.30
480752	36×12×12	18	188.10
480754	12×15×12	6	75.00
480756	36×15×12	18	191.70
10	ckers are 72" H	igh plus legs	



LOCKERACK

Low cost storage for 16 people

Gray enamel finish shipped unless tan is specified. Shipped knocked down, easily assembled. Includes number plates (1-16)

No. **480770** – 69" x 18" x 78" (Compartments 12" x 18" x 12") with padlock attachments



\$222.90

No. 480772 - Same as #183770 except with built-in locks \$266.10

LOCKER BENCHES

Made to stand without anchoring

Choose either steel top or masonite over steel top. All welded steel construction. Free standing. DOES NOT HAVE TO BE ANCHORED TO FLOOR: Gray enamel finish. 12" Widex 18" High

	9	₹#	
lodel No.	Length	Тор	Price
501900	72"	Steel	\$ 56.00
501902	72"	Masonite	66.00
501904	96"	Steel	72.50
501906	96"	Masonite	83.00

Extra convenience in the locker room

Clear wood bench, top heavily varnished, mounted on sturdy steel pedestals. 17"h. x91/2"w. Bench is 13/4" thick. Benches 9 feet and longer have three pedestals. Pedestal finish matches lockers.



No. 183670 — 6 ft. long	76.15
No. 183672 —8 ft. long	
No. 183674 —9 ft. long	
No. 183676 — 10 ft. long	21.30

SAVE AT GLOBAL



DESK DRAWER UNIT 40 Key Capacity, 4'' × 12'' × 8'' Model No. 452940 \$38.50

KEY CONTROL SYSTEMS

Don't wait until keys are lost before protecting them. Get a Key Control System. The steel cabinet is designed for rapid and easy key identification. Each key hangs on special key tag. Keys always hang straight. Number the tags, and list numbers privately. If key is lost, only you know where it fits. File index supplied with the cabinet. Also numbered tags, location guide, card index and bolts for mounting. Fitted with lock. Gray baked enamel finish.


Model No.	Capacity	Cabinet Size	Price
452926	30	8" × 2½" × 12"	\$ 27.50
452928	40	01/11 × 51/11 × 141/11	41.50
452930	80	9%'' × 5%'' × 14%''	63.50
452922	120	16%'' × 5%'' × 20%''	97.50
452924	240	10/2 × 5/8 × 20/2	149.50



COAT RACKS



For six and twelve coats. These good looking racks are correct for the modern office, well de-signed, well made. Cantilever triple shelves at top, raised bottom shelf—all slotted for air cir-culation to hats, rubbers, etc. Hard wood hangers with steel hooks supplied. Racks can be set back to back.



FLOOR TYP	E			
Model No.	Hangers	Size-LxWxH	Finish	Price
183780	12	48"×15¾"×77¼"	Gray	\$131.00
183782	12	48" x 15¾" x 77¼"	Tan	131.00
183784	6	24"×15¾"×77¼",	Gray	101.45
183786	6	24" x 15¾" x 77¼"	Tan	101.45
WALL TYPE				
183788	12	48"x10½"x17"	Grav	\$ 68.00
183790	12	48" x 10½" x 17"	Tan	68.00
183792	6	24" x 10½" x 17"	Gray	47.55
183794	6	24" x 10½" x 17"	Tan	47.55

CIGARETTE URNS

These urns combine the beauty of hard spun aluminum with the strength of extruded aluminum. They are satin polished and then treated with Epoxaloy® finish to preserve



Wall urn No. 142456 6" dia x 7"H \$29.95 Floor urn No. 142458 9" diax19"H 26.75

UMBRELLA STAND



A solution to wet weather problems—stand is satin aluminum with 12 openings and removable wa-

ter pan 19" wide x 10½" deep x 18" high.

Model No. 142986

SORTING FILES



No. 183798 - (Single) 11%"Lx12"Dx10%"H \$ 31.25

For general office use, production control, mail racks, etc. A time-saving aid to efficiency. Shelves are adjustable every inch. You can tilt the shelves. Label holder on each shelf; full length label holder at bottom. Single sections have holes at back for hanging on wall. Recessed bottoms permit stacking to give more storage space in the same area. Gray baked on enamel

DESK ORGANIZERS Boosts efficiency

Saves time • space • motion

End desk-top clutter with these flexible work organizers. Heavy 16 gauge furniture steel construction, arc-welded thru out. Attractive black baked-on enamel finish will be shipped unless gray, beige or mist green is specified.



58 inches long, open back



58 inches long, open back



58 inches long, full back





Additional dividers and shelves

Pkg. of five 4" high dividers — Pkg. of five 7" high dividers — Pkg. of four corner shelves-

Model 300418 \$ 7.50 Pkg. 9.25 Pkg. Model 300420 Model 300422 10.00 Pkg.

COAT TREE

Satin aluminum finish coat tree with weighted base and four double hooks with plastic cap. Height 69". Base diameter 14".

Model No. 142728

\$36.75





FOLDING TABLES

The folding legs of this multi-purpose table lock without springs or gadgets in both open and closed position. Solid top is channel braced for added support and bound with heavy "T" molding. Top can be supplied in either tempered hardboard or plastic laminate. Height is 30", folds to 2½" thick. Finish is beige enamel frame, tan linen plastic, natural hardboard.

TEMPERED HARDBOARD TOP				
Price				
l2 or more	2-11	Each		
\$34.35 ea	\$40.62 ea	\$46.87		
39.32	46.47	53.62		
40.70	48.10	55.50		
47 05	ER EE	65.25		

PLASTIC	LAMINATE T	OP	
Model	Price		
No.	12 or more	2-11	Each
168848	\$48.12 ea.	\$ 56.88 ea.	\$ 65.62
168850	56.38	66.62	76.88
168852	56.93	67.28	77.62
168854	67.65	79.95	92.25

VISIBLE RECORD FILE



Instant Information System

Eliminates bulky folders and excess papers; keeps records clean and orderly. 1/4" of cards exposed for fast reference. Holds 3" x 5", 4" x 6" or 5" x 8" cards.

AS LOW AS

Gray will be shipped unless mist green or desert sand is specified.

Model No. 122110 Lock - for all cabinets \$ 14.00

		100	The contract of the contract o	
	Number	Number	Cabinets	
Model No.	Drawers	Pockets	W" x D" x H"	Price
122101	6	240	10½ x 16 x 9	\$ 89.95
122103*	12	480	19¾ x 16 x 9	165.30
122105	6	426	10½ x 24 x 9	166.75
122107	12	852	10½ x 24 x 16½	316.00
122109	18	1278	10½ x 24 x 24½"	465.45
*Unit is	s two draw	ers wide		

SPLAY BOARDS

Easy to clean black plastic background with grooves to accept a variety of molded white gothic letter sizes. Anodized heavy gauge alumi num framed TEMPERED GLASS door unit with cylinder lock. Includes 200-3/4" letters on glass door units; 100-3/4" letters on open face

		Glass D	oor Unit	S
Size		Model	No.	
W" x	H"	No.	Doors	Price
30 x	36	492101	1	\$156.00
48 x	36	492103	2	211.00
60 x	36	492105	2	236.00
72 x	36	492107	3	311.00

Op	en Face Unit	s
·	Model	
W" x H"	No.	Price
18 x 18	492201	\$23.00
18 x 24	492203	28.00
36 x 24	492205	48.00
24 x 36	492207	48.00

	Addition	nai lettei	5612.
lodel		No. of	
_	L14 11	Charas	D.

Model		10.01	
No.	Ht."	Charac.	Price
492300	1/2	200	\$16.00
492302	3/4	200	17.00
492304	1	200	18.00
492306	11/2	200	26.00

OFFICES, PLANTS, LOBBIES ...





WALL MODEL: Wall mounts on simple bracket no matter what the wall thickness. Looks semi-recessed without need of wall cut-outs. High satin finish stainless steel back. Beige Apron.

G.P.H. Of Model No. 50° Water W X D X H 18 x 14 x 28-3/8 \$407.00 382104 8

FLOOR MODELS: Meets big capacity requirements at an economical cost. Plumbing and electrical connections are concealed with removable front panel for easy installation and service. Color - Gray.

G.P.H. of

Price Model No. 50° Water WXDXH 15 x 15 x 41 34 \$291.00 382100 Λ \$364.00

15 x 15 x 41

All copper and brass water lines. Meets Nat'l B. of Stds. No. C.S.-127-45

Controls)











Model No

382104





THE "COMFORT PLUS" CHAIR

Enhance your office or lounge



Molded chair of contour-formed polymer with color molded in.

Welded round tubular legs of %" x 16 gauge chrome plating. In dazzling colors to brighten any area. Choice of plain or vinyl covered foam seat cushion. Shipped K.D. to save freight. Black will be shipped unless coral, yellow, turquoise, olive or white is specified. Packed 12 per carton.

Padded Seat

	12-48 60-96 108+	** ** ** ** ** ** ** ** ** ** ** ** **	.95 .50 .50
		List- \$ 29.	30
		Plain Seat	
(Quantity	Model No.	424105
	12-48	\$13	.85
	60-96	13.	.60
1	108+	12.	.90
		List- S	17.40



The clean, uncluttered styling of these tables will give many years of maintenance-free use. Full 1¼" stain and wear resistant, self edged, high pressure laminate plastic tops. 3" diameter polished chrome column and black wrinkle finish cast base with plastic glides. These attractive, hand finished tables can also be used in conference rooms, offices, factories, etc. 30" height. Grained walnut top will be supplied unless teak or white/gold flecked is specified. Tops are pre-drilled for easy assembly.

				Price
Model No.	Size	Base Style	Each	6 or More
350201	30" round	Α	\$35.65	\$33.50
350203	36" round	Α	48.75	45.80
350205	30" square	Α	35.40	32.95
350207	36" square	Α	45.20	42.50
350209	24" x 42"	Α	41.35	38.35
350211	30" x 42"	Α	46.95	44.10
350213	30" x 48"	В	64.25	60.40
350215	30" × 60"	В	76.85	72.25
350217	30" x 72"	В	84.95	79.85
350219	36" x 72"	В	98.50	92.60
350221	36'' × 96''	(2) A	124.75	117.25



An excellent value in a upholstered stack chair for years of practically maintenance-free use. Grade 1 padded vinyl covering with 13/16" square, 18 gauge steel frame, and nylon glides for the ultimate in strength and comfort. Black baked-on epoxy finished frame will be supplied unless goldtone is specified. Black vinyl upholstery furnished unless ivory, tangerine, mustard, blue or crimson is specified.

crimson is specified.	Model		Price	
Cold in couton guantiaise	No.	4-12	16-48	52 or more
Sold in carton quantities of four of a color only.	350355 350357	\$17.40 20.75	\$16.95 20.25	\$15.95 19.25

STEEL DRAFTING TABLE


For the Professional . . . at a low, low price



442100	37½'' × 60"	\$198.00
442102	37½" × 72"	238.00
442104	42'' × 72''	250.00
442106	42" × 84"	298.00

Auxiliary drawer option — increase your drawer space. Consists of supply drawer and 12½" deep file drawer with five movable file dividers and lock. Model No. 442110 \$107.00

NEW ERASEABLE MARKERBOARDS



Write in ink with vivid colors...erases easily for training room...sales meetings...lectures

Now you can write and erase in color ink. Unique melamine surface with anodized aluminum frame and full length tray for markers and eraser. Complete with four assorted special eraseable markers and eraser.

STYLE A - Melamine Surface Board

(122)

450304

STYLE B - Porcelain-on-Steel Surface ... Takes magnets and magnetic accessories. Can be used as projection screen.

Size	Style A Model No.	Price	Style B Model No.	Price
3' × 4'	4501 00	\$ 22.53	450200	\$ 67.96
3' × 5'	4501 02	50.96	N/A	
4' × 5'	4501 04	53.51	450202	106.21
4' × 6'	4501 06	57.59	450204	114.71
4' × 8'	4501 08	63.71	450206	152.15

EXTRA MARKERS. Set of Four eraseable markers per box

Blue

١	MARKERS.	Set of Four 6	eraseable markers	per box.
	Model No.	Color	Model No.	Color
	450300	Assorted	450306	Black

\$4.95 per box (Min. order-6 boxes)

5-DRAWER FLAT FILE



- ATTRACTIVE Wood grain corrugated fiberboard, molded plastic handles and label holders
- STRONG Holds up to 200 lbs.; metal frame with structural steel drawer supports for rigidity
- MAXIMUM STORAGE Holds sheets up to 45" x 35". Cabinets are 15%" H with 2" useable space per drawer.
- OPTIONAL DRAWER DIVIDERS Sections drawers into halves or quarters.

Model	Cabinet	I.D. Drawer		5-Drawe	
No.	W" x D"	W" x D"	Price	Model No.	Price
336100	17 x 23	15 x 21	\$ 59.95	336120	\$ 4.95
336102	25 x 29	23 x 27	79.95	336122	5.50
336104	39 x 27	37 x 25	114.95	336124	5.75
336106	47 x 37	45 x 35	148.95	336126	5.95

COZY LEGS UNDER-DESK



PARALLEL STRAIGHTEDGE

Rolls over your drawings with ease

Combines mobility with rigid construction. Floating construction rolls over your drawings on plastic retractile rollers. Unlike brass rollers, won't wear down and mar drawings. Edges are clear transparent plastic raised above bottom of blade for inking. Durable Black Phenolic Laminate.



Model No. Size Price 442124 60" \$53.75 442126 72" 62.75 442128 84" 74.00

BRIGHT LIGHT LAMPS

MAGNIFIER

Magnification and cool fluorescence are combined in this perfectly balanced lighting fixture. Large viewing area for fine details, component assembly, any close work. Unique double tension control not found in other magnifying lamps. Magnification lens is precision ground and polished. Die cast shade guards against dents and bulb breakage.

Model No. 174181 –2 arms, 42" reach \$69.95 Model No. 174183 –2 arms, 36" reach \$67.95 Includes 22-watt circular flourescent tube

BRACKETS & BASES

Lamps will be shipped with "A" bracket, unless "B" or "C" bracket is specified at no additional cost.



Model No. 174185 — 2 arms, 42" reach \$ 64.95 Model No. 174187 — 2 arms, 34" reach \$ 63.40 Includes 60-watt incandescent bulb and 22 watt circular flourescent tube.

heavy base No. 174199 available at \$20.50

NATURAL

LIGHTING'S

ONLY RIVAL

Lamps will be shipped with tan finish unless gray, black or white is specified.



as low as \$199.95

STACKABLE Shown with two 5 drawer units stacked on sanitary base

FLAT DRAWER FILES

Keep your blueprints, drawings, maps and photographs perfectly flat—and well organized—in these five steel, flat drawer cabinets. Stack the cabinets high as you wish. Closed bases for each size. Attached hinged paper weights in drawer fronts and hoods, at rear, keep papers from curling. Gray finish shipped unless tan is specified.

5 DRAWERS PER UNIT

	O DI IVIVELIO I ELI OINI	
No. 336333	File 40 3/8"W x 28 3/8"D x 15 3/4" H	\$ 199.95
No. 336335	Base 6"H for No. 336333 File	39.95
No. 336337	File 46 3/8"W x 35 3/8"D x 15 3/4"H	234.95
No. 336339	Base 6"H for No. 336337 File	49.95
No. 336341	File 53 3/8"W x 41 3/8"D x 15 3/4"H	259.95
No. 336343	Base 6"H for No. 336341 File	59.95

PRINT RACKS

Wall and Mobile units

Holds up to 1200 drawings, plans etc. on 12 hangers. Mobile model has adjustable height to accommodate drawings up to 60". Gray finish.



Clamp	Mobile Unit		Wall Unit	
Length	Model No.	Price	Model No.	Price
18''	442716	\$247.00	442800	\$172.00
24"	442718	255.00	442802	180.00
30''	442720	268.00	442804	193.00
36"	442722	281.00	442806	206.00
42''	442724	294.00	442808	219.00

ECONOMICAL FLAT FILES



Tough, solid fiberboard (not corrugated) with hefty 3/4" x 1-1/2" wood frame, sturdy plastic carrying handle and large index panel.

A complete 30-file (10 shelf) system combines a heavy duty industrial steel shelving unit with our excellent value flat files.

Shipped knocked down to save freight...easily assembled



StackablePortable

Durable

369.90

Price Each

 Model No.
 Inside Dim.
 Outside Dim.
 5–30
 35 or more

 336840
 36"x24"x1½"
 38½"x24½"x1½"
 \$7.50
 \$ 6.95

 336842
 42"x30"x1½"
 44½"x30½"x1½"
 8.25
 7.75

 SOLD IN CARTON QUANTITIES OF FIVE ONLY.

FILE/SHELVING COMBINATION UNIT
Model No. Description

336854 10 Shelf unit with 30 No. 336840 Files 336856 10 Shelf unit with 30 No. 336842 Files Size LxDxH Price 40"x24"x61" \$ 309.90

46"x30"x61"

DRAFTING STOOL

Ideal for technicians or draftsmen this 26" to 31"adjustable stool comes with padded black, vinyl seat and brushed aluminum steel frame.

Model No. 136496 \$47.25 CORRUGATED FIBERBOARD ROLL

FILE

AS LOW AS \$31.95

An inexpensive method of storing rolled drawings, tracings, plans, maps, etc. The units are heavy duty 200 lb. test fiberboard with double wall, steel reinforced construction.

	Tube	Overall	No.
Model	Size	Size	of
No.	L I.D.	W D H	Tubes Price
336730	25 x 2½	15¾ x 26 x 15¾	36 \$ 36.95
336732	37 x 21/2	15¾x 37¾x 15¾	36 37.95
336734	43 x 2½	15¾x 43¾x 15¾	36 39.95
336736	25 x 3¾	15¾x 26 x 15¾	16 31.95
336738	37 x 3¾	15¾x 37¾x 15¾	16 32.95
336740	43 x 3¾	15¾x 43¾x 15¾	16 34.95





33 DRAWER CABINET

360 Compartment Capacity. Will pay for itself in safeguarding hardware, tools catalogs, printed matter, etc. Inside drawer size: 85" wide, 24" high, 12" deep. Cabinet size: 30½" wide, 37½" high, 12½" deep. No. 122955 \$112.95 Above cabinet, each drawer is equipped with 2 adj. dividers making 99 compartments.

No. 122957 127.50

Same as No. 122955 but with legal size drawers. Cabinet size: 30½"W, 37½"H, 16%"D.

No. 122959 158.50
Above cabinet, each drawer is equipped with 2 adj. dividers making 99 compartments
No. 122961 173.10

No. 122961 173.10 LOCK that locks all 33 drawers. No. 122963 21.20

COLORS: Gray will be shipped unless Desert Sand or Mist Green is specified.

ROLLING STEP STOOL




Hidden non-marking casters for easy rolling. Casters retract with pressure as base "grabs"

- Heavy gauge steel frame black will be shipped unless blue, beige or green is specified.
- specified.

 Ribbed rubber treads on upper and lower platform.
- All around protective bumper. 11" Dia. top, 14" H.

416100	1-2	3-11	12 & up
	\$30.95	\$28.00	\$26.55
Model No.		Price	



COMBO

Designed to safeguard valuable records

Consists of three letter size file drawers, a secret vault and storage space, both behind door under lock and key. 30½" wide, 37½" high, 17" deep.

No. 314973 \$144.95
LEGAL SIZE As above 33½" wide, legal instead of letter drawers.

No. 314975 \$156.40

No. 314975 \$156.40
Either size shipped in Gray finish unless you specify Mist Green or Desert Sand.

CHAIR MATS

Clear plastic mats with beveled edges permit easy wheel action from carpet to mat and add years of life to your carpet or floor. Easy to keep clean.



Model No.	Width	Length	Width	Length	Price
100690	36	48	20	10	\$28.50
100692	48	60	20	10	46.85
100694	60	60	20	10	76.50

CHALK BOARDS

Anodized aluminum frame with full length chalk rail. Green finished board will be supplied unless black is specified.



CORK

Anodized aluminum frame. Cork laminated to rigid backing. Holes seal quickly and cork retains resiliency for years.

Model No.	Size	Price	Model No.	Size	Price
450535	24 x 36	\$14.00	450560	24 x 36	\$16.00
450537	36 x 48	23.50	450562	36 x 48	28.00
450539	36 x 60	42.00	450564	36 x 60	38.00

CONTACT US TODAY ON YOUR SPECIAL REQUIREMENTS

SPACE SAVERS

that go on top of the file



Use wasted space above your file cabinets. Give your office that orderly efficient look while keeping office supplies at your fingertips. Adjustable center shelf with easy roll sliding doors. Gray cabinet shipped unless desert tan, pastel green or olive green is specified.

specifica.					
Model No.		Size	W"x	D" x H'	' Price
154541	/Fits across two	30"	x 18"	x 30"	\$79.75
154543	Letter size files	30"	x 24"	x 30"	86.50
154545	/Fits across two	36"	x 18"	x 30"	85.55
154547	Legal size files	36"	x 24"	x 30"	99.00
	Sliding door lock				10.60



STEEL STORAGE CABINETS

You'll be surprised at the quantity of materials you can store in this cabinet. Office supplies—tools—valuable raw materials. Repays its low cost through pilferage prevention. Three way locking device, keyed lock.

Gray enamel finish will be shipped unless desert tan, pastel green, olive green or black is specified.

FOUR ADJUSTABLE SHELVES— BUILT-IN LOCK

CABINETS

BUILT FOR LIFE TIME SERVICE

Model No.	Width	Depth	Height	Shelves	Price
328101	36	18	72	5	\$84.30
328103	36	24	72	5	99.05
328105	36	18	· 78	5	99.05
328107	36	24	78	5	116.30
328109	36	18	42	3	82.95
328111	36	24	42	3	94.20

Additional Shelves — 36" x 18" Model No. 328115 \$ 8.30 36" x 24" Model No. 328117 \$10.54

SHIPPED SET-UP-READY TO USE

SAVE TIME! PHONE YOUR ORDER TOLL FREE 800-645-1232



ROOMY STORAGE CABINETS FOR CLOTHING AND SUPPLIES

Maximum storage space and efficiency at minimum cost.

- Heavy gauge furniture steel.
- Three point locking device with two keys.
- Shipped set-up—ready for instant use.

WΔ	RD	RC	RE	TV	PE

WANDROBE	IIIE	
Model No.	W" x D" x H"	Price
328421	36 x 18 x 72	\$87.45
328423	30 x 18 x 72	83.75
328425	36 x 18 x 78	105.50
328427	24 x 18 x 72	80.95

 Baked on gray enamel finish will be shipped unless pastel green, desert tan or black is specified.

COMBINATION STORAGE—WARDROBE TYPE

ALL HOUSE	111 -	
Model No.	W" x D" x H'	Price
328441	36 x 18 x 72	\$107.95
328443	30 x 18 x 72	110.15
328445	36 x 24 x 72	120.60
328447	36 x 18 x 78	123.50
328449	36 x 24 x 78	143.80



STEEL AND GLASS SLIDING DOOR CABINETS

STEEL SLIDING DOOR CABINETS

Model No.	Н	W	D	Shelves	Price
328301	72	36	12	5	\$131.25
328303	72	36	18	5	139.20

GLASS SLIDING DOOR CABINETS

Model No.	Н	W	D	Shelves	Price
154201	72	36	12	5	\$149.40
154203	72	36	18	5	154.75
154205	52	36	12	4	135.50
154207	52	36	18	4	140.90
154209	42	36	12	3	110.25
154211	42	36	18	3	115.55
154213	30	36	12	2	97.10
154215	30	36	18	2	100.40

No. 328298 sliding door lock \$13.25 add'l.

Where beauty—design—efficiency become an integral part of your every-day office needs. Functional and modern in design and appearance to blend and harmonize with that special decorator touch for office, home, school, hospital and institutional use.

There are no swinging doors to block off valuable aisle space and working area.

FEATURES

- Shipped set-up and ready for instant use—all welded construction.
- 2. Sliding doors glide on smooth, non-binding ball bearing rollers.
- 3. Doors can be easily removed without any effort for complete accessibility.
 4. Intermediate shelves are easily adjustable for your various needs.
- 5. Gray enamel finish shipped unless desert tan, pastel green or olive green is specified.



FIREPROOF FILES

Maderwriters Taboratories Juc.

O INSULATED FILING DEVICE
CLASSIFICATION D NO. 000000

UNDERWRITERS' LABORATORIES, INC. "D" LABEL - ONE HOUR

Ability to withstand exposure on all sides to severe fire reaching 1700°F for one hour without damage to paper contents...plus sudden heating up to 2000°F for ½-hour without accumulating explosive gases inside the unit.

Maderwriters Laboratories, Juc. FIRE (
INSULATED RECORD CONTAINER NO.

FIRE CLASSIFICATION C

"C" LABEL - ONE HOUR WITH IMPACT TEST

Assures protection of paper contents against severe fire exposure reaching 1700°F for at least one hour, and during an additional "sweatout" period without the interior temperatures reaching 350°F.

Explosion tests subject the unit to sudden intensive heating to 2000°F for one-half hour without the accumulation of explosive gases.

An additional impact test includes initial heating to

An additional impact test includes initial heating to 1550°F for one-half hour, followed by a 30 foot clear fall onto brick rubble. The unit is then reheated in an inverted position at 1550°F for another half-hour without damage to the paper contents.



Each
FIRE-MASTER
Insulated File
offers top
protective
performance.

How safe
are your

· CHECK THESE FEATURES ...

 Double steel wall tongue and groove construction with asbestos insulation

Fully insulated drawers for added protection

 Overlapping drawer fronts assure a tight seal against fire and water entry

 Flexible locking system permits free access to any or all drawers

 Gear controlled ball bearing slides assure easy drawer operation

 Gray Baked-on enamel finish furnished unless Beige or Black is specified

				3126	SHID	
Model No.	No. drawers	Type	U.L. Rating	WxDxH	Wt.	Price
316535	2	Letter	D	17x30x27½	338	\$ 333.95
316537	2	Legal	D	201/4 x 30 x 271/2	367	353.00
316539	2	Letter	С	17½ x 30½ x 27½	360	402.00
316541	2	Legal	С	21 x 30½ x 27½	395	436.00
316543	4	Letter	D	17x30x53¾	615	517.60
316545	4	Legal	D	201/4 x 30 x 53 3/4	670	557.00
316547	4	Letter	С	17½x30½x53¾	624	630.00
316549	4	Legal [,]	C	21 x 30½ x 53¾	685	665.00

If suitable unloading facilities are not available, the drawers may be removed from the cabinet to lighten the load.

HORIZONTAL FILES

SPACE SAVING

Reduces your filing and space costs up to 50%

Designed and engineered to meet the demands of the modern office. Maximum filing capacity with ultimate savings of high cost floor space. This new horizontal file accommodates letter and/or legal size. Patented automatic Tilt-Proof mechanism prevents file from tipping. Drawers open fingertip easy—and so quietly—on full suspension tracks for full view filing. Central locking device on top drawer. 3½" legs are standard.

Beautiful baked on BLACK enamel finish will be supplied unless gray, sea blue, mist green, sahara tan, or bamboo is specified.

Model No. Drawers W"xD"xH" 320707 2 30x18x29 \$	Price 101.95
220707 2 201020	
320/0/ 2 30x18x29	4== 00
320709 3 30x18x41	157.30
320711 4 30x18x53½	200.00
320713 5 30x18x65	254.80
320715 2 36x18x29	122.20
320717 3 36x18x41	186.55
320719 4 36 x18x53½	230.00
320721 5 36 x18x65	291.00
320724 30"L. Walnut Textolite Top	\$12.00
320726 36"L. Walnut Textolite Top	13.95
320727 30"L. Wrap-around base	13.00
320729 36"L. Wrap-around base	13.00

AS LOW AS \$101.95 SAVE TIME! PHONE YOUR ORDER TOLL FREE 800-645-1232

(126)

STORAGE TYPE No. 183851
has four shelves adjustable every
two inches without tools

WARDROBE TYPE—No. 183855—has full width shelf at top (adjustable), stout coat rod, smooth finish interior.

DESK HIGH CABINET—No. 183867—handy companion piece at the busy executive's desk, for added storage under lock and key. Shelves are adjustable for any height.

COMBINATION TYPE CABINET—No. 183859—Performs the double function of an office supply cabinet and wardrobe. Equally divided for full length clothing storage and compartment with four half-size shelves. Top shelf is full width for packages or hats. Extra half shelves available. Gray baked on enamel. A boon for the small office.

COUNTER HIGH CABINET—No. 183863—Just the right height to increase storage space next to counters, or for use against walls in one or more units, or wherever taller cabinets are not practicable. Three adjustable shelves. Back of cabinet presents finished appearance to enhance value of cabinet for counter service.

These useful cabinets have new streamlined styling, rounded front corners, three point locking devices, chrome handle and built-in locks. Double doors swing open full 180 degrees.

.....\$149.00







OUR BEST QUALITY











BOOKCASES

183855 — Wardrobe Cabinet

183859 — Combination Type

183867 - Desk High (Set-Up)

36" x 21" x 78"h.

36" x 21" x 78"h. ...

Bookcases are crafted with modern styling to harmonize with the decor of any office, library, plant or warehouse. Intermediate shelves are adjustable to meet all requirements. Gray enamel finish shipped unless desert tan, pastel green, or olive green is specified. Shipped set-up, ready to use.

183863 — Counter-High 36" x 21" x 42" h...... 135.70





				Adjustable	
Model No.	Н	W	D	Shelves	Price
328401	84	36	12	4	\$110.60
328403	• 84	36	18	4	124.00
328405	72	36	12	4	85.45
328407	72	36	18	4	90.55
328409	52	36	12	3	78.60
328411	52	36	18	3	91.50
328413	42	36	12	2	75.70
328415	42	36	18	. 2	80.85
328417	30	36	12	1	67.80
328419	30	36	18	1	74.05

FULL SUSPENSION FILE

These are really full suspension files—the only files with this feature at our amazing low price. Back of the file drawer is as easily accessible as the front. Drawers glide smoothly. Spring compressors. Five, four, three and two drawer models. In office gray finish, unless you specify desert tan, mist green or black.

or tar, mot green or black.							
		F	lunge	r Pri	ce		
Model No D	rawe	ers Size	Lock	1-4	5 or more		
294501	2	Letter 15 x 24 x 30	No	\$51.50	\$48.95		
294503	2	Letter 15 x 24 x 30	Yes	62.20	59.20		
294505	2	Legal 18 x 24 x 30	No	62.95	59.85		
294507	2	Legal 18 x 24 x 30	Yes	73.65	69.95		
294509	3	1 - th - 1 5 × 26 × 40	NI-	67.05	04.00		
294511	3	Letter 15 x 26 x 40	No	67.95	64.60		
294511		Letter 15 x 26 x 40	Yes	78.65	74.80		
	3	Legal 18 x 26 x 40	No	79.75	75.85		
294515	3	Legal 18 x 26 x 40	Yes	90.45	85.95		
294517	4	Letter 15 x 26 x 52	No	67.95	64.60		
294519	4	Letter 15 x 26 x 52	Yes	78.65	74.80		
294521	4	Legal 18 x 26 x 52	No	79.75	75.85		
294523	4	Legal 18 x 26 x 52	Yes	90.45	85.95		
294525	_						
	5	Letter 15 x 26 x 60	No	105.10	99.95		
294527	5	Letter 15 x 26 x 60	Yes	115.85	110.15		
294529	5	Legal 18 x 26 x 60	No	116.55	110.85		
294531	5	Legal 18 x 26 x 60	Yes	129.95	120.95		
				-			

FOR QUICK SERVICE CALL 800-645-1232 (516-485-1000 IN NEW YORK) AS LOW AS \$48.95



EXECUTIVE CHAIRS

Smartly styled executive chairs combine prestige, comfort and meticulously designed upholstery. Full swivel, adjustable height and tilt back for added comfort.

THE PRESIDENT

Impressive high back chair, Iuxuriously upholstered with tufted seat and back for hours of solid comfort. Chrome tipped 5 leg base.

> Model No. 136461 \$162.85

THE DIRECTOR

Designer styled beauty
with personalized
seating comfort.

Beneath its surface is hidden sound construction assuring true value and long life.

Model No. 136463

\$134.25

THE SENATOR

Slim, trim, contemporary, shaped to fit and support body contours. This handsome chair adds high style to any office environment.

Model No. 136465 \$99.95

MODERN OFFICE CHAIRS

The ultimate in styling and comfort! Sensibly priced!



Designed to today's standards of durability. The style will blend with your decor. Chairs have proven to be comfortable....help eliminate office fatigue. Seats are richly upholstered with no-sag springs and heavy duty foam.

EXECUTIVE SWIVEL ARM CHAIR

Take it easy in this super comfortable arm chair. A handsome addition to any office. Tilt seat. Adjustable tension and adjustable height. Swivel ball bearing casters. Seat size: 20"x19"x4"

Model No. 1 or 2 3 or more 136255 \$86.85 \$78.35

ARM CHAIR

Here is the ideal companion for the side chair. Can be used in your reception room, conference room or as a desk side chair. Seat size: 19"x18" x2½"

Model No. 1 or 2 3 or more 136253 \$53.95 \$48.60

DURABLE BAKED BRUSHED ALUMINUM ENAMEL FRAMES WITH BLACK NAUGAHYDE UPHOLSTERY WILL BE SUPPLIED UNLESS YEW GREEN, GRAY, WILL BE SUPPLIED UNLESS YEW GREEN GRAY, GINGER BROWN, MUSTARD OR TANGERINE UPHOLSTERY IS SPECIFIED.

SIDE CHAIR

The frame is all steel with spring padded seat, cool comfortable, long lasting. Seat is 17"x16"x2½". Packed 2 to a carton.

Model No. 1 or 2 3 or more 136257 \$35.75 \$31.75



Price

\$80.95

97.15

42 07

SECRETARIAL POSTURE CHAIR ADJUSTABLE SEAT AND BACK


Light but rugged, designed for all day comfort. Thick bonded foam rubber cushion. Spring back. Ball bearing casters. Seat size: 18"x17"x3"

Model No. 1 or 2 3 or more 136251 \$50.85 \$45.50

LITERATURE STORAGE CENTER

72 compartments

Ideal for storing catalog sheets, forms, photos, directories and other valuable literature. Contains 72 corrugated fiberboard trays. Seven shelf industrial type shelving unit included.





LITERATURE RACK



Ever see a handier way to store literature, while keeping it out in the open, on display? Each pocket holds up to 150-8½"x 11" catalog sheets with the upper 2" of the sheet exposed for ready identification. Keyhole slots are provided for wall mounting. 9¾" W x 4"D. Sturdy, all welded steel construction. Grey hammertone finish.

Model No. **252104** 65" H - 23 pockets

\$42.00

Model No. **252102 36"** H – **11** pockets

\$28.50

Four No. 252104 Racks



There's nothing like the warmth of wood, the richness of walnut

- Tops are genuine suede textured (oiled) walnut Formica, self edged, 1¼" thick.
- All exposed wood parts are hardwood with Duron end panels.
- Drawers are dovetailed construction with satin brushed hardware.
- · Locks on all top pedestal drawers.
- Seven step hand rubbed finish assures durable, smooth finish.
- Expert hand craftsmanship.
- All desks shipped set up.

No. 318500 Executive Desk with center drawer -60" x 30"

3 or more \$147.95 1 or 2 158.50

No. **318502** Executive Conference Desk with center drawer — 72" x 36"

3 or more \$177.75

1 or 2 **187.90**No. **318505** Modular Desk 60" x 30" with 42" x20" return. Secretarial desk with left hand return (illustrated) will be shipped unless right hand is specified

3 or more **\$225.45** 1 or 2 237.55

Black Vinyl/Nylon seat upholstery will be furnished unless olive, rust or gold is specified.

No. **318507** Space Saver Single Pedestal Desk 42" x 24" Right hand pedestal will be shipped unless left hand is specified

3 or more **\$93.35** 1 or 2 **98.60**

No. 318508 Executive Credenza - 72" x 20'

	with	sliding	doors	and 5	dr	awers
					\$	189.00
No. 318510	Oper	Bookc	ase			
	36" x	12" x 31	"H		\$	46.70
No. 318512	Oper	Bookca	ase			
	36" x	12" x 44	"H		\$	62.35
No. 318514	Oper	Bookca	ase.			
	36" x	12" x 56	"H			76.25
No. 318521	Side	Chair				85.95
No. 318523	Arm	Chair			- 1	01 50
No. 318525	Secre	etarian S	Swivel	Chair	- 4	04 80
No. 318527	Exec	utive Sw	ivel Ch	nair	- 4	62.50
					. 1	03.50

HANDSOME, LUXURIOUS WAL **FURNITURE**



May we assist you?



MPLETE PACKAGED OFFICES


hed in beautiful oyster beige enamel. glass will be shipped unless textured glass is specified.


With TEMPERED GLASS, an exclusive quality feature... Partition takes only 13/4" of space on your floor!


Now you can have all the partitioned offices you need. . . at the lowest prices ever. And what offices!


Sturdy, all-steel partitions are 68" high with oyster beige finish and they include automotive-type tempered glass (clear or textured at the same low price) for strength and safety. Each panel has spring-loaded studs at each end for fast, easy installation without special tools. Complete with posts, floor anchors and parts plus installation guide


















Office entrance ways are 341/4" wide

DESIGN YOUR OWN OFFICE

10' x 12' 164117 \$637.56 10' x 12' 164119 Add-on \$417.78



Simply draw a sketch of your proposed office showing:

- 1. Correct Dimensions.
- 2. Position and swing of doors.
- 3. Columns or obstructions.

Our Engineering Department will be glad to assist you with any special office planning require-

You may either expand your Instant Pre-Fab Office to a special size, add additional walls, or if you wish, you can design your own office

Panel with one post

Model No. Width Price 164205 164207 24 55.00 164209 68.75 82.50 164211 164213 96.25 164215 48 110.00 123.75 164217 164219 164221 \$ 21.00 Matching glazed door 34¼" opening 0

Model No. 164241 -Price for parts includes standard glass, necessary hardware, clips,

MAIL YOUR ORDER TODAY!!

Minimum Order on Panels 15'

		×		
Alarms	84,87	Ladders	37,38,40,42,89	
Bar Storage Racks	102.103	Lights	84,94,123,133	
Baskets, Canvas		Lockers	118,136	
Baskets, Wire		Locks, Alarm	87	
Batch Cans		Maintenance Platforms	40,41,42	
Benches	74,112,115	Mats, Floor	78,124	IND
Bins		Mezzanines	33	
Bins, Revolving		Mirrors, Safety		
Boards, Chalk & Cork		Movers, Machinery-Furniture	55,56,57	
Bookcases		Parking Lot Needs	87	
Boxes, Plastic		Partitions		
Boxes, Steel		Phone Booths		410
Buildings		Platforms, Lift	40,133	
Cabinets, Drawer	14-16,132	Racks, Cantilever	36	
Cabinets, Key		Racks, Drum		
Cabinets, Paint Storage		Racks, Pallet		
Cabinets, Parts			10,18,34,35,46,103,128,132,136	
Cabinets, Storage	3,24,87,117,124,127,136	Receptacle, Waste		The second second
Carriers, Personnel	56	Rotary Bins		
Carts, Service & Cleaning		The state of the s		
Carts, Stock		Safety Cans		
Chairs		Scaffolds		AH
Chairs		Screens		All
Clamps		Shelving		
Coat Racks		Signs		Vous
Coil Hooks	96	Skids	60	Your
Containers, Pallet		Slings		
Containers, Storage		Slotted Angle		Equipmoni
Conveyors		Stainless Steel		Equipment
Cranes	98-100	Stairways		
Decking		Stretchers		Needs
Desks				1466n2
Dock Equipment		Tables Lift		
Dollies		Tables, Lift		
Drafting Equipment		Time Card Racks		Re many
Drum Equipment		Tool Chests		
		Tool Stands	117	
Exhausters, Fume		Trucks, Bar	102,103	
Fans		Trucks, Box		
Files		Trucks, Canvas		
First Aid Cabinets		Trucks, Hand		
Floor Patch		Trucks, Lift		
Tiodi i atom		Trucks, Platform		Brug,
Gates, Folding	8	Trucks, Shelf		
Grating		Trucks, Stock	41,58,59,60,62,74,133	
Guards	8,29,65	Urns, Cigarette	119	
		Umbrella Stands		
Heaters		Vacuum Cleaners		
Hoists		Vises		
Hoppers				
Jacks	51,92	Water Coolers		
		Wire Mesh Partition		
Kee Klamps	31	Wheels		
			TOTAL CHICAGO IN	

All Sales are net 30 days to firms with acceptable Dun & Bradstreet, Inc. rating. Unrated firms or non listed firms are requested to submit the name of your local bank and two major trade references or include check with your order to assure prompt handling.

HOW TO ORDER: Simply dial our TOLL FREE number for fast service 800 - 645-1232 (except New York State - 516-485-1000) or mail your purchase order to address shown on cover.

PRICES: All prices shown in this catalog are net industrial prices, FOB Point of Shipment and do not include any Federal, State or local taxes. We reserve the right to invoice at prices

in effect at time of shipment. Billing will reflect any DECREASE or IN—CREASE from price shown. Pre-Paid freight shipments will be subject to a handling charge.

LIABILITY: No liability is assumed by Global Equipment Co. for damage and/or injury resulting from use of equipment supplied by this company. DAMAGED SHIPMENTS: To protect your interest, we suggest that you inspect shipment before accepting receipt of merchandise. Damages should be noted on freight bill and claim filed immediately with carrier. RETURN SHIPMENT: Any merchandise being returned must be sent freight prepaid. RETURN AUTHOR – ZATION MUST BE GRANTED BY

US IN WRITING BEFORE RETURN OF MERCHANDISE.

PRODUCT DESIGN: All orders are accepted subject to design change and our ability to obtain materials.

MINIMUM ORDER: Rising costs make it imperative for us to impose a \$15.00 Minimum charge per order unless otherwise stated.

OUR PRICING POLICY

Global is in complete support of the governmental Price Stabilization Program. We will increase or decrease our prices only when said change falls within guidelines prescribed by the government. Over 27 years of proven integrity assures you at

Over 27 years of proven integrity assures you at Global's effort to maintain the lowest possible prices while maintaining our reputation for quality products.





SPECIALLY PRICED!

AS LOW AS \$83.85

WIDE SPAN STORAGE RACK

- Easily set up with snap-in-place components no nuts, bolts or clips
- Rigid 4 14 ga. steel framing
- High capacity wood decking, steel angle reinforced
- Three adjustable steel angle reinforced wood shelves per unit.

	Shelf	7′ H	igh	8' H	igh	10' H	High	Add'l St	nelves
L" x D"	Cap. Lbs.	Model No.	Price	Model No.	Price	Model No.	Price	Model No.	Price
60 x 36	760	601450	\$ 83.85	601460	\$ 86.10	601470	\$ 89.95	601480	\$23.15
60 x 48	540	601452	96.65	601462	98.85	601472	102.70	601482	26.35
72 x 36	760	601454	93.40	601464	95.60	601474	99.45	601484	27.40
72 x 48	540	601456	103.25	601466	105.45	601476	109.35	601486	29.60

JUMBO DRAWER CABINET



Perfect for your small parts storage. Big 5½" W x 45%" H. drawers can't pull out accidentally. Adjustable dividers available for convenient separation of items. Label holders afford easy identification. Cabinet size 36" W x 75" H. Gray baked enamel finish. Shipped set up... Ready for instant use.

72 Drawers of Storage at A Super Low Price


Model No. 601510 — 12" Deep \$443.95 Model No. 601530 — 18" Deep \$541.65 Dividers — Model No. 601550 \$.35 ea.

Our Best Buy HANDTRUCK All welded aluminum frame in choice of dual or loop handle. Combines versatility with value for your best buy ever. 300 LB.

All welded aluminum frame in choice of dual or loop handle. Combines versatility with value for your best buy ever. 300 LB. capacity, with 8" X 1.75 semi-pneumatic ball bearing wheels. 50" X 191/2" W, 14" X 9-3/4" toe plate.

Model 149546 \$40.40 (2 or more) \$42.85 each

See pgs. 52-54 for add'I





(132)

Model No.

183170

183172

FLAMMABLE LIQUID STORAGE CABINET

Keep your combustibles safe

Adjustable shelves allow storage of various containers. 18 gauge double panel steel construction with 1½" air space between panels for safety. Double swinging doors with built-in lock. Positive electrical grounding and screened flame arrestor vent.

- · Meets all O.S.H.A. safety regulations.
- Complies with NFPA's combustible liquids code #30.
- · Shipped set up, ready to use.
- · Finished in safety yellow enamel.

Capacity	Size	Adj.	
Gallons	WXDXH	Shelves	Price
30	43" x 18" x 44 5/8"	1	\$394.80
45	43" x 18" x 65 5/8"	2	485.90

UNBREAKABLE SHELF BOX AS LOW AS \$.57

	Size	Case	Price Ea.		
Model No	$W'' \times H'' \times L''$	Quant.	1-2 Cases	3 or more	
146101	$4 \times 4 \times 12$	36	.61	.57	
146103	6 × 4 × 12	30	.79	.75	
146105	4 × 4 × 18	20	1.05	.99	
146107	6 × 4 × 18	20	1.20	1.14	

Sold in case quantities of a color only. Yellow will be shipped unless blue is specified. See pgs. 20, 22, 25 and 26 for add'l. boxes.

EMERGENCY LIGHT

Meets O.S.H.A. Requirements, U.L. listed


- Always ready. . .automatically turns on when power fails, recharges when power is restored
- Illuminates large areas for over 3 hours
- Sealed lead calcium battery never requires maintenance
- Easy, permanent 115v.

5-1/4"W x 2-3/8"D x12" H. Model No. SP12

\$55.00 Ea. \$51.00 Ea. 12 or more \$44.00 Ea

See page 82 for add'l lights





PALLET TRUCK

Proven 4000 lb. capacity

- Fully Hydraulic
- Polyurethane Wheels
- 3¼" lowered ht.-7¾" raised ht.
- Tapered forks
- Unitorsion Frame for added strength
- 3 stage foot control
- Hardened chrome piston and ram
- Choice of 21" and 27" width, 36", 42" and 48" length.

SPECIFY WIDTH AND LENGTH

Model SP400 - Net ea. \$345.00

MADE IN U.S.A.

See page 51 for add'I trucks

4100

350 Lbs

to 13'2

STOCK CART 500 LB. CAPACITY AS LOW AS Baked gray enamel finish 32" High

Ideal for receiving depts., factories, warehouses, assembly lines etc. Two heavy duty 3½" deep trays. 5" easy rolling casters, two swivel, two rigid. SP220 SP222

	16" x 30"	24" x 36"
24 or more	\$29.98	\$34.02
12 to 23	32.35	37.21 See page 58
6 to 11	34.51	40.12 for add'l cart
1 to 5	36.67	42.88

VERSA-STACKER Easy One Man Handling

- Aluminum construction—light weight yet strong
- Easily maneuvered—moves in and around tight spots, only 24
- Safety brake winch—automatically locks when handle is released
- 24" long forks reversible for added lift height
- Removable outriggers standard on models 456304 and 456306 for increased
- 31/2" lowered height
- Portable—legs and forks easily removed for transportation or storage



Model	Cap *	Lift**	Collapsed			
No.	Lbs.	Ht.	Ht.	Wt.	Price	
456300	400	4'	621/2	5	\$316.95	
456302	350	8′	621/2	95	392.50	
456304	350	10'	741/2	101	444.00	
456306	350	12'	861/2	106	486.75	

*Reduce load capacity 50 Lbs. when forks used in up positio
**Lift ht. shown for forks in down position, add 1'2" to ht. when

Options:

Retractable ladder — attaches to lift, locks against frame when not in use.

Model No. 456310 — For 4' and 8' lift model is \$64.90 Model No. 456312 — For 10' lift model \$72.60.

Model No. 456314 — For 12' lift model \$79.20.

Slip-on platform — 22"x20" for handling various size loads. Model No. 456316



AS LOW AS

s38.58

THE "STACKABLES"

For beauty, dependability, comfort

All molded one piece contour-formed polymer seat, with the color molded in. 3/4 gauge chrome plated round tubular steel legs with shelf leveling glides, stacks in a 19" square area. Black will be shipped unless coral yellow, turquoise, olive or white is specified Shipped K.D. to save freight. Packed 12 per

A Model N Quantity 12-48 60-96 108+	No 424101 Side Chair \$10.65 9.95 9.45
B Model N	
Quantity	Arm Chair
12-48	\$14.40
60-96	13.40

12.75

See pages 2, 116, 121, 123, 128 for add'l chairs

108+

Sturdy, rugged . . . built for years of service

Go from open space to table seating arrangement in minutes! Folds quickly, stores compactly. Vinyl edging protects top from damage. Pedestal legs provide minimum leg interference, maximum stability and has automatic locking in both up and down position.

Model No. Size 12 or More 6-11 394100 30" x 72" \$38.58 \$40.25 394102

30" x 96" 45.45 47.45

10 Year Guarantee on

Leg Locking Device Lightweight for one Person To Handle

Walnut Plastic Top

See pages 115,120,129, & 134 for additional tables





A LUXURY CUSTOM OFFICE

THE MODULAR

Budget priced ... loaded with features and values

- "A-Grade" Finish of bonderized baked enamels
- "A-Grade" Double Wall Drawers operate smoothly and silently on self-
- Exclusive high file drawer construction with full suspension "Quadramatic" filing.
- Optional center drawer
- Triple chrome plated steel legs, 1¼" fully adjustable leg levelers.

 • Heavy-duty steel girder construction

Desks are shipped semi K.D. to save you



Both tops flush 291/2" high with "L" return left or right

SECRETARIAL

261/2" typing height, "L" return left or right.

(3 or more) \$162.95 Model 230181 60"×30" with 19"×40" return (1 or 2) \$166.95 Model 230183 (3 or more) \$153.95 54"×24" with 19"×40" return (1 or 2) \$157.60

Model 230185 * (3 or more) \$145.50 60"×30" with 19"×30" return (1 or 2) \$148.80 Model 230187 * (3 or more) \$134.75

(3 or more) \$134.75 54"×24" with 19"×30" return (1 or 2) \$137.85

Center drawers optional Model No. 230353 \$18.90

*Return section without drawers

DESK, CHAIRS, AND FILES **Color Coordinated**

Your choice of a full range of decorator pedestal and upholstery colors: Coral, Blue, Lime, Canary, Sand†and Black.

Standard laminate tops: Walnut or Feak. Additional \$10.00 for White top. \$20.00 additional for Modular Desks.

ack finish, Walnut top and Black Istery will be furnished unless Size Gise specified.

50" ching upholstery is brown.



230219

230211




230217

(134)

CUSTOM LOOK AND CUSTOM COMFORT AT LOWEST BUDGET PRICES

These handsome chairs make every office alive and colorfully exciting. Choose from all the latest styling in colors galore. All chairs feature color coordinated Scotchguard nylon seat and chrome frame and base. Chairs carry a DOUBLE GUARANTEE. The frames are guaranteed for life; fabrics and vinyl are guaranteed for 2 years under normal use







The accent's on styling, durability and low cost. Perfect for any desk 'cause it matches in color and design. Chrome finish is triple plated. Fully upholstered seats and backs. Model 230221 - Stacking Arm Chair - Packed 4 to a carton \$30.75 each

Model 230223 - Stacking Side Chair - Packed 4 to a carton \$27.50 each

AT A BUDGET PRICE. FEATURING FULL 11/4" THICK PLASTIC LAMINATE TOP.

THE EXECUTIVE

DOUBLE PEDESTAL DESKS

Precision engineered of all steel with double wall construction throughout.

Features a 11/4" Thick Formica® top-Guaranteed for life... Offers extrasmooth, trouble-free drawer operation and full depth storage capacity. The lock on the file drawer pedestal locks both drawers securely. Center drawer is optional.



FULL SUSPENSION-"QUADRAMATIC" FILING

The exclusive high file drawer is the latest way to file anything! File conventional or hanging folders, letter or legal size. Cradle suspension fully guaranteed for 5 years!



teak (white tops-add'l \$10.00)

CUSTOM MATCHING CREDENZA

Standard laminate tops—walnut or

For extended work area. 20"x60" top with 2 book shelves, sliding doors, 4 box drawers, 1 file drawer with lock.

Model No. 230325 - \$165.50

SPACE SAVER

This is a big value for a small package. Has ample top space, plenty of leg room and full suspension "Quadramatic" file drawer and box drawer.

Model 230309-40"x24"

3 or more 1 or 2

Model 230311-48"x30"

\$80.95 3 or more

1 or 2

\$91.25 \$94.50

\$77.95

Use as an office machine table, typewrit-er table, coffee cart. Includescasterswhich lock in place.

Model No. 230323 30"x18"



RIGID CONFERENCE **TABLE**

Handsome, neat styling with black frame and walnut or teak top. Unusually rigid construction. No shaking ... stands strong and firm.

230337 230339

Model No. Size 230331 20"x40" \$77.90 24"x54" 230333 82.95 230335 20"x60" 82.95 30"x60" 88.95 36"x72" 121.65

see page 129 for additional office furniture



oll colored to 1232 Toll

HEAVY GAUGE STORAGE **CABINET**

Check these high quality features

- Fully jumbo size, 36" W, 18" D,
- Five shelves (four adjustable) · Chrome locking handle with two keys.
- Gray durable baked enamel finish.
- · Shipped K.D. to save freight, easily assembled.

Model No. **SP310** wt. 125 lbs. List Price \$112.53

1-5 \$67.75

6-11 \$63.99

12+ \$59.95

Additional Shelves -Model No. 254402 \$7.57 for additional cabinets



STEEL

Not to be confused with light duty promotional shelving. Heavy duty commercial grade steel shelving. Shelves triple formed for strength. Each unit consists of four posts, five shelves, 1 pr. back braces, 1 pr. side braces, and necessary hardware. Finished in gray baked on enamel.

5 SHELF UNIT

AS LOW AS §16.99

Price per section

1-11

25.87

25 or more 12-24 LxDxH SP 110 36"x12"x72" \$20.79 \$16.99 \$19.39 36"x18"x72" SP 111 22.63 24.79 SP 112 36"x24"x72" 30.19 33.43

See page 11 for additional values

AS LOW AS \$67.95


PLATFORM TRUCK 2000 lb. capacity

• Kiln-dried reinforced hardwood deck

5" sameter hard rubber wheels
Removable pipe handle.

12 or WxL 1-3 SP 350 24" × 48" \$81.50 \$78.00 \$67.95 SP 352 30" x 60" 93.00 88.50 78.95





HAUL-ALL CART

Huge 82 gallon capacity. High density FDA acceptable rnolded construction ... handles wet or dry waste. Heavy gauge 1: tubular rust resistant frame. Lower lifting bar allows easy dumping. Steam or solvent cleanable. Semipneumatic tires for easy handling. 37"L x 28⁵/₁₆"W x 41"H.

Meets USDA Requirements for Food, Chemical, Drug

Snap-on cover-Model No. 700100 \$10.45

Price Model Cap Price 1-2 3-5 No. Lbs. Color Wheels 6+ 700100 \$121.75 \$116.88 \$109.50 360 Green 12"x134" 700102 460 Red 12"x3" 157.50 148.00 143.25

Hundreds of **Applications**

FREE TRIAL

GUARANTEE

LITERATURE STORAGE SYSTEM BEAUTIFUL, PRACTICAL, **DURABLE**

Handsome black enamel shelves with walnut grain finish panels. Heavy duty corrugated fiberboard trays keep your forms, letterheads, sales material, etc. organized without unnecessary loss of valuable space. Easily assembled.

COMPACT! LOW COST!

O.A. SIZE NO. OF W"xD"xH" TRAYS MODEL NO. 234900 TRAY \$78.95 \$74.95 94.95 90.95 LETTER 36x12x75 72 72 LETTER 234902 36x15x75 234904 47.95 234906 LEGAL 36x15x42 58.95 54.95

GLOBAL EQUIPMENT 6585 Hemlock Drive, Hempstead, N.Y. 11550

Bulk Rate U. S. Postage PAID Permit No. 207 St. Cloud, Minn.

CUNT BO X 3 SCHOOLEYS MT NJ 07870 ***

Postman - If addressee has moved, please deliver to current occupant.